PolvOne

MATERIAL SAFETY DATA SHEET X SF-157250102 Black

Version Number 1.1 Revision Date 03/26/2014

Page 1 of 6 Print Date 4/2/2014

1. PRODUCT AND COMPANY IDENTIFICATION					
POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012					
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).			
Product name	:	X SF-157250102 Black			
Product code	:	EM10020465			
Chemical Name	:	Mixture			
CAS-No.	:	Mixture			
		Industrial Applications			

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Glass, oxide	65997-17-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

MATERIAL SAFETY DATA SHEET X SF-157250102 Black

Version Number 1.1 Revision Date 03/26/2014 Page 2 of 6 Print Date 4/2/2014

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	8
Eyes	: Rinse immediately with plenty of water, also under the eyelids, fo least 15 minutes. If eye irritation persists, seek medical attention.	r at
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
	5. FIREFIGHTING MEASURES	
Flash point	: not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. 	
Special Fire Fighting Procedures	 Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants. 	ve
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	l
	. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal.	in
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Here only in areas with appropriate exhaust ventilation.	at
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	on

PolyOne

MATERIAL SAFETY DATA SHEET X SF-157250102 Black

Version Number 1.1 Revision Date 03/26/2014

products

Page 3 of 6 Print Date 4/2/2014

	POSURE CONTROLS/P		
Respiratory protection	: No personal respiratory protective equipment normally required.		
Eye/Face Protection	: Safety glasses with side-shields		
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothing		
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		nce with good industrial hy nds before breaks and at the	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
Exposure min(s)			
	9. PHYSICAL AND CHEN	MICAL PROPERTIES	
9	PHYSICAL AND CHEN : solid		: Not applicable
9 Form		MICAL PROPERTIES Evapouration rate Specific Gravity	: Not applicable : Not determined
9 Form Appearance	: solid	Evapouration rate	
	: solid : pellets, Slabs	Evapouration rate Specific Gravity	: Not determined
9 Form Appearance Colour Odour Melting point/range	: solid : pellets, Slabs : BLACK	Evapouration rate Specific Gravity Bulk density	Not determinedNot establishednot applicablenot applicable
9 Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs BLACK very faint Not determined not applicable 	Evapouration rate Specific Gravity Bulk density Vapour pressure	Not determinedNot establishednot applicable
9 Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs BLACK very faint Not determined 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	Not determinedNot establishednot applicablenot applicable
9 Form Appearance Colour Odour Melting point/range	 solid pellets, Slabs BLACK very faint Not determined not applicable 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	Not determinedNot establishednot applicablenot applicable
9 Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs BLACK very faint Not determined not applicable insoluble 10. STABILITY AN	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable not applicable
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets, Slabs BLACK very faint Not determined not applicable insoluble 10. STABILITY AN	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH DREACTIVITY	 Not determined Not established not applicable not applicable not applicable
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 solid pellets, Slabs BLACK very faint Not determined not applicable insoluble 10. STABILITY AN The product is state Will not occur. 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH DREACTIVITY	: Not determined : Not established : not applicable : not applicable : not applicable

11. TOXICOLOGICAL INFORMATION

(NOx), other hazardous materials, and smoke are all possible.

PolyOne

MATERIAL SAFETY DATA SHEET X SF-157250102 Black

Version Number 1.1 Revision Date 03/26/2014 Page 4 of 6 Print Date 4/2/2014

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
	12. ECOLOGIC	AL INFORMATIC	DN			
Persistence and degradabilit	y : Not readily bio	odegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potential		Chemicals are not readily available as they are bound within the polymer matrix.not applicable				
Additional advice	: not applicable					
	13. DISPOSAL	CONSIDERATION	1S			
Product	possible recyc generator of w classification,	ling is preferred to d vaste material has the transportation and d	ne product can be recycled. When hisposal or incineration. The e responsibility for proper waste isposal in accordance with and local regulations.			
Contaminated packaging	material has the transportation	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPOR	RT INFORMATIO	N			
U.S. DOT Classification	: Not regulated	for transportation.				
ICAO/IATA	: Refer to speci	fic regulation.				
IMO/IMDG (maritime)	: Refer to specia	fic regulation.				
	15. REGULATO	RY INFORMATIO	DN			
US Regulations:						
OSHA Status	: Classified as h	azardous based on c	omponents.			
TSCA Status	: All componer TSCA Invento		e listed on or exempt from the			

PolyOne

MATERIAL SAFETY DATA SHEET X SF-157250102 Black

Version Number 1.1 Revision Date 03/26/2014 Page 5 of 6 Print Date 4/2/2014

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne.

MATERIAL SAFETY DATA SHEET X SF-157250102 Black

Version Number 1.1 Revision Date 03/26/2014 Page 6 of 6 Print Date 4/2/2014

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.