PolvOne

MATERIAL SAFETY DATA SHEET X OnForce LFT NN-40LGF/000 Black

Version Number 1.2 Revision Date 03/26/2014

Page 1 of 6 Print Date 4/2/2014

1.	PROD	UCT AND COMPANY IDENTIFICATION
POLYONE CORPORAT 33587 Walker Road, Avo		OH 44012
55567 Walkel Koau, Avol	I Lake,	011 ++012
Telephone	:	1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X OnForce LFT NN-40LGF/000 Black
Product code	:	EM10020565
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use		Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Glass, oxide	65997-17-3	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			



MATERIAL SAFETY DATA SHEET X OnForce LFT NN-40LGF/000 Black

Version Number 1.2 Revision Date 03/26/2014 Page 2 of 6 Print Date 4/2/2014

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	5 O İ
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	at
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
	5. FIREFIGHTING MEASURES	
Flash point	: not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. 	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.	/e
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	
	. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should r be allowed to enter drains, water courses or the soil.	ıot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material i plastic, cardboard or metal containers for disposal.	n
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Hea only in areas with appropriate exhaust ventilation.	t
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	n

PolyOne.

MATERIAL SAFETY DATA SHEET X OnForce LFT NN-40LGF/000 Black

Version Number 1.2 Revision Date 03/26/2014 Page 3 of 6 Print Date 4/2/2014

	POSUR	E CONTROLS/F	ERSONAL PROTECTION			
Respiratory protection	: No personal respiratory protective equipment normally required.					
Eye/Face Protection	:	: Safety glasses with side-shields				
Hand protection	:	: Protective gloves				
Skin and body protection	:	: Long sleeved clothing				
Additional Protective Measures	:	Safety shoes				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
9.	PHYS	CAL AND CHE	MICAL PROPERTIES			
Form	: soli		Evapouration rate : Not applicable			
Appearance			Specific Gravity : Not determine			
Colour	: BL	ACK	Specific Gravity: Not determineBulk density: Not establishe			
Colour Odour	: BL : ver	ACK y faint	Specific Gravity: Not determineBulk density: Not establisheVapour pressure: not applicable			
Colour Odour Melting point/range	: BL : ver : Not	ACK y faint determined	Specific Gravity: Not determineBulk density: Not establisheVapour pressure: not applicableVapour density: not applicable			
Colour Odour Melting point/range Boiling Point:	: BL. : very : Not : not	ACK y faint determined applicable	Specific Gravity: Not determineBulk density: Not establisheVapour pressure: not applicable			
Colour Odour Melting point/range	: BL : ver : Not	ACK y faint determined applicable	Specific Gravity: Not determineBulk density: Not establisheVapour pressure: not applicableVapour density: not applicable			
Colour Odour Melting point/range Boiling Point:	: BL. : ver : Not : not : inso	ACK y faint determined applicable bluble	Specific Gravity: Not determineBulk density: Not establisheVapour pressure: not applicableVapour density: not applicable			
Colour Odour Melting point/range Boiling Point: Water solubility	: BL. : very : Not : not : insc	ACK y faint determined applicable bluble STABILITY AN	Specific Gravity: Not determineBulk density: Not establisheVapour pressure: not applicableVapour density: not applicablepH: not applicable			
Colour Odour Melting point/range Boiling Point: Water solubility Stability	: BL. : ver : Not : not : inso 10. : '	ACK y faint determined applicable bluble STABILITY AN	Specific Gravity: Not determineBulk density: Not establisheVapour pressure: not applicableVapour density: not applicablepH: not applicableDREACTIVITY			
Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: BL. : ver : Not : not : insc 10. : '	ACK y faint determined applicable bluble STABILITY AN The product is stal Will not occur.	Specific Gravity: Not determineBulk density: Not establisheVapour pressure: not applicableVapour density: not applicablepH: not applicableDREACTIVITY			
Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: BL. : ver : Not : not : insc 10. :	ACK y faint determined applicable bluble STABILITY AN The product is stal Will not occur. To avoid thermal o	Specific Gravity : Not determine Bulk density : Not establishe Vapour pressure : not applicable Vapour density : not applicable pH : not applicable D REACTIVITY ble if stored and handled as prescribed.			
Colour Odour Melting point/range Boiling Point:	: BL. : ver : Not : not : insc 10. :	ACK y faint determined applicable bluble STABILITY AN The product is stal Will not occur. To avoid thermal of Strong acids, oxid Carbon dioxide (C	Specific Gravity : Not determine Bulk density : Not establishe Vapour pressure : not applicable Vapour density : not applicable pH : not applicable D REACTIVITY ble if stored and handled as prescribed.			

PolyOne

MATERIAL SAFETY DATA SHEET X OnForce LFT NN-40LGF/000 Black

Version Number 1.2 Revision Date 03/26/2014 Page 4 of 6 Print Date 4/2/2014

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

		L INFORMATIO	N			
	12. ECOLOGICA	L INFORMATIO	IN			
Persistence and degradability	: Not readily bio	degradable.				
Environmental Toxicity	: Chemicals are polymer matrix		e as they a	are bound within the		
Bioaccumulation Potential : Chemicals are not readily available as they are bour polymer matrix.				are bound within the		
Additional advice	: not applicable					
	13. DISPOSAL C	ONSIDERATION	S			
Product	possible recycli generator of wa classification, t	ng is preferred to d	isposal or responsi sposal in	bility for proper waste accordance with		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.					
	14. TRANSPOR	T INFORMATION	N			
U.S. DOT Classification	: Not regulated f	or transportation.				
ICAO/IATA	: Refer to specifi	c regulation.				
IMO/IMDG (maritime)	: Refer to specifi	c regulation.				
	15. REGULATOR	RY INFORMATIC	N			
US Regulations:						
OSHA Status	: Classified as ha	zardous based on co	omponen	ts.		
TSCA Status	: All component TSCA Inventor		e listed or	n or exempt from the		

PolyOne

MATERIAL SAFETY DATA SHEET X OnForce LFT NN-40LGF/000 Black

Version Number 1.2 Revision Date 03/26/2014 Page 5 of 6 Print Date 4/2/2014

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne.

MATERIAL SAFETY DATA SHEET X OnForce LFT NN-40LGF/000 Black

Version Number 1.2 Revision Date 03/26/2014 Page 6 of 6 Print Date <u>4/2/201</u>4

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.