PolvOne

MATERIAL SAFETY DATA SHEET

X LC-1584402 Natural

Version Number 1.1 Revision Date 03/21/2014 Page 1 of 7 Print Date 3/25/2014

1.	PROD	UCT AND COMPANY IDENTIFICATION
POLYONE CORPORATI	ON	
33587 Walker Road, Avon	1 Lake,	OH 44012
Telephone		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X LC-1584402 Natural
Product code	:	EM10020855
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use		Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Carbon	7440-44-0	10 - 30
Nickel	7440-02-0	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		

PolyOne.

MATERIAL SAFETY DATA SHEET X LC-1584402 Natural

Version Number 1.1 Revision Date 03/21/2014 Page 2 of 7 Print Date 3/25/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET X LC-1584402 Natural

Version Number 1.1 Revision Date 03/21/2014 Page 3 of 7 Print Date 3/25/2014

	aı	nd contamination. Keep in a d	iry, cool place.		
8.	EXPOSURE	CONTROLS/PERSONAL	PROTECTION		
Respiratory protection	: N	: No personal respiratory protective equipment normally required.			
Eye/Face Protection	: S	afety glasses with side-shields			
Hand protection	: P:	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	: Safety shoes			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide	
Engineering measures <u>Exposure limit(s)</u>				Provide	
Exposure limit(s)		ppropriate exhaust ventilation	at machinery.	Provide List:	
	aj	ppropriate exhaust ventilation Exposure time Time Weighted Average			
Exposure limit(s) Components	aj Value	ppropriate exhaust ventilation Exposure time	at machinery. Exposure type	List:	
Exposure limit(s) Components	aj Value 1.5 mg/m3	Exposure time Time Weighted Average (TWA):	at machinery. Exposure type Inhalable fraction.	List: ACGIH OSHA ZI	
Exposure limit(s) Components	aj Value 1.5 mg/m3 1 mg/m3 1 mg/m3	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average	at machinery. Exposure type Inhalable fraction. as Ni	List: ACGIH	
Exposure limit(s) Components	aj Value 1.5 mg/m3 1 mg/m3 1 mg/m3	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	at machinery. Exposure type Inhalable fraction. as Ni DPERTIES	List: ACGIH OSHA Z1	

Colour Odour Melting point/range Boiling Point: Water solubility

10. STABILITY AND REACTIVITY

Vapour density

pН

: not applicable

: not applicable

Stability	: The product is stable if stored and handled as prescribed.	
Hazardous Polymerization	: Will not occur.	
Conditions to avoid	: To avoid thermal decomposition, do not overheat.	

: Not determined

: not applicable

: insoluble

MATERIAL SAFETY DATA SHEET X LC-1584402 Natural

Version Number 1.1 Revision Date 03/21/2014

Page 4 of 7 Print Date 3/25/2014

Incompatible Materials	:	Strong acids, oxidizing and reducing agents	
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7440-44-0	Carbon	Systemic effects	Respiratory system, heart or circulatory system.
7440-02-0	Nickel	Systemic effects	Skin, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
7440-44-0	Carbon	Oral LD50	10,000 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
7440-02-0	Nickel	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Nickel 7440-02-0 Skin sensitizer "nickel itch", with pulmonary, brain, liver, kidney and muscle effects.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.

PolyOne.

MATERIAL SAFETY DATA SHEET X LC-1584402 Natural

Version Number 1.1 Revision Date 03/21/2014 Page 5 of 7 Print Date 3/25/2014

	polym	er matrix.	
Additional advice	: not ap	plicable	
	13. DISP	OSAL CONSIDERAT	IONS
Product	possib genera classif	le recycling is preferred tor of waste material has ication, transportation ar	cs the product can be recycled. Where to disposal or incineration. The s the responsibility for proper waste ad disposal in accordance with cial and local regulations.
Contaminated packaging	materi transpo	al has the responsibility	ossible. The generator of waste for proper waste classification, accordance with applicable federal, ations.
	14. TRA	NSPORT INFORMAT	TION
U.S. DOT Classification	: Not re	gulated for transportation	n.
ICAO/IATA	: Refer	to specific regulation.	
IMO/IMDG (maritime)	: Refer	to specific regulation.	
	15. REGU	JLATORY INFORMA	TION
US Regulations:			
OSHA Status	: Classi	fied as hazardous based of	on components.
TSCA Status		omponents of this produc Inventory.	et are listed on or exempt from the
US. EPA CERCLA Hazardo	us Substances	(40 CFR 302)	
Chemical Name	CAS-No.	RQ for component	RQ for Mixture/Product
Nickel	7440-02-0	100 lbs	889 LB
California Propositio 65		NING! This product con rnia to cause cancer.	atains a chemical known to the State of

MATERIAL SAFETY DATA SHEET X LC-1584402 Natural

Version Number 1.1 Revision Date 03/21/2014

Page 6 of 7 Print Date 3/25/2014

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulationChemical NameCAS-No.Weight percentNICKEL7440-02-010.00 - 30.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Nickel	7440-02-0	10.00 - 30.00	

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
7440-02-0	

DSL

DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

:

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET X LC-1584402 Natural

Version Number 1.1 Revision Date 03/21/2014 Page 7 of 7 Print Date 3/25/2014

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.