## MATERIAL SAFETY DATA SHEET **N8511-1A**

Version Number 1.2 Revision Date 03/26/2014 Page 1 of 6 Print Date 4/2/2014

NEU

NEU Specialty Engineered 15 Corporate Drive, North			
Telephone:1 (440) 930-1000 or 1 (866) POLYONEEmergency telephone:CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposur or accident).			
Product name	: N8511-1	IA	
Product code	: EM1002	21121	
Chemical Name	: Mixture		
CAS-No.	: Mixture		
Product Use	: Industria	al Applications	
2. CO	MPOSITION/II	NFORMATION ON INC	GREDIENTS
Component	ts	CAS-No.	Weight percent
1,2-Benzenedicarboxylic ac phenylmethylester	id, butyl	85-68-7	10 - 30
			<del>.</del>
product is based on ind	EMER een evaluated as a ividual compone	nts. All ingredients are bo	ded on the health effects of this bund and potential for hazardous
product is based on ind exposure as shipped is	EMER een evaluated as a ividual component minimal. Howev ake the necessary ees from exposure	<b>RGENCY OVERVIEW</b> a whole. Information provints. All ingredients are bover, some vapors may be represented by precautions (mechanical	ded on the health effects of this
product is based on ind exposure as shipped is user (fabricator) must ta etc.) to protect employe	EMER een evaluated as a ividual component minimal. However ake the necessary ees from exposure	<b>RGENCY OVERVIEW</b> a whole. Information provints. All ingredients are bover, some vapors may be represented by precautions (mechanical	ded on the health effects of this ound and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,
product is based on ind exposure as shipped is user (fabricator) must ta etc.) to protect employe	EMER een evaluated as a ividual component minimal. However ake the necessary ees from exposure	<b>RGENCY OVERVIEW</b> a whole. Information provints. All ingredients are bo yer, some vapors may be re precautions (mechanical e.	ded on the health effects of this ound and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,
product is based on ind exposure as shipped is user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure	EMER een evaluated as a ividual compone minimal. Howev ake the necessary ees from exposure CTS : Inhalatio	<b>RGENCY OVERVIEW</b> a whole. Information provints. All ingredients are bo yer, some vapors may be re precautions (mechanical e.	ded on the health effects of this bund and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,
product is based on ind exposure as shipped is user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFE( Routes of Exposure:	EMER een evaluated as a ividual compone minimal. Howev ake the necessary ees from exposure CTS : Inhalatio : Particulat	<b>RGENCY OVERVIEW</b> a whole. Information provints. All ingredients are bo yer, some vapors may be re precautions (mechanical e.	ded on the health effects of this ound and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,
product is based on ind exposure as shipped is user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation	EMER een evaluated as a ividual compone: minimal. Howev ake the necessary ees from exposure CTS : Inhalation : Particulat : May be h	<b>RGENCY OVERVIEW</b> a whole. Information provints. All ingredients are bover, some vapors may be rever, some vapors (mechanical precautions (mechanical e. bon, Ingestion, Skin contact tes, like other inert materia harmful if swallowed.	ded on the health effects of this bund and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,
product is based on ind exposure as shipped is user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion	EMER een evaluated as a ividual component minimal. However ake the necessary eves from exposure CTS : Inhalation : Particulat : May be h : Particulat	<b>RGENCY OVERVIEW</b> a whole. Information provints. All ingredients are bover, some vapors may be rever, some vapors (mechanical e) or precautions (mechanical e) on, Ingestion, Skin contact tes, like other inert materia harmful if swallowed. tes, like other inert materia	ded on the health effects of this bund and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,
product is based on ind exposure as shipped is user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion Eyes	EMER een evaluated as a ividual compone minimal. Howew ake the necessary ees from exposure : Inhalation : Particulat : May be h : Particulat : Experience	<b>RGENCY OVERVIEW</b> a whole. Information provints. All ingredients are bover, some vapors may be rever, some vapors (mechanical e) or precautions (mechanical e) on, Ingestion, Skin contact tes, like other inert materia harmful if swallowed. tes, like other inert materia	ded on the health effects of this ound and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection, als can be mechanically irritating. als can be mechanically irritating.

# NEU

## MATERIAL SAFETY DATA SHEET **N8511-1A**

Version Number 1.2 Revision Date 03/26/2014 Page 2 of 6 Print Date 4/2/2014

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits	
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
	: not applicable
Auto-ignition temperature	
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

# NEU

## MATERIAL SAFETY DATA SHEET **N8511-1A**

Version Number 1.2 Revision Date 03/26/2014 Page 3 of 6 Print Date 4/2/2014

		ERSONAL PROTECTIO	- •	
Respiratory protection	: No personal respir	atory protective equipment	normally required.	
Eye/Face Protection	: Safety glasses with side-shields			
Hand protection	: Protective gloves			
Skin and body protection	: Long sleeved cloth	ning		
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations		nce with good industrial hyg nds before breaks and at the		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
9.	PHYSICAL AND CHE	MICAL PROPERTIES		
<b>9.</b> Form	PHYSICAL AND CHE		: Not applicable	
Form	: solid	Evapouration rate	: Not applicable : Not determined	
Form Appearance	: solid : pellets, Slabs	Evapouration rate Specific Gravity	: Not determined	
Form Appearance Colour	<ul><li>solid</li><li>pellets, Slabs</li><li>NO PIGMENT</li></ul>	Evapouration rate Specific Gravity Bulk density	<ul><li>Not determined</li><li>Not established</li></ul>	
Form Appearance Colour Odour	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure	<ul><li>Not determined</li><li>Not established</li><li>not applicable</li></ul>	
Form Appearance Colour Odour Melting point/range	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	<ul> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> </ul>	
	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure	<ul><li>Not determined</li><li>Not established</li><li>not applicable</li></ul>	
Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> </ul>	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AN	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul>	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AN	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH <b>D REACTIVITY</b>	<ul> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul>	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>The product is state</li> <li>Will not occur.</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH <b>D REACTIVITY</b>	<ul> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul>	
Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>The product is state</li> <li>Will not occur.</li> <li>To avoid thermal of</li> </ul>	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH <b>D REACTIVITY</b> ble if stored and handled as p	<ul> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul>	

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.



## MATERIAL SAFETY DATA SHEET N8511-1A

Version Number 1.2 Revision Date 03/26/2014

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	Irritant	Eyes, Skin.
		Systemic effects	Liver, reproductive system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
85-68-7	1,2-Benzenedicarboxylic	Oral LD50	2,330 mg/kg	rat
	acid, butyl	Dermal LD50	>10 gm/kg	rabbit
	phenylmethylester	Dermal LD50	6,700 mg/kg	rat
		Dermal LD50	6,700 mg/kg	mouse

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	<ul> <li>Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.

# NEU

## MATERIAL SAFETY DATA SHEET **N8511-1A**

Version Number 1.2 Revision Date 03/26/2014

Page 5 of 6 Print Date 4/2/2014

### **15. REGULATORY INFORMATION**

US Regulations:

OSHA Status : Classified as hazardous based on components.

TSCA Status :

All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component	RQ for
		_	Mixture/Product
1,2-	85-68-7	100 lbs	500 LB
Benzenedicarboxyl			
ic acid, butyl			
phenylmethylester			

California Proposition:WARNING! This product contains a chemical known to the State of<br/>California to cause birth defects or other reproductive harm.

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
1,2-Benzenedicarboxylic acid, butyl	85-68-7	10.00 - 30.00	
phenylmethylester			

WHMIS Classification : D2B

WHMIS Ingredient Disclosure List

CAS-No.

## NEU Specialty Engineered Materials, LLC.

### **MATERIAL SAFETY DATA SHEET** N8511-1A Version Number 1.2 Page 6 of 6 Print Date 4/2/2014 Revision Date 03/26/2014 85-68-7 DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS : Listed China IECS Listed : Europe EINECS Listed · Japan ENCS Not determined : Korea KECI Listed ÷ **Philippines PICCS** Listed :

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.