PolyOne

MATERIAL SAFETY DATA SHEET 000000405405

Version Number 1.0 Revision Date 11/04/2010 Page 1 of 6 Print Date 1/16/2012

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012					
Геlephone	:	1 (440) 930-1000 or 1 (866) POLYONE			
Emergency telephone	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).			
Product name	:	000000405405			
Product code	:	EM10021211			
Chemical Name	:	Mixture			
CAS-No.	:	Mixture			
Product Use	:	Industrial Applications			

Components	CAS-No.	Weight percent
Titanium dioxide	13463-67-7	0.1 - 1

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET 000000405405

Version Number 1.0 Revision Date 11/04/2010 Page 2 of 6 Print Date 1/16/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: :	not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET 000000405405

Version Number 1.0 Revision Date 11/04/2010 Page 3 of 6 Print Date 1/16/2012

8.1	EXPOSURE	CONTROLS/PERSONAL	PROTECTION				
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally	required.			
Eye/Face Protection	: S	afety glasses with side-shields					
Hand protection	: P	rotective gloves					
Skin and body protection	: L	ong sleeved clothing					
Additional Protective Measures	: S	: Safety shoes					
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.						
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide			
Exposure limit(s)							
Components	Value	Exposure time	Exposure type	List:			
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH			
	15 mg/m3	PEL:	Total dust.	OSHA Z1			
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A			
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL			
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL			
	9. PHYSI	CAL AND CHEMICAL PRO	PERTIES				
Form	: solid			t applicable			
Appearance Colour			2	t determined			
Odour	: NOI : very		Bulk density: Not establishedVapour pressure: not applicable				
Melting point/range				applicable			
Boiling Point:		pplicable pH	2	applicable			
DOTING FORM.	: insol			-FF			
Water solubility							
	10. 8	STABILITY AND REACTIV	TTY				

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET 000000405405

ion Number 1.0						
sion Date 11/04/20	10			Print	Page Date 1/16/	
Conditions to avoid	:	To avoid therm	nal decomposition, do	not overheat.		
Incompatible Materials : Strong acids, oxidizing and reducing agents						
Hazardous decomposition products : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.						
	11.7	TOXICOLOGI	ICAL INFORMATIO	ON		
health data for the ind Toxicity Overview	lividual compo	onents which co	health effects. Expose mprise the mixture. hich in their pure form			
CAS-No.		nical Name	Effect	Target C		
13463-67-7	Titanium d		Systemic effects	Respiratory syste		
CLC M	CI	. 1		LADO		
CAS-No. 13463-67-7 IARC Carcinogen Cla	Titanium d	mical Name ioxide	OSHA no	IARC 2B	NTP no	
13463-67-7 IARC Carcinogen Cla 1 - The component is 2A - The component i	Titanium d assifications: carcinogenic t is probably car	ioxide to humans. rcinogenic to hu	no no			
13463-67-7 IARC Carcinogen Cla 1 - The component is 2A - The component i 2B - The component i NTP Carcinogen Clas 1 - The component is	Titanium d assifications: carcinogenic t is probably car is possibly car ssifications: known to be a	ioxide to humans. rcinogenic to hu cinogenic to hur human carcino	no imans. mans. gen.			
13463-67-7 IARC Carcinogen Cla 1 - The component is 2A - The component i 2B - The component i NTP Carcinogen Clas 1 - The component is	Titanium d assifications: carcinogenic t is probably car is possibly car ssifications: known to be a reasonably an	ioxide to humans. rcinogenic to hu cinogenic to hun human carcino ticipated to be a	no imans. mans. gen.	2B		
13463-67-7 IARC Carcinogen Cla 1 - The component is 2A - The component i 2B - The component is NTP Carcinogen Clas 1 - The component is 2 - The component is	Titanium d assifications: carcinogenic t is probably car is possibly car ssifications: known to be a reasonably an	ioxide to humans. rcinogenic to hu cinogenic to hun human carcino ticipated to be a	no Imans. mans. gen. human carcinogen. AL INFORMATION	2B		
13463-67-7 IARC Carcinogen Cla 1 - The component is 2A - The component i 2B - The component is NTP Carcinogen Clas 1 - The component is 2 - The component is Persistence and degra	Titanium d assifications: carcinogenic t is probably car is possibly card ssifications: known to be a reasonably an 12 udability :	ioxide to humans. rcinogenic to hu cinogenic to hur thuman carcino ticipated to be a 2. ECOLOGIC . Not readily bio	no imans. mans. gen. human carcinogen. A L INFORMATION odegradable.	2B	no	
13463-67-7 IARC Carcinogen Cla 1 - The component is 2A - The component i 2B - The component i NTP Carcinogen Clas 1 - The component is 2 - The component is Persistence and degra Environmental Toxici	Titanium d assifications: carcinogenic t is probably car is possibly car ssifications: known to be a reasonably an 12 idability : ity :	ioxide to humans. rcinogenic to hu cinogenic to hu human carcino ticipated to be a 2. ECOLOGIC . Not readily bio Chemicals are polymer matri	imans. mans. gen. human carcinogen. AL INFORMATION odegradable. not readily available a x.	2B	no ithin the	
13463-67-7 IARC Carcinogen Cla 1 - The component is 2A - The component i 2B - The component is NTP Carcinogen Clas 1 - The component is 2 - The component is Persistence and degra Environmental Toxici Bioaccumulation Pote	Titanium d assifications: carcinogenic t is probably car is possibly car ssifications: known to be a reasonably an 12 idability : ity :	ioxide to humans. rcinogenic to hu cinogenic to hu human carcino ticipated to be a 2. ECOLOGIC. Not readily bio Chemicals are polymer matri	imans. mans. gen. human carcinogen. AL INFORMATION odegradable. not readily available a x. not readily available a x.	2B	no ithin the	
13463-67-7 IARC Carcinogen Cla 1 - The component is 2A - The component i 2B - The component i NTP Carcinogen Class	Titanium d assifications: carcinogenic t is probably card is probably card ssifications: known to be a reasonably an 12 udability ity : ential :	ioxide to humans. rcinogenic to hu cinogenic to hu human carcino ticipated to be a 2. ECOLOGIC. Not readily bio Chemicals are polymer matri Chemicals are polymer matri not applicable	imans. mans. gen. human carcinogen. AL INFORMATION odegradable. not readily available a x. not readily available a x.	2B A as they are bound wi as they are bound wi	no ithin the	



MATERIAL SAFETY DATA SHEET 000000405405

sion Number 1.0 <i>r</i> ision Date 11/04/2010		Page 5 of Print Date <i>1/16/201</i>
Contaminated packaging	:	possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification,
		transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14	. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Refer to specific regulation.
IMO/IMDG (maritime)	:	Refer to specific regulation.
	15.	REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	s Subst	ances (40 CFR 302)
not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Ex	ktreme	ly Hazardous Substance
Unless specific chemicals are	identif	ied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To	oxic Cl	nemicals:
······································	identifi	ied under this section, this product is Not Applicable under this regulation
Unless specific chemicals are		

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET 000000405405

Version Number 1.0			Page 6 of 6			
Revision Date 11/04/2010			Print Date 1/16/2012			
National Pollutant Release Inventory (NPRI)						
not applicable						
WHMIS Classification	:	D2A				
DSL	:	All components of this product are on the Canad Substances List (DSL) or are exempt.	lian Domestic			
National Inventories:						
Australia AICS	:	Not determined				
China IECS	:	Not determined				
Europe EINECS	:	Listed				
Japan ENCS	:	Not determined				
Korea KECI	:	Not determined				
Philippines PICCS	:	Not determined				
		16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.