PolvOne

## MATERIAL SAFETY DATA SHEET X TR2-20GF 158050305

Version Number 1.1 Revision Date 03/21/2014

Page 1 of 6 Print Date 3/25/2014

1. PRODUCT AND COMPANY IDENTIFICATION			
POLYONE CORPORATI 33587 Walker Road, Avoi		OH 44012	
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	X TR2-20GF 158050305	
Product code	:	EM10021218	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
		Industrial Applications	

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Glass, oxide	65997-17-3	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	

PolyOne.

# MATERIAL SAFETY DATA SHEET X TR2-20GF 158050305

Version Number 1.1 Revision Date 03/21/2014 Page 2 of 6 Print Date 3/25/2014

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits	
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Auto-ignition temperature	: not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

PolyOne.

# MATERIAL SAFETY DATA SHEET X TR2-20GF 158050305

Version Number 1.1 Revision Date 03/21/2014 Page 3 of 6 Print Date 3/25/2014

	POSURE CONTROLS/PE	RSONAL PROTECTION		
Respiratory protection	: No personal respiratory protective equipment normally required.			
Eye/Face Protection	: Safety glasses with	: Safety glasses with side-shields		
Hand protection	: Protective gloves			
Skin and body protection	: Long sleeved clothi	: Long sleeved clothing		
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations		e with good industrial hygiene and safety ds before breaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
0				
9	. PHYSICAL AND CHEM	ICAL PROPERTIES		
Form	: solid	Evapouration rate : Not applicable		
Appearance	: pellets, Slabs	Specific Gravity : Not determined		
Colour	: NO PIGMENT	Bulk density : Not established		
Odour	: very faint	Vapour pressure : not applicable		
Melting point/range	: Not determined	Vapour density : not applicable		
Boiling Point:	: not applicable	pH : not applicable		
Water solubility	: insoluble	F F F F F F F F F F		
	10 STADII ITV AND			
	IV. STADILITT AND	REACTIVITY		
Stability		e if stored and handled as prescribed.		
·				
Hazardous Polymerization	: The product is stabl : Will not occur.			
Hazardous Polymerization	<ul><li>: The product is stabl</li><li>: Will not occur.</li><li>: To avoid thermal de</li></ul>	e if stored and handled as prescribed.		
Stability Hazardous Polymerization Conditions to avoid Incompatible Materials Hazardous decomposition products	<ul> <li>The product is stabl</li> <li>Will not occur.</li> <li>To avoid thermal de</li> <li>Strong acids, oxidiz</li> <li>Carbon dioxide (CC)</li> </ul>	e if stored and handled as prescribed.		

PolyOne

## MATERIAL SAFETY DATA SHEET X TR2-20GF 158050305

Version Number 1.1 Revision Date 03/21/2014 Page 4 of 6 Print Date 3/25/2014

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

12. ECOLOGICAL INFORMATION         Persistence and degradability       : Not readily biodegradable.         Environmental Toxicity       : Chemicals are not readily available as they are bound within the polymer matrix.         Bioaccumulation Potential       : Chemicals are not readily available as they are bound within the polymer matrix.         Additional advice       : not applicable         Isome polymer matrix.         Additional advice       : not applicable         Isome polymer matrix.         Product         Isite most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Isome polymer matrix         U.S. DOT Classification         Isome polymer to specific regulation.         ICAO/IATA         Isome polymer matrix         U.S. DOT Classification         ISOME polymer matrix         ISOT C	CAS-No.	Chemical Name	Effect	Target Organ		
Environmental Toxicity       : Chemicals are not readily available as they are bound within the polymer matrix.         Bioaccumulation Potential       : Chemicals are not readily available as they are bound within the polymer matrix.         Additional advice       : not applicable <b>I3. DISPOSAL CONSIDERATIONS</b> Product       : Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal on incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       : Not regulated for transportation.         ICAO/IATA       : Refer to specific regulation.         IMO/IMDG (maritime)       : Refer to specific regulation.         US Regulations:       OSHA Status       : Classified as hazardous based on components.         OSHA Status       : All components of this product are listed on or exempt from the		12. ECOLOGIC	AL INFORMATIO	DN		
polymer matrix.         Bioaccumulation Potential       : Chemicals are not readily available as they are bound within the polymer matrix.         Additional advice       : not applicable <b>13. DISPOSAL CONSIDERATIONS</b> Product       : Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       : Not regulated for transportation.         ICAO/IATA       : Refer to specific regulation.         IMO/IMDG (maritime)       : Refer to specific regulation.         US Regulations:       OSHA Status       : Classified as hazardous based on components.         TSCA Status       : All components of this product are listed on or exempt from the	Persistence and degradabili	y : Not readily bi	odegradable.			
Additional advice       : not applicable         I3. DISPOSAL CONSIDERATIONS         Product       : Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       : Not regulated for transportation.         ICAO/IATA       : Refer to specific regulation.         IMO/IMDG (maritime)       : Refer to specific regulation.         US Regulations:       OSHA Status       : Classified as hazardous based on components.         OSHA Status       : All components of this product are listed on or exempt from the	Environmental Toxicity					
It. <b>13. DISPOSAL CONSIDERATIONS</b> Product         :       Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       :       Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. <b>14. TRANSPORT INFORMATION</b> U.S. DOT Classification       :       Not regulated for transportation.         ICAO/IATA       :       Refer to specific regulation.         IMO/IMDG (maritime)       :       Refer to specific regulation.         US Regulations:       OSHA Status       :       Classified as hazardous based on components.         TSCA Status       :       All components of this product are listed on or exempt from the	Bioaccumulation Potential			e as they are bound within the		
Product       : Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       : Not regulated for transportation.         ICAO/IATA       : Refer to specific regulation.         IMO/IMDG (maritime)       : Refer to specific regulation.         US Regulations:       OSHA Status       : Classified as hazardous based on components.         TSCA Status       : All components of this product are listed on or exempt from the	Additional advice	: not applicable				
possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       : Not regulated for transportation.         ICAO/IATA       : Refer to specific regulation.         IMO/IMDG (maritime)       : Refer to specific regulation.         US Regulations:       : Classified as hazardous based on components.         TSCA Status       : All components of this product are listed on or exempt from the		13. DISPOSAL	CONSIDERATION	NS		
material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         14. TRANSPORT INFORMATION         U.S. DOT Classification       : Not regulated for transportation.         ICAO/IATA       : Refer to specific regulation.         IMO/IMDG (maritime)       : Refer to specific regulation.         US Regulations:       OSHA Status         OSHA Status       : Classified as hazardous based on components.         TSCA Status       : All components of this product are listed on or exempt from the	Product	possible recyc generator of w classification,	ling is preferred to d vaste material has the transportation and d	isposal or incineration. The responsibility for proper waste isposal in accordance with		
U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. <b>15. REGULATORY INFORMATION</b> US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the	Contaminated packaging	material has the transportation	ne responsibility for and disposal in acco	proper waste classification, rdance with applicable federal,		
ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. IS. REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the		14. TRANSPOI	RT INFORMATIO	N		
IMO/IMDG (maritime)       : Refer to specific regulation.         ISTREGULATORY INFORMATION         US Regulations:         OSHA Status         Classified as hazardous based on components.         TSCA Status         : All components of this product are listed on or exempt from the	U.S. DOT Classification	: Not regulated	for transportation.			
IS. REGULATORY INFORMATION         US Regulations:         OSHA Status         Classified as hazardous based on components.         TSCA Status         : All components of this product are listed on or exempt from the	ICAO/IATA	: Refer to speci	fic regulation.			
US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the	IMO/IMDG (maritime)	: Refer to speci	fic regulation.			
OSHA Status: Classified as hazardous based on components.TSCA Status: All components of this product are listed on or exempt from the		15. REGULATO	RY INFORMATIO	DN		
TSCA Status : All components of this product are listed on or exempt from the	US Regulations:					
	OSHA Status	: Classified as h	nazardous based on c	omponents.		
	TSCA Status			e listed on or exempt from the		

PolvOne

# MATERIAL SAFETY DATA SHEET X TR2-20GF 158050305

Version Number 1.1 Revision Date 03/21/2014 Page 5 of 6 Print Date 3/25/2014

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne.

# MATERIAL SAFETY DATA SHEET X TR2-20GF 158050305

Version Number 1.1 Revision Date 03/21/2014 Page 6 of 6 Print Date 3/25/2014

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.