PolvOne

## MATERIAL SAFETY DATA SHEET X PDS 15256-10-3 AMBER GOLD

Version Number 1.2 Revision Date 03/29/2014 Page 1 of 7 Print Date 4/5/2014

1. PRODUCT AND COMPANY IDENTIFICATION					
POLYONE CORPORATI 33587 Walker Road, Avon		OH 44012			
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).			
Product name	:	X PDS 15256-10-3 AMBER GOLD			
Product code	:	EM10021273			
Chemical Name	:	Mixture			
CAS-No.	:	Mixture			
Product Use		Industrial Applications			

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Aluminum	7429-90-5	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET X PDS 15256-10-3 AMBER GOLD

Version Number 1.2 Revision Date 03/29/2014 Page 2 of 7 Print Date 4/5/2014

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	5 01
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	at
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
	5. FIREFIGHTING MEASURES	
Flash point	: not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>	
Special Fire Fighting Procedures Unusual Fire/Explosion	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen</li> </ul>	
Hazards	(NOx), other hazardous materials, and smoke are all possible.	
	5. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	ıot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material i plastic, cardboard or metal containers for disposal.	n
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Hea only in areas with appropriate exhaust ventilation.	t
Storage	: Keep containers dry and tightly closed to avoid moisture absorptio and contamination. Keep in a dry, cool place.	n

PolyOne.

# MATERIAL SAFETY DATA SHEET X PDS 15256-10-3 AMBER GOLD

Version Number 1.2 Revision Date 03/29/2014 Page 3 of 7 Print Date 4/5/2014

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

PolyOne

# MATERIAL SAFETY DATA SHEET X PDS 15256-10-3 AMBER GOLD

Version Number 1.2 Revision Date 03/29/2014 Page 4 of 7 Print Date 4/5/2014

Components	Value	Exposure time	Exposure type	List:
Aluminum	1 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
	10 mg/m3	Recommended exposure limit (REL):	Total	NIOSH
	5 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH
	5 mg/m3	Recommended exposure limit (REL):	Welding fume or pyrophoric powder. as Al	NIOSH
	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1
	15 mg/m3	Time Weighted Average (TWA):	Total dust. as Al	OSHA Z1A
	5 mg/m3	Time Weighted Average (TWA):	Respirable dust. as Al	OSHA Z1A
	5 mg/m3	Time Weighted Average (TWA):	Pyrophoric powder. as Al	OSHA Z1A
	5 mg/m3	Time Weighted Average (TWA):	Fume. as Al	OSHA Z1A
	5 mg/m3	Time Weighted Average (TWA):	Welding fume.	MX OEL
	10 mg/m3	Time Weighted Average (TWA):	Dust.	MX OEL
	5 mg/m3	Time Weighted Average (TWA):	Pyrophoric powder.	MX OEL

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility

\_\_\_\_

solid
pellets, Slabs
YELLOW
very faint
Not determined
not applicable
insoluble

Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH Not applicable
Not determined
Not established
not applicable
not applicable
not applicable

10. STABILITY AND REACTIVITY				
Stability	:	The product is stable if stored and handled as prescribed.		
Hazardous Polymerization	:	Will not occur.		
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.		
Incompatible Materials	:	Strong acids, oxidizing and reducing agents		
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		

PolyOne

# MATERIAL SAFETY DATA SHEET X PDS 15256-10-3 AMBER GOLD

#### Version Number 1.2 Revision Date 03/29/2014

Page 5 of 7 Print Date 4/5/2014

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory
			system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	

PolyOne.

## MATERIAL SAFETY DATA SHEET X PDS 15256-10-3 AMBER GOLD

( PDS 15256-10-3 AMBE	R GOLD			
ersion Number 1.2 evision Date 03/29/2014				Page 6 of Print Date   4/5/201
OSHA Status :	Classified as haz	ardous based on	components.	
TSCA Status :	All components TSCA Inventory		are listed on or exer	mpt from the
US. EPA CERCLA Hazardous Subs	stances (40 CFR 3	802)		
not applicable				
California Proposition : 65	Not applicable			
SARA Title III Section 302 Extreme	ely Hazardous Su	bstance		
Unless specific chemicals are identi	fied under this see	ction, this produc	t is Not Applicable	e under this regulation
SARA Title III Section 313 Toxic C	`hemicals:			
		tion this medua	tis Not Applicable	under this requiletic
Unless specific chemicals are identi	fied under uns sec	cuon, uns produc	a is not Applicable	e under this regulation
Canadian Regulations:				
National Pollutant Release Ir	nventory (NPRI)		XXX • 1	
Chemical Name		CAS-No.	Weight	NPRI ID#
Aluminum		7429-90-5	0.10 - 1.00	
WHMIS Classification : WHMIS Ingredient Disclosu	D2B re List	7429-90-5	percent 0.10 - 1.00	
CAS-No. 7429-90-5				
7429-90-3				
DSL :		of this product a (DSL) or are exe	are on the Canadiar mpt.	n Domestic
National Inventories:				

Australia AICS : Listed

PolyOne

## MATERIAL SAFETY DATA SHEET X PDS 15256-10-3 AMBER GOLD

Version Number 1.2 Revision Date 03/29/2014 Page 7 of 7 Print Date 4/5/2014

Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.