PolvOne

MATERIAL SAFETY DATA SHEET

X PI-153530501 White

Version Number 1.1 Revision Date 03/23/2014 Page 1 of 6 Print Date 3/31/2014

POLYONE CORPORATI 33587 Walker Road, Avor		OH 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X PI-153530501 White
Product code	:	EM10021973
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Glass, oxide	65997-17-3	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET X PI-153530501 White

Version Number 1.1 Revision Date 03/23/2014 Page 2 of 6 Print Date 3/31/2014

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice.	8
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	r at
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
	5. FIREFIGHTING MEASURES	
Flash point	: not applicable	
Flammable Limits		
Upper explosion limit	: not applicable	
Lower explosion limit	: not applicable	
Auto-ignition temperature	: not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants.	ve
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitroger (NOx), other hazardous materials, and smoke are all possible.	1
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal.	in
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. He only in areas with appropriate exhaust ventilation.	at
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	on

PolyOne.

MATERIAL SAFETY DATA SHEET X PI-153530501 White

Version Number 1.1 Revision Date 03/23/2014 Page 3 of 6 Print Date 3/31/2014

Respiratory protection	: No personal respira	tory protective equipment normall	v required.
Eye/Face Protection	: Safety glasses with		<i>y</i>
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothi	ng	
Additional Protective Measures	: Safety shoes	6	
General Hygiene Considerations		ce with good industrial hygiene an ds before breaks and at the end of	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
	PHYSICAL AND CHEM		
Form Appearance Colour Odour	 PHYSICAL AND CHEM solid pellets, Slabs NO PIGMENT very faint Not determined 	Evapouration rate : N Specific Gravity : N Bulk density : N Vapour pressure : no	ot applicable ot determined ot established ot applicable ot applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets, Slabs NO PIGMENT very faint 	Evapouration rate:NSpecific Gravity:NBulk density:NVapour pressure:noVapour density:no	ot determined ot established
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable 	Evapouration rate : N Specific Gravity : N Bulk density : N Vapour pressure : no Vapour density : no pH : no	ot determined ot established ot applicable ot applicable
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY ANI	Evapouration rate : N Specific Gravity : N Bulk density : N Vapour pressure : no Vapour density : no pH : no	ot determined ot established ot applicable ot applicable ot applicable
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY ANI	Evapouration rate:NSpecific Gravity:NBulk density:NVapour pressure:noVapour density:nopH:no	ot determined ot established ot applicable ot applicable ot applicable
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY ANI The product is stable Will not occur. 	Evapouration rate:NSpecific Gravity:NBulk density:NVapour pressure:noVapour density:nopH:no	ot determined ot established ot applicable ot applicable ot applicable
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY ANI The product is stable Will not occur. To avoid thermal determined 	Evapouration rate : N Specific Gravity : N Bulk density : N Vapour pressure : no Vapour density : no pH : no DREACTIVITY le if stored and handled as prescrib	ot determined ot established ot applicable ot applicable ot applicable

PolyOne

MATERIAL SAFETY DATA SHEET X PI-153530501 White

Version Number 1.1 Revision Date 03/23/2014

Page 4 of 6 Print Date 3/31/2014

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Wher possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.

PolvUne

MATERIAL SAFETY DATA SHEET X PI-153530501 White

Version Number 1.1 Revision Date 03/23/2014 Page 5 of 6 Print Date 3/31/2014

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name	CAS-No.	Weight percent
ZINC COMPOUNDS	1314-98-3	30.00 - 60.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Zinc sulfide	1314-98-3	30.00 - 60.00	

WHMIS Classification : Not controlled.

:

DSL

All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this

Quantity use in Canada is restricted by regulations.

product is on the Canadian Non-Domestic Substances List (NDSL).

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined

PolyOne.

MATERIAL SAFETY DATA SHEET X PI-153530501 White

Version Number 1.1 Revision Date 03/23/2014 Page 6 of 6 Print Date 3/31/2014

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.