PolvOne

# **MATERIAL SAFETY DATA SHEET**

# X TE-1610001 Black

Version Number 1.1 Revision Date 03/23/2014

Page 1 of 8 Print Date 3/31/2014

#### **1. PRODUCT AND COMPANY IDENTIFICATION**

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X TE-1610001 Black
Product code	:	EM10022189
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### : Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
1,1'-(Ethane-1,2-	84852-53-9	10 - 30
diyl)bis[pentabromobenzene]		
Carbon black	1333-86-4	1 - 5
Antimony trioxide	1309-64-4	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the enduser (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>

PolyOne.

# MATERIAL SAFETY DATA SHEET X TE-1610001 Black

Version Number 1.1 Revision Date 03/23/2014 Page 2 of 8 Print Date 3/31/2014

Medical Conditions	: None known.
Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat



### MATERIAL SAFETY DATA SHEET X TE-1610001 Black

Page 3 of 8 Print Date 3/31/2014 Version Number 1.1 Revision Date 03/23/2014 only in areas with appropriate exhaust ventilation. Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

PolyOne

### **MATERIAL SAFETY DATA SHEET** X TE-1610001 Black

Version Number 1.1 Revision Date 03/23/2014 Page 4 of 8 Print Date 3/31/2014

Components	Value	Exposure time	Exposure type	List:
Antimony trioxide	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	MX OEL
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH
	0.5 mg/m3	Recommended exposure limit (REL):	as Sb	NIOSH
	0.5 mg/m3	PEL:	as Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	OSHA Z1A
Carbon black	3.5 mg/m3	Recommended exposure limit (REL):		NIOSH
	0.1 mg/m3	Recommended exposure limit (REL):		NIOSH
	3.5 mg/m3	PEL:		OSHA Z1
	3.5 mg/m3	Time Weighted Average (TWA):		OSHA Z1A
	3.5 mg/m3	Time Weighted Average (TWA):		MX OEL
	7 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
	3 mg/m3	Time Weighted Average (TWA):	Inhalable fraction.	ACGIH

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility
- : solid : pellets, Slabs : BLACK : very faint Not determined : : not applicable : insoluble

Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pН

Not applicable : Not determined : Not established : not applicable not applicable not applicable

:

:

:

# **10. STABILITY AND REACTIVITY**

Stability	:	The product is stable if stored and handled as prescribed.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

# MATERIAL SAFETY DATA SHEET X TE-1610001 Black

Version Number 1.1 Revision Date 03/23/2014

Page 5 of 8 Print Date 3/31/2014

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
84852-53-9	1,1'-(Ethane-1,2-	Chronic effects	Skin, Respiratory system.
	diyl)bis[pentabromobenze		
	ne]		
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
84852-53-9	1,1'-(Ethane-1,2-	Oral LD 50	> 5,000 mg/kg	Rat
	diyl)bis[pentabromobenze	Dermal LD 50	> 2,000 mg/kg	rabbit
	ne]			
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

#### Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

- 2A The component is probably carcinogenic to humans.
- 2B The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

- 1 The component is known to be a human carcinogen.
- 2 The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:

# MATERIAL SAFETY DATA SHEET X TE-1610001 Black

Version Number 1.1 Revision Date 03/23/2014

Page 6 of 8 Print Date 3/31/2014

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

#### Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	<ul> <li>Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.

PolyOne.

## MATERIAL SAFETY DATA SHEET X TE-1610001 Black

Version Number 1.1 Revision Date 03/23/2014

	15. REGULA	<b>ATORY INFORM</b>	MATION		
US Regulations:					
OSHA Status	: Classified	as hazardous base	ed on compo	nents.	
TSCA Status	: All comp TSCA Inv	onents of this pro-	duct are listed	d on or exer	npt from the
US. EPA CERCLA Hazardou	s Substances (40	CFR 302)			
not applicable					
California Proposition 65		G! This product to cause cancer.	contains a ch	emical knov	wn to the State of
SARA Title III Section 302 E	xtremely Hazardo	ous Substance			
SARA Title III Section 302 E Unless specific chemicals are			roduct is Not	Applicable	e under this regula
			roduct is Not	Applicable	under this regula
	identified under t		roduct is Not	Applicable	under this regula
Unless specific chemicals are SARA Title III Section 313 T	identified under t	this section, this p			-
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Chemical Name	identified under t oxic Chemicals: identified under t	this section, this p	roduct is Not CAS-No.	Applicable Weigh	under this regula
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are	identified under t oxic Chemicals: identified under t	this section, this p	roduct is Not	Applicable	under this regula
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Chemical Name	identified under t oxic Chemicals: identified under t	this section, this p	roduct is Not CAS-No.	Applicable Weigh	under this regula
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Chemical Name ANTIMONY COMPOUNI Canadian Regulations:	identified under to oxic Chemicals: identified under to DS	this section, this p	roduct is Not CAS-No.	Applicable Weigh	under this regula
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Chemical Name ANTIMONY COMPOUNI Canadian Regulations: National Pollutant Rele	identified under to oxic Chemicals: identified under to DS	this section, this p	roduct is Not CAS-No. 309-64-4	Applicable Weigh 5.00 -	e under this regula t percent 10.00
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Chemical Name ANTIMONY COMPOUNI Canadian Regulations: National Pollutant Refe Chemical Name	identified under to oxic Chemicals: identified under to DS	this section, this p	roduct is Not CAS-No. 309-64-4 We per	Applicable Weigh 5.00 -	under this regula
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Chemical Name ANTIMONY COMPOUNI Canadian Regulations: National Pollutant Rele	identified under to oxic Chemicals: identified under to DS	this section, this p	roduct is Not CAS-No. 309-64-4 We per 4 5.00	Applicable Weigh 5.00 -	e under this regula t percent 10.00

Page 7 of 8 Print Date 3/31/2014

POLYONE CORPORATION



# MATERIAL SAFETY DATA SHEET X TE-1610001 Black

Manajara Niyumbara 4.4		
Version Number 1.1 Revision Date 03/23/2014		Page 8 of 8 Print Date <i>3/31/2014</i>
Revision Date 03/23/2014		
DSL	:	DSL status has not been determined. Quantity use in Canada may be
DOL	•	restricted by regulations.
National Inventories:		
Turional Inventories.		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined
16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.