Version Number 1.3 Revision Date 03/27/2014 Page 1 of 6 Print Date 4/3/2014

NEU Specialty Engineered 15 Corporate Drive, North		
Telephone E mergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	NEUSPEED HC0120-0202-6520
Product code	:	EM10022741
Chemical Name	:	Mixture
CAS-No. : Mixture		
Product Use	:	Industrial Applications

Components	CAS-No.	Weight percent
Titanium dioxide	13463-67-7	1 - 5
Barium sulfate	7727-43-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

Version Number 1.3 Revision Date 03/27/2014 Page 2 of 6 Print Date 4/3/2014

NEU

Inhalation		e to fresh air in case of accidental inhalation of fumes from
		heating or combustion. When symptoms persist or in all cases of ot seek medical advice.
Ingestion		not induce vomiting without medical advice. When symptoms ist or in all cases of doubt seek medical advice.
Eyes		e immediately with plenty of water, also under the eyelids, for at 15 minutes. If eye irritation persists, seek medical attention.
Skin		h off with soap and plenty of water. If skin irritation persists medical attention.
	5. FI	REFIGHTING MEASURES
Flash point	: not a	applicable
Flammable Limits		
Upper explosion limit		pplicable
Lower explosion limit		pplicable
Auto-ignition temperature		pplicable
Suitable extinguishing media	: Carb	oon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting	: Full	face self-contained breathing apparatus (SCBA) used in positive
Procedures	-	sure mode should be worn to prevent inhalation of airborne aminants.
Unusual Fire/Explosion		oon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards		x), other hazardous materials, and smoke are all possible.
	. ACCID	ENTAL RELEASE MEASURES
Personal precautions		r appropriate personal protection during cleanup, such as ervious gloves, boots and coveralls.
Environmental precautions		ald not be released into the environment. The product should not llowed to enter drains, water courses or the soil.
Methods for cleaning up		n up promptly by sweeping or vacuum. Package all material in ic, cardboard or metal containers for disposal.
	7. H A	ANDLING AND STORAGE
Handling		e measures to prevent the build up of electrostatic charge. Heat in areas with appropriate exhaust ventilation.
Storage		containers dry and tightly closed to avoid moisture absorption contamination. Keep in a dry, cool place.

Version Number 1.3 Revision Date 03/27/2014 Page 3 of 6 Print Date 4/3/2014

NFL


8. E2	<u>(POSURI</u>	E CONTROLS/PERSONAL P	ROTECTION	
Respiratory protection	: 1	No personal respiratory protectiv	ve equipment normally r	equired.
Eye/Face Protection	: 5	Safety glasses with side-shields		
Hand protection	: I	Protective gloves		
Skin and body protection	: I	Long sleeved clothing		
Additional Protective Measures	: 5	Safety shoes		
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:

Components	Value	Exposure time	Exposure type	List:
Barium sulfate 10 mg/n		Time Weighted Average (TWA):		ACGIH
	5 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH
	10 mg/m3	Recommended exposure limit (REL):	Total	NIOSH
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
10	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Colour : solid: pellets, Slabs: WHITE

Evapouration rate Specific Gravity Bulk density Not applicableNot determinedNot established



Page 4 of 6 Print Date 4/3/2014

Odour Melting point/range Boiling Point: Water solubility	very faintNot determinednot applicableinsoluble	Vapour pressure Vapour density pH	not applicablenot applicablenot applicable
	10. STABILITY AN	D REACTIVITY	
Stability	: The product is stab	ble if stored and handled as	prescribed.
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: To avoid thermal d	lecomposition, do not over	heat.
Incompatible Materials	: Strong acids, oxid	izing and reducing agents	5
Hazardous decomposition products		O2), carbon monoxide (CC rdous materials, and smoke	

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
7727-43-7	Barium sulfate	Irritant	Respiratory system.
		Systemic effects	Eyes, Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability

: Not readily biodegradable.

Version Number 1.3 R

Page 5 of 6

sion Date 03/27/2014	Print Date 4/3/2
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	s Substances (40 CFR 302)
not applicable	
California Proposition 65	: Not applicable

NEU Specialty Engineered Materials, LLC.

MATERIAL SAFETY DATA SHEET **NEUSPEED HC0120-0202-6520**

Version Number 1.3		
Revision Date	03/27/2014	

NEU

Page 6 of 6 Print Date 4/3/2014

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	D2A
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.