PolyOne

MATERIAL SAFETY DATA SHEET X GT-16218-01-1

Version Number 1.1 Revision Date 03/29/2014 Page 1 of 7 Print Date 4/6/2014

| POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 | | | | |
|---|---|--|--|--|
| Telephone Emergency telephone number | : | 1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). | | |
| Product name | : | X GT-16218-01-1 | | |
| Product code | : | EM10022777 | | |
| Chemical Name | : | Mixture | | |
| CAS-No. | : | Mixture | | |
| Product Use | : | Industrial Applications | | |

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Components | CAS-No. | Weight percent |
|------------|-----------|----------------|
| Copper | 7440-50-8 | 10 - 30 |
| Tungsten | 7440-33-7 | 60 - 100 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact | | | | |
|---|--|--|--|--|--|
| Acute exposure | | | | | |
| Inhalation Ingestion Eyes Skin | Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. | | | | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | | | | |

PolyOne.

MATERIAL SAFETY DATA SHEET X GT-16218-01-1

Version Number 1.1 Revision Date 03/29/2014 Page 2 of 7 Print Date 4/6/2014

| Medical Conditions : None known. Aggravated by Exposure: | | | | |
|---|--|--|--|--|
| | 4. FIRST AID MEASURES | | | |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice. | | | |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. | | | |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. | | | |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. | | | |
| | 5. FIREFIGHTING MEASURES | | | |
| Flash point | : not applicable | | | |
| Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards | not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. | | | |
| | 6. ACCIDENTAL RELEASE MEASURES | | | |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. | | | |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. | | | |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. | | | |
| | 7. HANDLING AND STORAGE | | | |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. | | | |



MATERIAL SAFETY DATA SHEET X GT-16218-01-1

| Version Number 1.1 | | | | | |
|----------------------|------------|--|--|--|--|
| Revision Date | 03/29/2014 | | | | |

Page 3 of 7 Print Date 4/6/2014

| Storage | Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. | |
|-----------------------------------|--|--|
| 8. EXI | POSU | RE CONTROLS/PERSONAL PROTECTION |
| Respiratory protection | : | No personal respiratory protective equipment normally required. |
| Eye/Face Protection | : | Safety glasses with side-shields |
| Hand protection | : | Protective gloves |
| Skin and body protection | : | Long sleeved clothing |
| Additional Protective Measures | : | Safety shoes |
| General Hygiene Considerations | : | Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. |
| Engineering measures | : | Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. |
| Exposure limit(s) | | |

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET X GT-16218-01-1

Version Number 1.1 Revision Date 03/29/2014 Page 4 of 7 Print Date 4/6/2014

| Components | Value | Exposure time | Exposure type | List: |
|------------|-----------|-----------------------------------|----------------------|----------|
| Copper | 1 mg/m3 | Time Weighted Average (TWA): | Dust and mist. as Cu | ACGIH |
| | 0.2 mg/m3 | Time Weighted Average (TWA): | Fume. | ACGIH |
| | 1 mg/m3 | Recommended exposure limit (REL): | Dust and mist. as Cu | NIOSH |
| | 1 mg/m3 | PEL: | Dust and mist. as Cu | OSHA Z1 |
| | 0.1 mg/m3 | PEL: | Fume. as Cu | OSHA Z1 |
| | 1 mg/m3 | Time Weighted Average (TWA): | Dust and mist. as Cu | OSHA Z1A |
| | 0.1 mg/m3 | Time Weighted Average (TWA): | Fume. as Cu | OSHA Z1A |
| | 1 mg/m3 | Time Weighted Average (TWA): | Dust and mist. as Cu | MX OEL |
| | 0.2 mg/m3 | Time Weighted Average (TWA): | Fume. as Cu | MX OEL |
| | 2 mg/m3 | Short Term Exposure Limit (STEL): | Dust and mist. as Cu | MX OEL |
| | 2 mg/m3 | Short Term Exposure Limit (STEL): | Fume. as Cu | MX OEL |
| Tungsten | 5 mg/m3 | Time Weighted Average (TWA): | as W | ACGIH |
| | 10 mg/m3 | Short Term Exposure Limit (STEL): | as W | ACGIH |
| | 5 mg/m3 | Time Weighted Average (TWA): | as W | MX OEL |
| | 10 mg/m3 | Short Term Exposure Limit (STEL): | as W | MX OEL |

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility

solid
pellets, Slabs
BLACK
very faint
Not determined
not applicable
insoluble

Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH Not applicable
Not determined
Not established
not applicable
not applicable
not applicable

10. STABILITY AND REACTIVITY

| Stability | : | The product is stable if stored and handled as prescribed. |
|--------------------------|---|--|
| Hazardous Polymerization | : | Will not occur. |
| Conditions to avoid | : | To avoid thermal decomposition, do not overheat. |
| Incompatible Materials | : | Strong acids, oxidizing and reducing agents |
| | | |

MATERIAL SAFETY DATA SHEET X GT-16218-01-1

Version Number 1.1 Revision Date 03/29/2014

Page 5 of 7 Print Date 4/6/2014

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ | |
|-----------|---------------|------------------|-------------------------|--|
| 7440-50-8 | Copper | Irritant | Respiratory system. | |
| | | Systemic effects | Eyes, Skin, Respiratory | |
| | | | system, Liver, Kidney. | |
| 7440-33-7 | Tungsten | Systemic effects | Eyes, Skin, Respiratory | |
| | | | system, blood and blood | |
| | | | forming system. | |

Additional Health Hazard Information:

Tungsten 7440-33-7 Prolonged or repeated breathing of this material may result in chronic bronchitis. Exposure to freshly formed fumes from heated metal may cause "metal fume fever".

12. ECOLOGICAL INFORMATION

| Persistence and degradability | : Not readily biodegradable. |
|-------------------------------|---|
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Additional advice | : not applicable |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |

PolyOne.

MATERIAL SAFETY DATA SHEET X GT-16218-01-1

| sion Number 1.1 ision Date 03/29/2014 | | | | | | F | Page 6 2/6/2 Print Date |
|---|--------|----------------------------------|-------------|------------|-----------|----------|----------------------------|
| | | | | | | | |
| U.S. DOT Classification | : | Not regulated fo | or transpor | rtation. | | | |
| ICAO/IATA | : | Refer to specific | e regulatio | on. | | | |
| IMO/IMDG (maritime) | : | Refer to specific | e regulatio | on. | | | |
| | 15 | 5. REGULATOR | Y INFO | RMATIO | N | | |
| US Regulations: | | | | | | | |
| OSHA Status | : | Classified as haz | zardous b | ased on co | mponen | ts. | |
| TSCA Status | : | All components TSCA Inventory | | roduct are | listed or | or exen | npt from the |
| US. EPA CERCLA Hazardous | s Sub | stances (40 CFR 3 | 302) | | | | |
| not applicable | | | | | | | |
| | | | | | | | |
| 65 SARA Title III Section 202 Fr | | alv Hogondous Su | hatanaa | | | | |
| SARA Title III Section 302 Ex | ttrem | ely Hazardous Su | Ibstance | | | | |
| Unless specific chemicals are | identi | fied under this see | ction, this | product is | s Not Ap | plicable | under this regula |
| SARA Title III Section 313 To Unless specific chemicals are Chemical Name | | | ction, this | CAS-No | | Weight | percent |
| COPPER | | | | 7440-50-8 | 8 | 10.00 - | - 30.00 |
| Canadian Regulations: National Pollutant Rele | 0.00 I | nuontom (NDDI) | | | | | |
| Chemical Name | use 11 | aventory (IVI KI) | CAS-N | 0. | Weigh | | NPRI ID# |
| Copper | | | 7440-50 |)-8 | 10.00 | | |
| | | | | | | | |
| | | | | | | | |
| WHMIS Classification | : | Not controlled. | | | | | |

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET X GT-16218-01-1

| Version Number 1.1 Revision Date 03/29/2014 | Page 7 of 7 Print Date <i>4/6/2014</i> |
|--|--|
| DSL | : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |
| National Inventories: | |
| Australia AICS | : Not determined |
| China IECS | : Not determined |
| Europe EINECS | : Not determined |
| Japan ENCS | : Not determined |
| Korea KECI | : Not determined |
| Philippines PICCS | : Not determined |
| | 16. OTHER INFORMATION |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.