PolyOne

## MATERIAL SAFETY DATA SHEET **SP-377 N9 CSRM**

Version Number 1.1 Revision Date 03/13/2014

CAS-No.

Product Use

Page 1 of 8 Print Date 3/27/2014

1. PRODUCT AND COMPANY IDENTIFICATION			
POLYONE CORPORAT 33587 Walker Road, Avo		ОН 44012	
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	SP-377 N9 CSRM	
Product code	:	EM10022813	
Chemical Name	:	Mixture	

2.	COMP	<b>OSITION/I</b>	NFORMATION	<b>ON INGREDIENTS</b>
----	------	------------------	------------	-----------------------

Mixture

: Industrial Applications

:

Components	CAS-No.	Weight percent
Calcium carbonate	1317-65-3	1 - 5
Dibasic lead phthalate, C8H4O6Pb3	17976-43-1	1 - 5
Carbon black	1333-86-4	30 - 60

#### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### **POTENTIAL HEALTH EFFECTS**

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

## MATERIAL SAFETY DATA SHEET **SP-377 N9 CSRM**

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 8 Print Date 3/27/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

<u>PolyOne</u>.

## MATERIAL SAFETY DATA SHEET **SP-377 N9 CSRM**

Version Number 1.1 Revision Date 03/13/2014 Page 3 of 8 Print Date 3/27/2014

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

P<u>olyOne</u>

## MATERIAL SAFETY DATA SHEET **SP-377 N9 CSRM**

Version Number 1.1 Revision Date 03/13/2014 Page 4 of 8 Print Date 3/27/2014

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Carbon black	3.5 mg/m3	Recommended exposure limit (REL):		NIOSH
	0.1 mg/m3	Recommended exposure limit (REL):		NIOSH
	3.5 mg/m3	PEL:		OSHA Z1
	3.5 mg/m3	Time Weighted Average (TWA):		OSHA Z1A
	3.5 mg/m3	Time Weighted Average (TWA):		MX OEL
	7 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
	3 mg/m3	Time Weighted Average (TWA):	Inhalable fraction.	ACGIH
Dibasic lead phthalate, C8H4O6Pb3	0.05 mg/m3	Time Weighted Average (TWA):		OSHA
	0.03 mg/m3	OSHA Action level:		OSHA

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility

## : solid Evapouration

pellets, Slabs
NO PIGMENT
very faint
Not determined
not applicable
insoluble

Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH

- Not applicableNot determinedNot establishednot applicable
- not applicablenot applicable
- : not applicable

#### **10. STABILITY AND REACTIVITY**

Stability	:	The product is stable if stored and handled as prescribed.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

### MATERIAL SAFETY DATA SHEET SP-377 N9 CSRM

Version Number 1.1 Revision Date 03/13/2014

Page 5 of 8 Print Date 3/27/2014

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory
			system.
17976-43-1	Dibasic lead phthalate, C8H4O6Pb3	Systemic effects	central nervous system (CNS).
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

#### Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
17976-43-1	Dibasic lead phthalate, C8H4O6Pb3	yes	no	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:

Dibasic lead phthalate, C8H4O6Pb3 17976-43-1 Systemic effects include neurotoxic, teratogenic, fetotoxic and reproductive with abdominal pain, anemia, pallor, decreased hand grip strength with characteristic "wrist drop".

#### Additional Health Hazard Information:

<u>PolvOne</u>

### MATERIAL SAFETY DATA SHEET SP-377 N9 CSRM

Version Number 1.1 Revision Date 03/13/2014 Page 6 of 8 Print Date 3/27/2014

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	

PolyOne.

# MATERIAL SAFETY DATA SHEET **SP-377 N9 CSRM**

sion Number 1.1 /ision Date 03/13/2014		Page 7 of Print Date 3/27/201				
TSCA Status	: All components of this pr TSCA Inventory.	All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardous	Substances (40 CFR 302)					
not applicable						
California Proposition 65	California to cause cancer	California to cause cancer., WARNING! This product contains a chemical known to the State of California to cause birth defects or				
SARA Title III Section 302 Ex	tremely Hazardous Substance					
	dentified under this section this	product is Not	Applicable under this	regulati		
Unless specific chemicals are	denumed under uns section, uns					
-						
SARA Title III Section 313 To Unless specific chemicals are Chemical Name	oxic Chemicals: dentified under this section, this	CAS-No.	Weight percent	regulati		
SARA Title III Section 313 To Unless specific chemicals are Chemical Name LEAD COMPOUNDSLEA	oxic Chemicals: dentified under this section, this			regulati		
SARA Title III Section 313 To Unless specific chemicals are : Chemical Name LEAD COMPOUNDSLEA Canadian Regulations:	oxic Chemicals: dentified under this section, this D COMPOUNDS	CAS-No.	Weight percent	regulat		
SARA Title III Section 313 To Unless specific chemicals are Chemical Name LEAD COMPOUNDSLEA	oxic Chemicals: dentified under this section, this D COMPOUNDS	CAS-No.	Weight percent	regulat		
SARA Title III Section 313 To Unless specific chemicals are : Chemical Name LEAD COMPOUNDSLEA Canadian Regulations:	oxic Chemicals: dentified under this section, this D COMPOUNDS	CAS-No.	Weight percent	regulat		
SARA Title III Section 313 To Unless specific chemicals are Chemical Name LEAD COMPOUNDSLEA Canadian Regulations: National Pollutant Rele	oxic Chemicals: dentified under this section, this D COMPOUNDS ase Inventory (NPRI)	CAS-No.	Weight percent	regulat		
SARA Title III Section 313 To Unless specific chemicals are Chemical Name LEAD COMPOUNDSLEA Canadian Regulations: National Pollutant Rele not applicable	oxic Chemicals: dentified under this section, this D COMPOUNDS ase Inventory (NPRI) : D2A	CAS-No.	Weight percent	regulat		
SARA Title III Section 313 To Unless specific chemicals are Chemical Name LEAD COMPOUNDSLEA Canadian Regulations: National Pollutant Rele not applicable WHMIS Classification	oxic Chemicals: dentified under this section, this D COMPOUNDS ase Inventory (NPRI) : D2A	CAS-No.	Weight percent	regulat		
SARA Title III Section 313 To Unless specific chemicals are Chemical Name LEAD COMPOUNDSLEA Canadian Regulations: National Pollutant Rele not applicable WHMIS Classification WHMIS Ingredient Dis	oxic Chemicals: dentified under this section, this D COMPOUNDS ase Inventory (NPRI) : D2A	CAS-No. 17976-43-1 roduct are on th	Weight percent 1.00 - 5.00	regulati		
SARA Title III Section 313 To Unless specific chemicals are Chemical Name LEAD COMPOUNDSLEA Canadian Regulations: National Pollutant Rele not applicable WHMIS Classification WHMIS Ingredient Dis <u>CAS-No.</u> 1333-86-4	exic Chemicals: <u>dentified under this section, this</u> <u>D COMPOUNDS</u> ase Inventory (NPRI) : D2A closure List . All components of this pr	CAS-No. 17976-43-1 roduct are on th	Weight percent 1.00 - 5.00	regulati		
SARA Title III Section 313 To Unless specific chemicals are Chemical Name LEAD COMPOUNDSLEA Canadian Regulations: National Pollutant Rele not applicable WHMIS Classification WHMIS Ingredient Dis CAS-No. 1333-86-4 DSL	exic Chemicals: <u>dentified under this section, this</u> <u>D COMPOUNDS</u> ase Inventory (NPRI) : D2A closure List . All components of this pr	CAS-No. 17976-43-1 roduct are on th	Weight percent 1.00 - 5.00	regulati		

PolyOne

### MATERIAL SAFETY DATA SHEET SP-377 N9 CSRM

Version Number 1.1 Revision Date 03/13/2014 Page 8 of 8 Print Date 3/27/2014

Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.