### MATERIAL SAFETY DATA SHEET Pebax 5533SA01 30% BaSO4-NEU



Version Number 1.1 Revision Date 03/13/2014 Page 1 of 6 Print Date 3/27/2014

NEU Specialty Engineered M 15 Corporate Drive, North H			
Telephone Emergency telephone number	· · · ·		'ONE 4hrs for spill, leak, fire, exposur
Product name	: Pebax 553	3SA01 30% BaSO4-NE	1
Product code	: EM100230		-
Chemical Name	: Mixture		
CAS-No.	: Mixture		
Product Use	: Industrial A	Applications	
2. CON	IPOSITION/INF	ORMATION ON ING	REDIENTS
Components		CAS-No.	Weight percent
Barium sulfate		7727-43-7	30 - 60
	2 1147401	S IDENTIFICATION	
product is based on indiv exposure as shipped is m user (fabricator) must tak	EMERG n evaluated as a w ridual components inimal. However, te the necessary pr	ENCY OVERVIEW hole. Information provid . All ingredients are bou some vapors may be re-	ded on the health effects of this und and potential for hazardous leased upon heating and the end- ventilation, respiratory protection,
product is based on indiv exposure as shipped is m	EMERG n evaluated as a w vidual components inimal. However, te the necessary pr s from exposure.	ENCY OVERVIEW hole. Information provid . All ingredients are bou some vapors may be re-	ded on the health effects of this und and potential for hazardous leased upon heating and the end-
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee	EMERG n evaluated as a w vidual components inimal. However, the necessary pr s from exposure.	ENCY OVERVIEW hole. Information provid . All ingredients are bou some vapors may be re-	ded on the health effects of this und and potential for hazardous leased upon heating and the end-
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee	EMERG n evaluated as a w vidual components inimal. However, the necessary pr s from exposure.	ENCY OVERVIEW hole. Information provid . All ingredients are bou some vapors may be re- recautions (mechanical v	ded on the health effects of this und and potential for hazardous leased upon heating and the end-
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee ENTIAL HEALTH EFFECT Routes of Exposure:	EMERGI n evaluated as a w vidual components inimal. However, te the necessary pr s from exposure.	ENCY OVERVIEW hole. Information provid . All ingredients are bou some vapors may be re- recautions (mechanical v Ingestion, Skin contact like other inert material nful if swallowed. like other inert material	ded on the health effects of this und and potential for hazardous leased upon heating and the end-
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee ENTIAL HEALTH EFFECT Routes of Exposure: Acute exposure Inhalation Ingestion Eyes	EMERGI n evaluated as a w vidual components inimal. However, the necessary pro- s from exposure. <b>TS</b> : Inhalation, : Particulates, : May be harn : Particulates, : Experience	ENCY OVERVIEW hole. Information provid . All ingredients are bou some vapors may be re- recautions (mechanical v Ingestion, Skin contact like other inert material nful if swallowed. like other inert material	ded on the health effects of this und and potential for hazardous leased upon heating and the end- ventilation, respiratory protection, ls can be mechanically irritating. ls can be mechanically irritating. titis hazard from routine handling

# MATERIAL SAFETY DATA SHEET Pebax 5533SA01 30% BaSO4-NEU

NEU

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 6 Print Date 3/27/2014

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
-	
Flammable Limits	
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Auto-ignition temperature	: not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

NEU Specialty Engineered Materials, LLC.

# MATERIAL SAFETY DATA SHEET Pebax 5533SA01 30% BaSO4-NEU

Version Number 1.1 Revision Date 03/13/2014 Page 3 of 6 Print Date 3/27/2014

NEU

Respiratory protection	: N	: No personal respiratory protective equipment normally required.			
Eye/Face Protection	: S	: Safety glasses with side-shields			
Hand protection	: P	: Protective gloves			
Skin and body protectio	n : L	: Long sleeved clothing			
Additional Protective Measures	: S	: Safety shoes			
General Hygiene Considerations		andle in accordance with goo ractice. Wash hands before b			
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Barium sulfate	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
	5 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH	
	10 mg/m3	Recommended exposure limit (REL):	Total	NIOSH	
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z	
	15 mg/m3	PEL:	Total dust.	OSHA Z	
	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	OSHA Z1	
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES		
Form	: solid	Fyanc	ouration rate : Not	applicable	
Appearance				determined	
Colour			2	established	
Odour	: very			applicable	
Melting point/range				applicable	
Boiling Point:		pplicable pH		applicable	
Water solubility	: insol	uble			
	10. 8	TABILITY AND REACTIV	VITY		
Stability	: The product is stable if stored and handled as prescribed.				

### NEU Specialty Engineered Materials, LLC.

### MATERIAL SAFETY DATA SHEET Pebax 5533SA01 30% BaSO4-NEU

Version Number 1.1 Revision Date 03/13/2014 Page 4 of 6 Print Date 3/27/2014

NFU

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.		hemical Name	Effect	Target Organ	
7727-43-7	Bariun	n sulfate	Irritant	Respiratory system.	
			Systemic effects	Eyes, Respiratory system.	
		12. ECOLOGIO	CAL INFORMATION	N	
Persistence and degr	adability	: Not readily b	iodegradable.		
Environmental Toxicity :			Chemicals are not readily available as they are bound within the polymer matrix.		
			Chemicals are not readily available as they are bound within the polymer matrix.		
Additional advice : not applicable			2		
		13. DISPOSAL	CONSIDERATIONS	5	
Product		possible recyc generator of v classification	cling is preferred to dis waste material has the	product can be recycled. Wher sposal or incineration. The responsibility for proper waste posal in accordance with and local regulations.	
material has the transportation		preferred when possible. The generator of waste he responsibility for proper waste classification, and disposal in accordance with applicable federal, al and local regulations.			
		14. TRANSPO	RT INFORMATION		
U.S. DOT Classifica	tion	: Not regulated	for transportation.		
		: Refer to spec	fic regulation.		
ICAO/IATA		·	8		

4/6

	Maturiale IIC
NEU Specialty Engineered	Materials, LLC.
MATERIAL SAFETY DATA	SHEET
Pebax 5533SA01 30%	BaSO4-NEU
Version Number 1.1 Revision Date 03/13/2014	Page 5 of 6 Print Date 3/27/2014
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 Ext	remely Hazardous Substance
Unless specific chemicals are id	entified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Tox	ic Chemicals:
Unless specific chemicals are id	entified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Release	se Inventory (NPRI)
not applicable	
WHMIS Classification	: Not controlled.
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed

NEU S	<i>pecialty</i>	Engineered	Materials.	LLC.
	pecially	Disticcica	maner init,	LLC.

#### MATERIAL SAFETY DATA SHEET Pebax 5533SA01 30% BaSO4-NEU

Version Number 1.1 Revision Date 03/13/2014 Page 6 of 6 Print Date 3/27/2014

Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.