PolvOne

### MATERIAL SAFETY DATA SHEET

### X HC-16368-01 Natural

Version Number 1.1 Revision Date 03/13/2014 Page 1 of 6 Print Date 3/28/2014

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012			
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	X HC-16368-01 Natural	
Product code	:	EM10023203	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Glass, oxide	65997-17-3	30 - 60

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET X HC-16368-01 Natural

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 6 Print Date 3/28/2014

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits	
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Auto-ignition temperature	: not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

2/6

PolyOne.

# MATERIAL SAFETY DATA SHEET X HC-16368-01 Natural

Version Number 1.1 Revision Date 03/13/2014 Page 3 of 6 Print Date 3/28/2014

	POSURE CONTROLS/P	ERSONAL PROTECTION	
Respiratory protection	: No personal respiratory protective equipment normally required.		
Eye/Face Protection	: Safety glasses with side-shields		
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothing		
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		nce with good industrial hygiene and safety nds before breaks and at the end of workday.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
-			
	BITTOTOLO LA LAND OTTO		
		MICAL PROPERTIES	
Form	: solid	Evapouration rate : Not applicable	
Form Appearance	: solid : pellets, Slabs	Evapouration rate : Not applicable Specific Gravity : Not determined	
Form Appearance Colour	<ul><li>solid</li><li>pellets, Slabs</li><li>NO PIGMENT</li></ul>	Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established	
Form Appearance Colour Odour	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicable	
Form Appearance Colour Odour Melting point/range	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicable	
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicable	
Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AN	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable	
Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AN	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicableD REACTIVITY	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>The product is state</li> <li>Will not occur.</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicableD REACTIVITY	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>The product is state</li> <li>Will not occur.</li> <li>To avoid thermal of</li> </ul>	Evapouration rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : not applicable         Vapour density       : not applicable         pH       : not applicable         D REACTIVITY         ble if stored and handled as prescribed.	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>The product is stab</li> <li>Will not occur.</li> <li>To avoid thermal of</li> <li>Strong acids, oxid</li> <li>Carbon dioxide (C)</li> </ul>	Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable DREACTIVITY	

PolyOne

## MATERIAL SAFETY DATA SHEET X HC-16368-01 Natural

Version Number 1.1 Revision Date 03/13/2014 Page 4 of 6 Print Date 3/28/2014

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

		I DECENT			
	12. ECOLOGICA	AL INFORMATIO	N		
Persistence and degradability : Not readily biodegradable.					
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: not applicable				
	13. DISPOSAL C	ONSIDERATION	IS		
Product	possible recycli generator of wa classification, t	ing is preferred to d	isposal or responsi isposal in	bility for proper waste accordance with	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPOR	T INFORMATION	N		
U.S. DOT Classification	: Not regulated f	or transportation.			
ICAO/IATA	: Refer to specifi	c regulation.			
IMO/IMDG (maritime)	: Refer to specifi	c regulation.			
	15. REGULATOR	RY INFORMATIC	DN		
US Regulations:					
OSHA Status	: Classified as ha	zardous based on co	omponen	ts.	
TSCA Status	: All component TSCA Inventor		e listed or	n or exempt from the	

PolvOne

# MATERIAL SAFETY DATA SHEET X HC-16368-01 Natural

Version Number 1.1 Revision Date 03/13/2014 Page 5 of 6 Print Date 3/28/2014

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne.

# MATERIAL SAFETY DATA SHEET X HC-16368-01 Natural

Version Number 1.1 Revision Date 03/13/2014 Page 6 of 6 Print Date 3/28/2014

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.