PolvOne

MATERIAL SAFETY DATA SHEET

X MX-16408-01-1 Black

Version Number 1.1 Revision Date 03/30/2014 Page 1 of 6 Print Date 4/8/2014

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012			
Product name	:	X MX-16408-01-1 Black	
Product code	-	EM10023531	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Silica, amorphous, diatomaceous earth	68855-54-9	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

MATERIAL SAFETY DATA SHEET X MX-16408-01-1 Black

Version Number 1.1 Revision Date 03/30/2014 Page 2 of 6 Print Date 4/8/2014

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET X MX-16408-01-1 Black

Version Number 1.1 Revision Date 03/30/2014 Page 3 of 6 Print Date 4/8/2014

8.]	EXPOSURE	CONTROLS/I	PERSONAL	PROTECTION		
Respiratory protection	: No personal respiratory protective equipment normally required.					
Eye/Face Protection	: Safety glasses with side-shields					
Hand protection	: P	rotective gloves				
Skin and body protection	: L	ong sleeved clot	hing			
Additional Protective Measures	: S	: Safety shoes				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposur	e time	Exposure type	List:	
Silica, amorphous,	0.8 mg/m3	Exposure time Time Weighted Average			Z3	
diatomaceous earth		(TW)	,			
	10 mg/m3	Time Weighted Average (TWA):		Inhalable particulate.	MX OEL	
	3 mg/m3	Time Weighted Average (TWA):		Respirable dust.	MX OEL	
	9. PHYSIC	CAL AND CHE	MICAL PRO	OPERTIES		
Form	: solid		Evene	Not	ampliashia	
Appearance				Evapouration rate : Not applicable Specific Gravity : Not determined		
Colour	: pellets, Slabs : BLACK			Bulk density : Not determined		
Odour				Vapour pressure : not applicable		
Melting point/range				r density : not a	applicable	
Boiling Point:		pplicable	pH		applicable	
Water solubility : insoluble						
	10. S	TABILITY AN	ND REACTIV	/ITY		
Stability	: T	he product is sta	ble if stored a	nd handled as prescribed		
Hazardous Polymerization	n : W	ill not occur.				
Conditions to avoid	: T	o avoid thermal	decompositio	n, do not overheat.		
Incompatible Materials : Strong acids, oxidizing and reducing agents						

PolyOne

MATERIAL SAFETY DATA SHEET X MX-16408-01-1 Black

Version Number 1.1 Revision Date 03/30/2014 Page 4 of 6 Print Date 4/8/2014

Hazardous decomposition : Ca products (N

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
68855-54-9	Silica, amorphous,	Irritant	Eyes, Skin, Respiratory
	diatomaceous earth		system.

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET X MX-16408-01-1 Black

ion Number 1.1 sion Date 03/30/2014	Page 5 Print Date 4/8/2
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	us Substances (40 CFR 302)
not applicable	
California Proposition 65	n : Not applicable
SARA Title III Section 302 E	Extremely Hazardous Substance
Unless specific chemicals are	e identified under this section, this product is Not Applicable under this regula
SARA Title III Section 313 7	Foxic Chemicals:
	Foxic Chemicals: e identified under this section, this product is Not Applicable under this regula
Unless specific chemicals are Canadian Regulations:	
Unless specific chemicals are Canadian Regulations:	e identified under this section, this product is Not Applicable under this regula
Unless specific chemicals are Canadian Regulations: National Pollutant Rel	e identified under this section, this product is Not Applicable under this regula lease Inventory (NPRI)
Unless specific chemicals are Canadian Regulations: National Pollutant Rel not applicable	e identified under this section, this product is Not Applicable under this regula lease Inventory (NPRI) on : D2A
Unless specific chemicals are Canadian Regulations: National Pollutant Rel not applicable WHMIS Classificatio	e identified under this section, this product is Not Applicable under this regula lease Inventory (NPRI) on : D2A
Unless specific chemicals are Canadian Regulations: National Pollutant Rel not applicable WHMIS Classificatio WHMIS Ingredient D CAS-No.	e identified under this section, this product is Not Applicable under this regula lease Inventory (NPRI) on : D2A
Unless specific chemicals are Canadian Regulations: National Pollutant Rel not applicable WHMIS Classificatio WHMIS Ingredient D CAS-No. 68855-54-9	e identified under this section, this product is Not Applicable under this regula lease Inventory (NPRI) on : D2A isclosure List
Unless specific chemicals are Canadian Regulations: National Pollutant Rel not applicable WHMIS Classificatio WHMIS Ingredient D <u>CAS-No.</u> 68855-54-9 DSL	e identified under this section, this product is Not Applicable under this regula lease Inventory (NPRI) on : D2A isclosure List

PolyOne

MATERIAL SAFETY DATA SHEET X MX-16408-01-1 Black

Version Number 1.1 Revision Date 03/30/2014 Page 6 of 6 Print Date <u>4/8/2014</u>

Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.