PolyOne

MATERIAL SAFETY DATA SHEET X HC-16533-01

Version Number 1.1 Revision Date 03/13/2014

Page 1 of 6 Print Date 3/29/2014

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012					
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).			
Product name	:	X HC-16533-01			
Product code	:	EM10023902			
Chemical Name	:	Mixture			
CAS-No.	:	Mixture			
Product Use	:	Industrial Applications			

Components	CAS-No.	Weight percent	
Tungsten	7440-33-7	60 - 100	

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET X HC-16533-01

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 6 Print Date 3/29/2014

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIREFIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	: : : :	not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards		(NOx), other hazardous materials, and smoke are all possible.
6	5. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET X HC-16533-01

Version Number 1.1 Revision Date 03/13/2014 Page 3 of 6 Print Date 3/29/2014

8.1	EXPOSURE	CONTROLS/PERSONAL	PROTECTION			
Respiratory protection	: N	lo personal respiratory protect	ive equipment normally	required.		
Eye/Face Protection	: Safety glasses with side-shields					
Hand protection	: P	: Protective gloves				
Skin and body protection	: Long sleeved clothing					
Additional Protective Measures	: Safety shoes					
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		leat only in areas with appropriate exhaust ventilation		Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Tungsten	5 mg/m3	Time Weighted Average (TWA):	as W	ACGIH		
	10 mg/m3	Short Term Exposure Limit (STEL):	as W	ACGIH		
	5 mg/m3	Time Weighted Average (TWA):	as W	MX OEL		
	10 mg/m3	Short Term Exposure Limit (STEL):	as W	MX OEL		
	9. PHYSI	CAL AND CHEMICAL PRO	OPERTIES			
Form	: solid	Evano	ouration rate : No	t applicable		
Appearance		1		t determined		
Colour			2	t established		
Odour	: very	faint Vapor	ir pressure : not	applicable		
Melting point/range				applicable		
Boiling Point:		pplicable pH	: not	applicable		
Water solubility	: insol	uble				
	10. 8	STABILITY AND REACTI	VITY			
Stability	: T	he product is stable if stored a	and handled as prescribed	d.		
Hazardous Polymerization	1 : V	Vill not occur.				
		o avoid thermal decompositio				

MATERIAL SAFETY DATA SHEET X HC-16533-01

Version Number 1.1 Page 4 of 6 Print Date 3/29/2014 Revision Date 03/13/2014 Incompatible Materials : Strong acids, oxidizing and reducing agents Hazardous decomposition Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen : products (NOx), other hazardous materials, and smoke are all possible. **11. TOXICOLOGICAL INFORMATION** This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture. Toxicity Overview This product contains the following components which in their pure form have the following characteristics: Effect Target Organ CAS-No. Chemical Name 7440-33-7 Systemic effects Eyes, Skin, Respiratory Tungsten system, blood and blood forming system. **Additional Health Hazard Information:** Tungsten 7440-33-7 Prolonged or repeated breathing of this material may result in chronic bronchitis. Exposure to freshly formed fumes from heated metal may cause "metal fume fever". **12. ECOLOGICAL INFORMATION** Persistence and degradability Not readily biodegradable. : Environmental Toxicity Chemicals are not readily available as they are bound within the ÷ polymer matrix. **Bioaccumulation Potential** Chemicals are not readily available as they are bound within the : polymer matrix. Additional advice not applicable **13. DISPOSAL CONSIDERATIONS** Product Like most thermoplastic plastics the product can be recycled. Where : possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging Recycling is preferred when possible. The generator of waste : material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION**

PolyOne.

MATERIAL SAFETY DATA SHEET X HC-16533-01

ersion Number 1.1 evision Date 03/13/2014	Page 5 of 6 Print Date 3/29/2014			
U.S. DOT Classification	: Not regulated for transportation.			
ICAO/IATA	: Refer to specific regulation.			
IMO/IMDG (maritime)	: Refer to specific regulation.			
15. REGULATORY INFORMATION				
US Regulations:				
OSHA Status	: Classified as hazardous based on components.			
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous S	ubstances (40 CFR 302)			
not applicable				
California Proposition 65	: Not applicable			
SARA Title III Section 302 Extr	emely Hazardous Substance			
	entified under this section, this product is Not Applicable under this regulation			
-				
SARA Title III Section 313 Tox	ic Chemicals:			
Unless specific chemicals are ide	entified under this section, this product is Not Applicable under this regulation			
Canadian Regulations:				
National Pollutant Releas	e Inventory (NPRI)			
not applicable				
WHMIS Classification	: Not controlled.			
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
National Inventories:				
Australia AICS	: Listed			

PolvOne

MATERIAL SAFETY DATA SHEET X HC-16533-01

Version Number 1.1 Revision Date 03/13/2014

Page 6 of 6 Print Date 3/29/2014

China IECS:ListedEurope EINECS:ListedJapan ENCS:Not determinedKorea KECI:ListedPhilippines PICCS:Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.