MATERIAL SAFETY DATA SHEET X PA66 G35 H U black SO NA

Version Number 1.1 Revision Date 06/12/2012 Page 1 of 8 Print Date 8/26/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	X PA66 G35 H U black SO NA	
Product code	:	EM10024125	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Zinc borate	1332-07-6	1 - 5
Glass, oxide	65997-17-3	30 - 60
Talc	14807-96-6	0.1 - 1
Titanium dioxide	13463-67-7	0.1 - 1
Phosphorus	7723-14-0	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact

Acute exposure

Inhalation	: Particulates, like other inert materials can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Particulates, like other inert materials can be mechanically irritating.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne

MATERIAL SAFETY DATA SHEET X PA66 G35 H U black SO NA

Version Number 1.1 Revision Date 06/12/2012 Page 2 of 8 Print Date 8/26/2012

Medical Conditions : None known.			
Aggravated by Exposure:			
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: not applicable		
Flammable Limits			
Upper explosion limit	: not applicable		
Lower explosion limit	: not applicable		
Autoignition temperature	: not applicable		
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.		
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne		
	contaminants.		
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET X PA66 G35 H U black SO NA

Version Number 1.1 Revision Date 06/12/2012		Page 3 of 8 Print Date <i>8/26/2012</i>
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EX	POSU	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

PolyOne

MATERIAL SAFETY DATA SHEET X PA66 G35 H U black SO NA

Version Number 1.1 Revision Date 06/12/2012 Page 4 of 8 Print Date 8/26/2012

Components	Value	Exposure time	Exposure type	List:
Talc	2 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
	2 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH
	2 mg/m3	Time Weighted Average (TWA):	Respirable dust.	OSHA Z1A
	0.1 mg/m3	Time Weighted Average (TWA):	Respirable.	Z3
	0.3 mg/m3	Time Weighted Average (TWA):	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL
Phosphorus	0.1 mg/m3	PEL:		OSHA Z1
	0.1 mg/m3	Time Weighted Average (TWA):		MX OEL
	0.3 mg/m3	Short Term Exposure Limit (STEL):		MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility

: solid pellets, Slabs : BLACK very faint Not determined not applicable : insoluble

:

:

:

:

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pН

- Not applicable : Not determined : Not established : : not applicable
- : not applicable

not applicable :

10. STABILITY AND REACTIVITY

Stability	:	Stable
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

MATERIAL SAFETY DATA SHEET X PA66 G35 H U black SO NA

Version Number 1.1 Revision Date 06/12/2012

Page 5 of 8 Print Date 8/26/2012

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
14807-96-6	Talc	Systemic effects	Eyes, Respiratory system,
			Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
7723-14-0	Phosphorus	Systemic effects	skeletal system, blood and
			blood forming system, Kidney,
			Liver.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
7723-14-0	Phosphorus	Oral LD50	3.76 mg/kg	rat
		Dermal LD50	100 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
14807-96-6	Talc	no	2B	no
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.

PolyOne.

MATERIAL SAFETY DATA SHEET X PA66 G35 H U black SO NA

Version Number 1.1 Revision Date 06/12/2012 Page 6 of 8 Print Date 8/26/2012

	13. DISP	OSAL CONSIDERAT	IONS			
Product	possib genera classif	le recycling is preferred tor of waste material has ication, transportation an	es the product can be recycled. Where to disposal or incineration. The the responsibility for proper waste d disposal in accordance with cial and local regulations.			
Contaminated packaging	materi transpo	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRA	NSPORT INFORMAT	ION			
U.S. DOT Classification	: Not re	gulated for transportation	1.			
ICAO/IATA	: Refer	to specific regulation.				
IMO/IMDG (maritime)	: Refer	to specific regulation.				
	15. REGU	JLATORY INFORMA	TION			
US Regulations:						
OSHA Status	: Classif	fied as hazardous based of	on components.			
TSCA Status		omponents of this produc Inventory.	t are listed on or exempt from the			
US. EPA CERCLA Hazardo	ous Substances	(40 CFR 302)				
Chemical Name	CAS-No.	RQ for component	RQ for Mixture/Product			
Phosphorus	7723-14-0	001 lbs	18 LB			
California Propositio 65	on : Not ap	plicable				
SARA Title III Section 302	Extremely Haza	ardous Substance				

PolyOne

MATERIAL SAFETY DATA SHEET X PA66 G35 H U black SO NA

Version Number 1.1 Revision Date 06/12/2012 Page 7 of 8 Print Date 8/26/2012

Chemical Name	CAS-No.	% in Product	RQ for
			component
Phosphorus	7723-14-0	5.00 - 10.00	1 lbs

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name	CAS-No.	Weight percent
ZINC COMPOUNDSZINC COMPOUNDS	1332-07-6	1.00 - 5.00
ZINC COMPOUNDS	1314-13-2	0.10 - 1.00
PHOSPHORUSPHOSPHORUS (YELLOW OR WHITE)	7723-14-0	5.00 - 10.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Zinc borate	1332-07-6	1.00 - 5.00	
Zinc oxide	1314-13-2	0.10 - 1.00	
Phosphorus	7723-14-0	5.00 - 10.00	

WHMIS Classification : D1A

WHMIS Ingredient Disclosure List

CAS-No.
7723-14-0

DSL

DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

:

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET X PA66 G35 H U black SO NA

Version Number 1.1 Revision Date 06/12/2012 Page 8 of 8 Print Date 8/26/2012

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.