NEU

MATERIAL SAFETY DATA SHEET **Profax 6523, Gray**

Version Number 1.0 Revision Date 02/06/2012 Page 1 of 6 Print Date 2/6/2012

NEU Specialty Engineered 15 Corporate Drive, North					
Telephone Emergency telephone			YONE <mark>4hrs for spill, leak, fire, exposur</mark> e		
Product name		523, Gray			
Product code Chemical Name	: EM10024348 : Mixture				
CAS-No.	: Mixture				
Product Use					
2. COMPOSI	TION/INFORM	IATION ON REGULAT	ED INGREDIENTS		
Component	ts	CAS-No.	Weight percent		
Titanium dioxide		13463-67-7	0.1 - 1		
product is based on ind exposure as shipped is	EMER een evaluated as a ividual component minimal. Howey	nts. All ingredients are bo er, some vapors may be re	ded on the health effects of this ound and potential for hazardous eleased upon heating and the end-		
product is based on ind exposure as shipped is user (fabricator) must ta etc.) to protect employe	EMER een evaluated as a ividual component minimal. Howev ake the necessary ees from exposure	GENCY OVERVIEW whole. Information provints. All ingredients are bo er, some vapors may be re- precautions (mechanical ve.	ded on the health effects of this bund and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,		
product is based on ind exposure as shipped is user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFE(Routes of Exposure:	EMER een evaluated as a ividual component minimal. Howev ake the necessary ees from exposure	GENCY OVERVIEW whole. Information provints. All ingredients are bo er, some vapors may be re precautions (mechanical	ded on the health effects of this bund and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,		
product is based on ind exposure as shipped is user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure	EMER een evaluated as a ividual component minimal. Howev ake the necessary eves from exposure CTS : Inhalatic	GENCY OVERVIEW whole. Information provints. All ingredients are bo er, some vapors may be re precautions (mechanical v e.	ded on the health effects of this bund and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,		
product is based on ind exposure as shipped is user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation	EMER een evaluated as a ividual component minimal. Howev ake the necessary ees from exposure CTS : Inhalatic : Particulat	GENCY OVERVIEW whole. Information provints. All ingredients are bo er, some vapors may be re precautions (mechanical sector) on, Ingestion, Skin contact es, like other inert materia	ded on the health effects of this bund and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,		
product is based on ind exposure as shipped is user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion	EMER een evaluated as a ividual component minimal. Howev ake the necessary ees from exposure CTS : Inhalatic : Particulat : May be h	GENCY OVERVIEW whole. Information provints. All ingredients are bo er, some vapors may be re precautions (mechanical sector) on, Ingestion, Skin contact es, like other inert materia armful if swallowed.	ded on the health effects of this bund and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,		
product is based on ind exposure as shipped is user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation	EMER een evaluated as a ividual component minimal. Howev ake the necessary ees from exposure CTS : Inhalatic : Particulat : May be h : Particulat	GENCY OVERVIEW whole. Information provints. All ingredients are bo er, some vapors may be re precautions (mechanical es, like other inert materia armful if swallowed. es, like other inert materia	ded on the health effects of this bund and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,		
product is based on ind exposure as shipped is user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion Eyes	EMER een evaluated as a ividual component minimal. However ake the necessary ees from exposure CTS : Inhalation : Particulat : May be h : Particulat : Experience	GENCY OVERVIEW whole. Information provints. All ingredients are bo er, some vapors may be re precautions (mechanical es, like other inert materia armful if swallowed. es, like other inert materia	ded on the health effects of this bund and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection, els can be mechanically irritating. els can be mechanically irritating.		

NEU

MATERIAL SAFETY DATA SHEET Profax 6523, Gray

Version Number 1.0 Revision Date 02/06/2012

Page 2 of 6 Print Date 2/6/2012

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

NEU

MATERIAL SAFETY DATA SHEET **Profax 6523, Gray**

Version Number 1.0 Revision Date 02/06/2012 Page 3 of 6 Print Date 2/6/2012

Respiratory protection	: No personal respiratory protective equipment normally required.			
Eye/Face Protection	: Safety glasses with side-shields			
Hand protection	: Protective gloves			
Skin and body protection	: Long sleeved clothing			
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL MX OEL
	20 mg/m3	Short Term Exposure Lim (STEL):	it as Ti	
		, , , , , , , , , , , , , , , , , , ,		
	9. PHYSIC	CAL AND CHEMICAL P	ROPERTIES	
Form	: solid	Eva	poration rate : No	t applicable
Appearance			Specific Gravity : No	
Colour	: GRE			t established
Odour	: very	faint Vap		applicable
Melting point/range	: Not	determined Vap	oour density : not	applicable
Boiling Point:				t applicable
Water solubility	: insoluble			
	10. 8	STABILITY AND REACT	TIVITY	
Stability	: S	table		
Hazardous Polymerization	n : V	Vill not occur.		
Conditions to avoid	: T	o avoid thermal decomposit	tion, do not overheat.	



MATERIAL SAFETY DATA SHEET Profex 6523 Grav

					Page 4 nt Date 2/6/2		
Incompatible Materi	als : Strong acid	s, oxidi:	zing and reducir	ng agents			
Hazardous decompo products				xide (CO), oxides Id smoke are all po			
	11. TOXICOLO	GICAL	INFORMATIC	DN			
	t been evaluated as a whole f ndividual components which			are effects listed ar	e based on exi		
	as the following components	which i	n their pure form	have the following	g characteristic		
CAS-No.	Chemical Name		Effect	Target	Organ		
13463-67-7	Titanium dioxide	Sy	stemic effects	Respiratory syst			
CAS-No. 13463-67-7	Chemical Name Titanium dioxide						
2A - The componen 2B - The component NTP Carcinogen Cla 1 - The component i	s carcinogenic to humans. t is probably carcinogenic to t is possibly carcinogenic to l	humans. inogen.					
	12. ECOLOG	ICAL I	NFORMATION				
	radability : Not readily	biodegr	adable.				
Persistence and degr	city : Chemicals a	: Chemicals are not readily available as they are bound within the polymer matrix.					
Persistence and degr Environmental Toxi		ıtrix.					
-	polymer ma	are not re		s they are bound v			
Environmental Toxi	polymer ma tential : Chemicals a	are not re atrix.		is they are bound v			
Environmental Toxi Bioaccumulation Po	polymer ma tential : Chemicals a polymer ma : not applicat	are not re atrix. ole					

	NEU
NEU Specialty Engineered	l Materials, LLC.
MATERIAL SAFETY DATA Profax 6523, Gray	A SHEET
Version Number 1.0 Revision Date 02/06/2012	Page 5 of 6 Print Date 2/6/2012
Contaminated packaging	 applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 Ext	remely Hazardous Substance
Unless specific chemicals are ic	entified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Top	ic Chemicals:
Unless specific chemicals are ic	entified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Relea	se Inventory (NPRI)
not applicable	

NEU

MATERIAL SAFETY DATA SHEET **Profax 6523, Gray**

Version Number 1.0 Revision Date 02/06/2012

Page 6 of 6 Print Date 2/6/2012

WHMIS	Classification :]	D2A
DSL	:		DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
National Invento	ories:		
Australia	AICS :]	Not determined
China IE	CS :]	Not determined
Europe H	EINECS :]	Not determined
Japan EN	NCS :]	Not determined
Korea K	ECI :]	Not determined
Philippin	es PICCS :]	Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.