PolvOne

MATERIAL SAFETY DATA SHEET *LC 389-116*

Version Number 1.2 Revision Date 10/25/2012

Page 1 of 6 Print Date 10/26/2012

POLYONE CORPORATI 33587 Walker Road, Avoi		ОН 44012
Felephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	LC 389-116
Product code	:	EM10024942
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

ComponentsCAS-No.Weight percent1,3,5-Triazine-2,4,6-triamine
monophosphate20208-95-15 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



MATERIAL SAFETY DATA SHEET *LC 389-116*

Version Number 1.2 Revision Date 10/25/2012 Page 2 of 6 Print Date 10/26/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET *LC 389-116*

Version Number 1.2				
Revision Date	10/25/2012			

Page 3 of 6 Print Date 10/26/2012

	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.					
8. EX	POSUE	RE CONTROLS/PE	RSONAL PROTECTIO	ON		
Respiratory protection	:	No personal respirato	ory protective equipment	t normally required.		
Eye/Face Protection	: Safety glasses with side-shields					
Hand protection	:	: Protective gloves				
Skin and body protection	:	Long sleeved clothin	g			
Additional Protective Measures	:	Safety shoes				
General Hygiene Considerations	:		e with good industrial hy Is before breaks and at th			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure Imit(s)						
Exposure limit(s) 9	. PHYS	ICAL AND CHEMI	ICAL PROPERTIES			
	: sol : pe : N(: ve : N(: no		ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established not applicable not applicable not applicable 		
9 Form Appearance Colour Odour Melting point/range Boiling Point:	: sol : pe : N(: ve : Nc : no : ins	id lets, Slabs) PIGMENT cy faint t determined t applicable	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable 		
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: sol : pe : N(: ve : Nc : no : ins	id llets, Slabs O PIGMENT ry faint it determined t applicable oluble . STABILITY AND	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable not applicable 		
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	: sol : pe : N(: ve : Nc : no : ins	id llets, Slabs O PIGMENT ry faint it determined t applicable oluble . STABILITY AND	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	 Not determined Not established not applicable not applicable not applicable 		
9 Form Appearance Colour Odour Melting point/range Boiling Point:	: sol : pe : N(: ve : Nc : no : ins	id llets, Slabs O PIGMENT cy faint t determined t applicable oluble . STABILITY AND The product is stable Will not occur.	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	: Not determined : Not established : not applicable : not applicable : not applicable		
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: sol : pe : N(: ve : Nc : no : ins	id llets, Slabs O PIGMENT ry faint it determined t applicable oluble . STABILITY AND The product is stable Will not occur. To avoid thermal dec	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	 Not determined Not established not applicable not applicable not applicable 		

PolyOne

MATERIAL SAFETY DATA SHEET *LC 389-116*

Version Number 1.2 Revision Date 10/25/2012 Page 4 of 6 Print Date 10/26/2012

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
20208-95-1	1,3,5-Triazine-2,4,6-	Irritant	Eyes, Skin, Respiratory
	triamine monophosphate		system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
20208-95-1	1,3,5-Triazine-2,4,6-	Oral LD50	> 5,000 mg/kg	rat
	triamine monophosphate	Dermal LD50	> 2,000 mg/kg	rabbit

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.

olvOne

MATERIAL SAFETY DATA SHEET *LC 389-116*

Version Number 1.2 Revision Date 10/25/2012 Page 5 of 6 Print Date 10/26/2012

15. REGULATORY INFORMATION

US Regulations:

OSHA Status : Classified as hazardous based on components.

TSCA Status

All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined



MATERIAL SAFETY DATA SHEET *LC 389-116*

Version Number 1.2 Revision Date 10/25/2012 Page 6 of 6 Print Date 10/26/2012

Korea KECI

: Not determined

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.