MATERIAL SAFETY DATA SHEET Amodel PA AS 1145_Safety Yellow_Nylon CC

Version Number 1.0 Revision Date 04/30/2012

Page 1 of 6 Print Date 8/26/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Amodel PA AS 1145_Safety Yellow_Nylon CC
Product code	:	EM10025219
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne

MATERIAL SAFETY DATA SHEET Amodel PA AS 1145_Safety Yellow_Nylon CC

Version Number 1.0 Revision Date 04/30/2012 Page 2 of 6 Print Date 8/26/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: : :	not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne

MATERIAL SAFETY DATA SHEET Amodel PA AS 1145_Safety Yellow_Nylon CC

Version Number 1.0 Revision Date 04/30/2012 Page 3 of 6 Print Date 8/26/2012

8. EXF	and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION				
Respiratory protection		l respiratory protective equipment normally required.			
Eye/Face Protection	: Safety glass	ses with side-shields			
Hand protection	: Protective	gloves			
Skin and body protection	: Long sleeve	ed clothing			
Additional Protective Measures	: Safety shoe	28			
General Hygiene Considerations		accordance with good industrial hygiene and safety Wash hands before breaks and at the end of workday.			
Engineering measures		n areas with appropriate exhaust ventilation. Provide exhaust ventilation at machinery.			
Exposure limit(s)					
9.	PHYSICAL AND	O CHEMICAL PROPERTIES			
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 PHYSICAL AND solid pellets, Slabs YELLOW very faint Not determined not applicable insoluble 	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicable			
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs YELLOW very faint Not determined not applicable insoluble 	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicabledVapour density: not applicable			
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets, Slabs YELLOW very faint Not determined not applicable insoluble 	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable d Vapour density : not applicable pH : not applicable			
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 solid pellets, Slabs YELLOW very faint Not determined not applicable insoluble 10. STABILIT	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicabledVapour density: not applicablepH: not applicable TY AND REACTIVITY			
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs YELLOW very faint Not determined not applicable insoluble 10. STABILI Stable Will not oc 	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicabledVapour density: not applicablepH: not applicable TY AND REACTIVITY			
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 solid pellets, Slabs YELLOW very faint Not determined not applicable insoluble 10. STABILI Stable Will not oc To avoid the 	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable d Vapour density : not applicable pH : not applicable FY AND REACTIVITY cur.			
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 solid pellets, Slabs YELLOW very faint Not determined not applicable insoluble 10. STABILI Stable Will not oc To avoid th Strong acid Carbon dio 	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable d Vapour density : not applicable pH : not applicable FY AND REACTIVITY cur. eermal decomposition, do not overheat.			

PolyOne.

MATERIAL SAFETY DATA SHEET Amodel PA AS 1145_Safety Yellow_Nylon CC

Version Number 1.0 Revision Date 04/30/2012 Page 4 of 6 Print Date 8/26/2012

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	

PolyOne.

MATERIAL SAFETY DATA SHEET Amodel PA AS 1145_Safety Yellow_Nylon CC

Version Number 1.0 Revision Date 04/30/2012 Page 5 of 6 Print Date 8/26/2012

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name	CAS-No.	Weight percent
ZINC COMPOUNDS	1314-98-3	30.00 - 60.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Zinc sulfide	1314-98-3	30.00 - 60.00	

WHMIS Classification DSL	:	Not controlled. DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing,

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET Amodel PA AS 1145_Safety Yellow_Nylon CC

Version Number 1.0 Revision Date 04/30/2012 Page 6 of 6 Print Date 8/26/2012

storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.