PolvOne

MATERIAL SAFETY DATA SHEET X TT-544-001-01

Version Number 1.0

Version Number 1.0 Revision Date 06/05/2012 Page 1 of 6 Print Date 8/26/2012

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	X TT-544-001-01		
Product code	:	EM10025643		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use		Industrial Applications		

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Graphite	7782-42-5	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

MATERIAL SAFETY DATA SHEET X TT-544-001-01

Version Number 1.0 Revision Date 06/05/2012 Page 2 of 6 Print Date 8/26/2012

	"	4. FIRST AID MEASURES
Inhalation	0	love to fresh air in case of accidental inhalation of fumes from verheating or combustion. When symptoms persist or in all cases of pubt seek medical advice.
Ingestion		o not induce vomiting without medical advice. When symptoms ersist or in all cases of doubt seek medical advice.
Eyes		inse immediately with plenty of water, also under the eyelids, for at ast 15 minutes. If eye irritation persists, seek medical attention.
Skin		Vash off with soap and plenty of water. If skin irritation persists eek medical attention.
	5.1	FIRE-FIGHTING MEASURES
Flash point	: ne	ot applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: no : no	ot applicable ot applicable ot applicable arbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	p	ullface self-contained breathing apparatus (SCBA) used in positive ressure mode should be worn to prevent inhalation of airborne ontaminants.
Unusual Fire/Explosion Hazards		arbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen NOx), other hazardous materials, and smoke are all possible.
	6. ACC	IDENTAL RELEASE MEASURES
Personal precautions		Vear appropriate personal protection during cleanup, such as npervious gloves, boots and coveralls.
Environmental precautions		hould not be released into the environment. The product should not e allowed to enter drains, water courses or the soil.
Methods for cleaning up	p	lean up promptly by sweeping or vacuum. Package all material in lastic, cardboard or metal containers for disposal. Refer to Section 3 of this MSDS for proper disposal methods.
	7.	HANDLING AND STORAGE
Handling		ake measures to prevent the build up of electrostatic charge. Heat nly in areas with appropriate exhaust ventilation.
Storage	: K	eep containers dry and tightly closed to avoid moisture absorption

2/6

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET X TT-544-001-01

Version Number 1.0 Revision Date 06/05/2012 Page 3 of 6 Print Date 8/26/2012

8.	EXPOSURE	E CONTROLS/P	PERSONAL	PROTECTION	
Respiratory protection	: 1	No personal respir	ratory protecti	ive equipment normally i	required.
Eye/Face Protection	: 5	Safety glasses wit	h side-shields		
Hand protection	: F	Protective gloves			
Skin and body protection	n : I	long sleeved clot	hing		
Additional Protective Measures	: S	Safety shoes			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s) Components	Value	Exposure	e time	Exposure type	List:
Graphite	2 mg/m3	Time Weighte		Respirable fraction.	ACGIH
orupilite	- mg me	(TW)	-	nespinacio nuovoni	
	2.5 mg/m3	Recommende limit (R		Respirable.	NIOSH
	2.5 mg/m3	Time Weighte		Respirable dust.	OSHA Z1A
	2 mg/m3	Time Weighte			MX OEL
	10 mg/m3	Time Weighte	U		MX OEL
	5 mg/m3	PEI		Respirable fraction.	OSHA Z1
	15 mg/m3	PEI		Total dust.	OSHA Z1
	9. PHYSI	CAL AND CHE	MICAL PRO	DPERTIES	
Form	: solic	1	Evapo	ration rate : Not	applicable
Appearance		ets, Slabs	Specif	ic Gravity : Not	determined
Colour		PIGMENT	Bulk d	lensity : Not	established
Odour		faint			applicable
Melting point/range		determined	-		applicable
Boiling Point: Water solubility	: not a : inso	applicable luble	рН	: not	applicable

PolyOne

MATERIAL SAFETY DATA SHEET X TT-544-001-01

Version Number 1.0 Revision Date 06/05/2012 Page 4 of 6 Print Date *8/26/2012*

Stability	:	Stable
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name		Effect	Target Organ			
7782-42-5	5 Graphite		Systemic effects	Respiratory system, heart or circulatory system.			
		12. ECOLOGIO	CAL INFORMATION	1			
Persistence and degr	adability	: Not readily b	iodegradable.				
Environmental Toxicity			: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potential			: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice		: not applicable					
		13. DISPOSAL	CONSIDERATIONS	9			
Product		possible recyc generator of v classification	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
Contaminated packaging		material has t transportation	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
		14 TRANSPO	RT INFORMATION				

PolyOne.

MATERIAL SAFETY DATA SHEET X TT-544-001-01

11-344-001-01		
sion Number 1.0 ision Date 06/05/2012		Page 5 of 6 Print Date 8/26/2012
U.S. DOT Classification		Not regulated for transportation.
ICAO/IATA	:]	Refer to specific regulation.
IMO/IMDG (maritime)	: 1	Refer to specific regulation.
	15.	REGULATORY INFORMATION
US Regulations:		
OSHA Status	: (Classified as hazardous based on components.
TSCA Status		All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	is Subst	ances (40 CFR 302)
not applicable		
California Propositior 65	1 :]	Not applicable
SARA Title III Section 302 E	Extremel	y Hazardous Substance
Unless specific chemicals are	identifi	ed under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 T	oxic Ch	nemicals:
Unless specific chemicals are	identifi	ed under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Rel	ease Inv	ventory (NPRI)
not applicable		
WHMIS Classificatio	n :]	D2A
DSL		
DSL		All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		

PolyOne.

MATERIAL SAFETY DATA SHEET X TT-544-001-01

Version Number 1.0 Revision Date 06/05/2012 Page 6 of 6 Print Date 8/26/2012

China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.