PolyOne

MATERIAL SAFETY DATA SHEET 000000436895

Version Number 1.0 Revision Date 06/05/2012 Page 1 of 6 Print Date 8/26/2012

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone	:	1 (440) 930-1000 or 1 (866) POLYONE		
Emergency telephone	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	000000436895		
Product code	:	EM10025645		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

Components	CAS-No.	Weight percent
Graphite	7782-42-5	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET 000000436895

Version Number 1.0 Revision Date 06/05/2012 Page 2 of 6 Print Date 8/26/2012

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
T 1 11 T'''		
Flammable Limits		not applicable
Upper explosion limit Lower explosion limit	:	not applicable not applicable
Autoignition temperature	:	not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET 000000436895

Version Number 1.0 Revision Date 06/05/2012

Page 3 of 6 Print Date 8/26/2012

8.]	EXPOSURE	CONTROLS/PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protecti	ive equipment normally i	required.	
Eye/Face Protection	: Sa	afety glasses with side-shields			
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved clothing				
Additional Protective Measures	: Safety shoes				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s) Components	Value	Exposure time	Exposure type	List:	
÷		Liposaie unie			
Graphite	2 mg/m3	Time Weighted Average	Respirable fraction.	ACGIH	
Graphite	2 mg/m3 2.5 mg/m3	Time Weighted Average (TWA): Recommended exposure	Respirable fraction. Respirable.		
Graphite	2.5 mg/m3	(TWA): Recommended exposure limit (REL):	Respirable.	ACGIH NIOSH	
Graphite	2.5 mg/m3 2.5 mg/m3	(TWA): Recommended exposure limit (REL): Time Weighted Average (TWA):	-	ACGIH NIOSH OSHA Z1A	
Graphite	2.5 mg/m3	(TWA): Recommended exposure limit (REL): Time Weighted Average (TWA): Time Weighted Average (TWA):	Respirable.	ACGIH NIOSH	
Graphite	2.5 mg/m3 2.5 mg/m3	(TWA): Recommended exposure limit (REL): Time Weighted Average (TWA): Time Weighted Average	Respirable.	ACGIH NIOSH OSHA Z1A	
Graphite	2.5 mg/m3 2.5 mg/m3 2 mg/m3 10 mg/m3 5 mg/m3	(TWA): Recommended exposure limit (REL): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL:	Respirable dust. Respirable fraction.	ACGIH NIOSH OSHA Z1A MX OEL MX OEL OSHA Z1	
Graphite	2.5 mg/m3 2.5 mg/m3 2 mg/m3 10 mg/m3	(TWA): Recommended exposure limit (REL): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA):	Respirable. Respirable dust.	ACGIH NIOSH OSHA Z1A MX OEL MX OEL	
Graphite	2.5 mg/m3 2.5 mg/m3 2 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3	(TWA): Recommended exposure limit (REL): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL:	Respirable dust. Respirable fraction. Total dust.	ACGIH NIOSH OSHA Z1A MX OEL MX OEL OSHA Z1	
Graphite	2.5 mg/m3 2.5 mg/m3 2 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : solid	(TWA): Recommended exposure limit (REL): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: PEL: Evapo	Respirable dust. Respirable fraction. Total dust. PPERTIES ration rate : Not	ACGIH NIOSH OSHA Z1A MX OEL MX OEL OSHA Z1	
Form	2.5 mg/m3 2.5 mg/m3 2 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : solid : peller	(TWA): Recommended exposure limit (REL): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: PEL: PEL: Evapo	Respirable. Respirable dust. Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity : Not	ACGIH NIOSH OSHA Z1A MX OEL MX OEL OSHA Z1 OSHA Z1	
Form Appearance Colour Odour	2.5 mg/m3 2.5 mg/m3 2 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : solid : pelle : NO F : very	(TWA): Recommended exposure limit (REL): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEN: PE	Respirable. Respirable dust. Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity : Not lensity : Not r pressure : not	ACGIH NIOSH OSHA Z1A MX OEL MX OEL OSHA Z1 OSHA Z1 OSHA Z1	
Form Appearance Colour	2.5 mg/m3 2.5 mg/m3 2 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3 9. PHYSIC : solid : pelle : NO F : very : Not c	(TWA): Recommended exposure limit (REL): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEN: PE	Respirable. Respirable dust. Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity : Not lensity : Not r pressure : not r density : not	ACGIH NIOSH OSHA Z1A MX OEL MX OEL OSHA Z1 OSHA Z1	

PolyOne

MATERIAL SAFETY DATA SHEET 000000436895

Version Number 1.0 Revision Date 06/05/2012 Page 4 of 6 Print Date *8/26/2012*

Stability	:	Stable
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	_	Themical Name	Effect	Target Organ			
7782-42-5	-42-5 Graphite		Systemic effects	Respiratory system, heart or circulatory system.			
		12. ECOLOGIO	CAL INFORMATION	J			
Persistence and degradability		: Not readily b	: Not readily biodegradable.				
Environmental Toxicity			: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potential			: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice		: not applicable	: not applicable				
		13. DISPOSAL	CONSIDERATIONS	5			
Product		possible recyc generator of v classification	cling is preferred to dis waste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.			
Contaminated packa	ging	material has t transportation	he responsibility for pr	e. The generator of waste oper waste classification, dance with applicable federal, s.			
		14. TRANSPO	RT INFORMATION				

PolyOne.

MATERIAL SAFETY DATA SHEET 000000436895

sion Number 1.0		Page 5 of
rision Date 06/05/2012		Print Date 8/26/20
U.S. DOT Classification	Not regulated for transportation.	
ICAO/IATA	Refer to specific regulation.	
IMO/IMDG (maritime)	Refer to specific regulation.	
	5. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	Classified as hazardous based on components	
TSCA Status	All components of this product are listed on TSCA Inventory.	or exempt from the
US. EPA CERCLA Hazardou	ostances (40 CFR 302)	
not applicable		
California Proposition 65	Not applicable	
SARA Title III Section 302 E	ely Hazardous Substance	
Unless specific chemicals are	ified under this section, this product is Not App	licable under this regulation
SARA Title III Section 313 To	Chemicals:	
Unless specific chemicals are	ified under this section, this product is Not App	licable under this regulation
Canadian Regulations:		
National Pollutant Rele	nventory (NPRI)	
not applicable	• • •	
WHMIS Classification	D2A	
	All components of this product are on the Ca	nation Domostia
ספו	All components of this product are on the Ca	
DSL	Substances List (DSL) or are exempt.	nadian Domestic
DSL National Inventories:	Substances List (DSL) or are exempt.	nadian Domestic

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET 000000436895

Version Number 1.0 Revision Date 06/05/2012 Page 6 of 6 Print Date 8/26/2012

China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.