PolvOne

MATERIAL SAFETY DATA SHEET X ST-691-004-18

Version Number 1.0 Revision Date 07/23/2012

Page 1 of 6 Print Date 8/28/2012

POLYONE CORPORATI 33587 Walker Road, Avoi		OH 44012
Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X ST-691-004-18
Product code	:	EM10026132
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Carbon	7440-44-0	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET X ST-691-004-18

Version Number 1.0 Revision Date 07/23/2012 Page 2 of 6 Print Date 8/28/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting	::	not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures Unusual Fire/Explosion Hazards	:	pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage		Keep containers dry and tightly closed to avoid moisture absorption

2/6

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET X ST-691-004-18

Version Number 1.0 Revision Date 07/23/2012 Page 3 of 6 Print Date 8/28/2012

8. EXF	POSUR	E CONTROLS/PER	SONAL PROTECTION	
Respiratory protection			ry protective equipment no	rmally required.
Eye/Face Protection	: 9	afety glasses with sid	de-shields	
Hand protection	: 1	Protective gloves		
Skin and body protection	: 1	long sleeved clothing	r 5	
Additional Protective Measures	: \$	afety shoes		
General Hygiene Considerations			with good industrial hygie before breaks and at the en	
Engineering measures			h appropriate exhaust vent entilation at machinery.	lation. Provide
Exposure limit(s)				
	PHYSI : solie		CAL PROPERTIES	: Not applicable
Form Appearance Colour Odour Melting point/range Boiling Point:	: solie : pell : NO : very : Not : not	l ets, Slabs PIGMENT faint determined applicable	Evaporation rate Specific Gravity Bulk density Vapour pressure	 Not applicable Not determined Not established not applicable not applicable not applicable
Form Appearance Colour Odour Melting point/range	: soli : pell : NO : very : Not : not : inso	l ets, Slabs PIGMENT faint determined applicable luble	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	Not determinedNot establishednot applicablenot applicable
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: soli : pell : NO : very : Not : not : insc 10.	l ets, Slabs PIGMENT faint determined applicable luble STABILITY AND F	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	Not determinedNot establishednot applicablenot applicable
Form Appearance Colour Odour Melting point/range Boiling Point:	: solid : pell : NO : very : Not : not : inso 10. : \$	l ets, Slabs PIGMENT faint determined applicable luble	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	Not determinedNot establishednot applicablenot applicable
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	: solid : pell : NO : very : Not : not : inso 10. : S	l ets, Slabs PIGMENT faint determined applicable luble STABILITY AND F Stable Vill not occur.	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable not applicable
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: soli : pell : NO : very : Not : not : insc 10. : S	l ets, Slabs PIGMENT faint determined applicable luble STABILITY AND F Stable Vill not occur. Co avoid thermal deco	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable not applicable
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: solid : pell : NO : very : Not : not : inso 10. : S : S : S : S	l ets, Slabs PIGMENT faint determined applicable luble STABILITY AND F Stable Will not occur. To avoid thermal deco Strong acids, oxidizir Carbon dioxide (CO2)	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	 Not determined Not established not applicable not applicable not applicable

PolyOne.

MATERIAL SAFETY DATA SHEET X ST-691-004-18

Version Number 1.0 Revision Date 07/23/2012 Page 4 of 6 Print Date 8/28/2012

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7440-44-0	Carbon	Systemic effects	Respiratory system, heart or circulatory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
7440-44-0	Carbon	Oral LD50	10,000 mg/kg	rat

7440-44-0 Carbon		Oral LD50 10,000 mg/kg rat
	12	2. ECOLOGICAL INFORMATION
Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	not applicable
	1	3. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Refer to specific regulation.
IMO/IMDG (maritime)	:	Refer to specific regulation.
	15	REGULATORY INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET X ST-691-004-18

sion Date 07/23/2012	Page : Print Date <i>8/28/</i>
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 Ext	remely Hazardous Substance
Unless specific chemicals are id	entified under this section, this product is Not Applicable under this regul
SARA Title III Section 313 Tox	ic Chemicals:
	ic Chemicals: entified under this section, this product is Not Applicable under this regul
Unless specific chemicals are id	entified under this section, this product is Not Applicable under this regul
Unless specific chemicals are id Canadian Regulations:	entified under this section, this product is Not Applicable under this regul
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas	entified under this section, this product is Not Applicable under this regul
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas not applicable	entified under this section, this product is Not Applicable under this regul se Inventory (NPRI)
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification	entified under this section, this product is Not Applicable under this regul the Inventory (NPRI) : Not controlled. : All components of this product are on the Canadian Domestic
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification DSL	entified under this section, this product is Not Applicable under this regul the Inventory (NPRI) : Not controlled. : All components of this product are on the Canadian Domestic
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification DSL National Inventories:	 entified under this section, this product is Not Applicable under this regulate inventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification DSL National Inventories: Australia AICS	 entified under this section, this product is Not Applicable under this regulate Inventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Not determined
Unless specific chemicals are id Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS	entified under this section, this product is Not Applicable under this regul se Inventory (NPRI) : Not controlled. : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. : Not determined : Not determined

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET X ST-691-004-18

Version Number 1.0 Revision Date 07/23/2012

Page 6 of 6 Print Date 8/28/2012

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.