PolyOne

MATERIAL SAFETY DATA SHEET X TM-697-001-01 Natural

Version Number 1.0 Revision Date 07/31/2012

Page 1 of 6 Print Date 8/28/2012

1. PRODUCT AND COMPANY IDENTIFICATION				
POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	X TM-697-001-01 Natural		
Product code	:	EM10026185		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Glass, oxide	65997-17-3	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	

PolyOne.

MATERIAL SAFETY DATA SHEET X TM-697-001-01 Natural

Version Number 1.0 Revision Date 07/31/2012 Page 2 of 6 Print Date 8/28/2012

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET X TM-697-001-01 Natural

Version Number 1.0 Revision Date 07/31/2012 Page 3 of 6 Print Date 8/28/2012

	POSURE CONTROLS/PERS	ONAL PROTECTION	
Respiratory protection	: No personal respiratory protective equipment normally required.		
Eye/Face Protection	: Safety glasses with side	-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothing		
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
	PHYSICAL AND CHEMICA		
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable 	AL PROPERTIESEvaporation rate Specific Gravity: Not applicable : Not determined Bulk densityBulk density Vapour pressure Vapour density pH: not applicable : not applicable	
Form Appearance Colour Odour Melting point/range	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 	Evaporation rate:Not applicableSpecific Gravity:Not determinedBulk density:Not establishedVapour pressure:not applicableVapour density:not applicablepH:not applicable	
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable 	Evaporation rate:Not applicableSpecific Gravity:Not determinedBulk density:Not establishedVapour pressure:not applicableVapour density:not applicablepH:not applicable	
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 	Evaporation rate:Not applicableSpecific Gravity:Not determinedBulk density:Not establishedVapour pressure:not applicableVapour density:not applicablepH:not applicable	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AND REMANCE	Evaporation rate:Not applicableSpecific Gravity:Not determinedBulk density:Not establishedVapour pressure:not applicableVapour density:not applicablepH:not applicable	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AND RE Stable Will not occur. 	Evaporation rate:Not applicableSpecific Gravity:Not determinedBulk density:Not establishedVapour pressure:not applicableVapour density:not applicablepH:not applicable	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AND RE Stable Will not occur. 	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable	

PolyOne

MATERIAL SAFETY DATA SHEET X TM-697-001-01 Natural

Version Number 1.0 Revision Date 07/31/2012 Page 4 of 6 Print Date 8/28/2012

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
	12. ECOLOGIC A	AL INFORMATIO	DN		
Persistence and degradabilit	y : Not readily bio	degradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.			
Bioaccumulation Potential	: Chemicals are polymer matrix		e as they are bound within the		
Additional advice	: not applicable				
	13. DISPOSAL (CONSIDERATION	NS		
Product	possible recycl generator of wa classification, t	ing is preferred to d aste material has the ransportation and d	the product can be recycled. When isposal or incineration. The e responsibility for proper waste isposal in accordance with and local regulations.		
Contaminated packaging	material has the transportation a	e responsibility for	ble. The generator of waste proper waste classification, rdance with applicable federal, ns.		
	14. TRANSPOR	T INFORMATIO	N		
U.S. DOT Classification	: Not regulated f	for transportation.			
ICAO/IATA	: Refer to specif	ic regulation.			
IMO/IMDG (maritime)	: Refer to specif	ic regulation.			
	15. REGULATO	RY INFORMATIO	DN		
US Regulations:					
OSHA Status	: Classified as ha	azardous based on c	omponents.		
TSCA Status	: All componen TSCA Inventor		e listed on or exempt from the		

PolvOne

MATERIAL SAFETY DATA SHEET X TM-697-001-01 Natural

Version Number 1.0 Revision Date 07/31/2012 Page 5 of 6 Print Date 8/28/2012

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne.

MATERIAL SAFETY DATA SHEET X TM-697-001-01 Natural

Version Number 1.0 Revision Date 07/31/2012 Page 6 of 6 Print Date 8/28/2012

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.