PolvOne

MATERIAL SAFETY DATA SHEET

X PK-40CF/000 Black

Version Number 1.0 Revision Date 08/07/2012 Page 1 of 6 Print Date 8/29/2012

POLYONE CORPORATI 33587 Walker Road, Avon		ОН 44012
Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X PK-40CF/000 Black
Product code	:	EM10026230
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use		Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Carbon	7440-44-0	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET X PK-40CF/000 Black

Version Number 1.0 Revision Date 08/07/2012 Page 2 of 6 Print Date 8/29/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5	5. FIRE-FIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	:	not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. AC	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET X PK-40CF/000 Black

Version Number 1.0 Revision Date 08/07/2012 Page 3 of 6 Print Date 8/29/2012

8. EXI	OSURE CONTROLS/PERSONAL	PROTECTION		
Respiratory protection	: No personal respiratory protect	ive equipment normally required.		
Eye/Face Protection	: Safety glasses with side-shields	S		
Hand protection	: Protective gloves			
Skin and body protection	: Long sleeved clothing	Long sleeved clothing		
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations	: Handle in accordance with goo practice. Wash hands before be	d industrial hygiene and safety reaks and at the end of workday.		
Engineering measures	<i>i i i i</i>	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
Form	· solid Evan	OPERTIES		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: pellets, Slabs Specif : BLACK Bulk c : very faint Vapor	OPERTIESoration rate: Not applicablefic Gravity: Not determineddensity: Not establishedur pressure: not applicableur density: not applicable: not applicable: not applicable		
Appearance Colour Odour Melting point/range Boiling Point:	: pellets, Slabs Specifi : BLACK Bulk of : very faint Vapor : Not determined Vapor : not applicable pH : insoluble	bration rate : Not applicable fic Gravity : Not determined density : Not established ur pressure : not applicable ur density : not applicable : not applicable		
Appearance Colour Odour Melting point/range Boiling Point:	: pellets, SlabsSpecial: BLACKBulk of: very faintVapor: Not determinedVapor: not applicablepH	bration rate : Not applicable fic Gravity : Not determined density : Not established ur pressure : not applicable ur density : not applicable : not applicable		
Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: pellets, Slabs Specif : BLACK Bulk of : very faint Vapor : Not determined Vapor : not applicable pH : insoluble 10. STABILITY AND REACTION	bration rate : Not applicable fic Gravity : Not determined density : Not established ur pressure : not applicable ur density : not applicable : not applicable		
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	: pellets, Slabs Specifi : BLACK Bulk of : very faint Vapou : Not determined Vapou : not applicable pH : insoluble 10. STABILITY AND REACTION : Stable	oration rate : Not applicable fic Gravity : Not determined density : Not established ur pressure : not applicable ur density : not applicable : not applicable : not applicable VITY VITY		
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 pellets, Slabs BLACK very faint Vapor Not determined vapor not applicable insoluble 10. STABILITY AND REACTT : Stable : Will not occur.	oration rate : Not applicable fic Gravity : Not determined density : Not established ur pressure : not applicable ur density : not applicable : not applicable VITY		
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 : pellets, Slabs Specifi : BLACK Bulk of Vapor : very faint Vapor : Not determined Vapor : not applicable pH : insoluble 10. STABILITY AND REACTION : Stable : Will not occur. : To avoid thermal decomposition : Strong acids, oxidizing and real 	oration rate : Not applicable fic Gravity : Not determined density : Not established ar pressure : not applicable ar density : not applicable : not applicable : not applicable VITY on, do not overheat. educing agents monoxide (CO), oxides of nitrogen		

PolyOne.

MATERIAL SAFETY DATA SHEET X PK-40CF/000 Black

Version Number 1.0 Revision Date 08/07/2012

Page 4 of 6 Print Date 8/29/2012

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7440-44-0	Carbon	Systemic effects	Respiratory system, heart or circulatory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
7440-44-0	Carbon	Oral LD50	10,000 mg/kg	rat

7440-44-0 Carbor	1	Oral LD50 10,000 mg/kg rat	
	12	2. ECOLOGICAL INFORMATION	
Persistence and degradability	:	Not readily biodegradable.	
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	:	not applicable	
	1	3. DISPOSAL CONSIDERATIONS	
Product Contaminated packaging	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
	1	4. TRANSPORT INFORMATION	
U.S. DOT Classification	:	Not regulated for transportation.	
ICAO/IATA	:	Refer to specific regulation.	
IMO/IMDG (maritime)	:	Refer to specific regulation.	
	15	. REGULATORY INFORMATION	

PolyOne.

MATERIAL SAFETY DATA SHEET X PK-40CF/000 Black

ion Number 1.0 sion Date 08/07/2012		Page 5 Print Date 8/29/2
US Regulations:		
OSHA Status	: Classified as hazardous	based on components.
TSCA Status	: All components of this TSCA Inventory.	product are listed on or exempt from the
US. EPA CERCLA Hazardous	Substances (40 CFR 302)	
not applicable		
California Proposition 65	: Not applicable	
SARA Title III Section 302 Ext	emely Hazardous Substance	
Unless specific chemicals are id	entified under this section, th	is product is Not Applicable under this regula
Unless specific chemicals are id Canadian Regulations:	entified under this section, the	is product is Not Applicable under this regul
National Pollutant Release	se Inventory (NPRI)	
National Pollutant Releas	se Inventory (NPRI)	
	se Inventory (NPRI) : Not controlled.	
not applicable	: Not controlled.	n determined. Quantity use in Canada may b
not applicable WHMIS Classification	Not controlled.DSL status has not beer	
not applicable WHMIS Classification DSL	Not controlled.DSL status has not beer	
not applicable WHMIS Classification DSL National Inventories:	 Not controlled. DSL status has not beer restricted by regulations 	
not applicable WHMIS Classification DSL National Inventories: Australia AICS	 Not controlled. DSL status has not beer restricted by regulations Not determined 	
not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS	 Not controlled. DSL status has not beer restricted by regulations Not determined Not determined 	

PolyOne

MATERIAL SAFETY DATA SHEET X PK-40CF/000 Black

Version Number 1.0 Revision Date 08/07/2012

Page 6 of 6 Print Date 8/29/2012

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.