MATERIAL SAFETY DATA SHEET OnForce LFT NY-50LGF/001 HS Natural

Version Number 1.0 Revision Date 09/21/2012 Page 1 of 6 Print Date 9/21/2012

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012			
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	OnForce LFT NY-50LGF/001 HS Natural	
Product code	:	EM10026400	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Glass, oxide	65997-17-3	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET OnForce LFT NY-50LGF/001 HS Natural

Version Number 1.0 Revision Date 09/21/2012 Page 2 of 6 Print Date 9/21/2012

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIREFIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits		
Upper explosion limit		not applicable
Lower explosion limit	:	not applicable
Auto-ignition temperature	:	not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

PolyOne

MATERIAL SAFETY DATA SHEET OnForce LFT NY-50LGF/001 HS Natural

Version Number 1.0 Revision Date 09/21/2012 Page 3 of 6 Print Date 9/21/2012

δ. ΕλΙ	POSURE CONTROLS/PER	SONAL PROTECTION	
Respiratory protection	: No personal respiratory protective equipment normally required.		
Eye/Face Protection	: Safety glasses with side-shields		
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothing		
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		with good industrial hygiene and safety s before breaks and at the end of workday.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
	: solid : pellets, Slabs	Evaporation rate: Not applicableSpecific Gravity: Not determined	
Appearance	: pellets, Slabs	Specific Gravity : Not determined	
Colour	: NO PIGMENT	Bulk density : Not established	
Odour Melting point/range	very faintNot determined	Vapour pressure: not applicableVapour density: not applicable	
Boiling Point:	: not applicable	pH : not applicable	
Water solubility	: insoluble	r · ····rr-····	
	10. STABILITY AND	REACTIVITY	
Stability	: The product is stable	if stored and handled as prescribed.	
	: Will not occur.		
Hazardous Polymerization	: To avoid thermal decomposition, do not overheat.		
·	: To avoid thermal dec	omposition, do not overneat.	
Conditions to avoid		ng and reducing agents	
Hazardous Polymerization Conditions to avoid Incompatible Materials Hazardous decomposition products	Strong acids, oxidiziCarbon dioxide (CO2	-	

PolyOne

MATERIAL SAFETY DATA SHEET OnForce LFT NY-50LGF/001 HS Natural

Version Number 1.0 Revision Date 09/21/2012 Page 4 of 6 Print Date 9/21/2012

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Targe	t Organ		
	12. ECOLOGIC	AL INFORMATI	ON			
Persistence and degradabilit	y : Not readily bio	: Not readily biodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potential		Chemicals are not readily available as they are bound within the polymer matrix.not applicable				
Additional advice	: not applicable					
	13. DISPOSAL O	CONSIDERATIO	NS			
Product	possible recycl generator of w classification,	ing is preferred to easte material has the transportation and eastern	he product can be re disposal or incinerat e responsibility for p lisposal in accordand l and local regulatio	ion. The proper waste ce with		
Contaminated packaging	material has th transportation	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPOR	T INFORMATIC	N			
U.S. DOT Classification	: Not regulated	for transportation.				
ICAO/IATA	: Refer to specif	ic regulation.				
IMO/IMDG (maritime)	: Refer to specif	ic regulation.				
	15. REGULATO	RY INFORMATI	ON			
US Regulations:						
OSHA Status	: Classified as h	azardous based on	components.			
TSCA Status	: All componen TSCA Invento	1	re listed on or exemp	ot from the		

PolyOne

MATERIAL SAFETY DATA SHEET OnForce LFT NY-50LGF/001 HS Natural

Version Number 1.0 Revision Date 09/21/2012 Page 5 of 6 Print Date 9/21/2012

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne.

MATERIAL SAFETY DATA SHEET OnForce LFT NY-50LGF/001 HS Natural

Version Number 1.0 Revision Date 09/21/2012 Page 6 of 6 Print Date 9/21/2012

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.