MATERIAL SAFETY DATA SHEET X ET1240-001-02

Version Number 1.0 Revision Date 10/02/2012

Page 1 of 6 Print Date 10/2/2012

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	X ET1240-001-02		
Product code	:	EM10026787		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

Components CAS-No. Weight percent

10 00
3 10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **X ET1240-001-02**

Version Number 1.0 Revision Date 10/02/2012 Page 2 of 6 Print Date 10/2/2012

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	at
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
	5. FIREFIGHTING MEASURES	
Flash point	: not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. 	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants.	e
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	
	5. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should r be allowed to enter drains, water courses or the soil.	ot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material is plastic, cardboard or metal containers for disposal.	n
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Hea only in areas with appropriate exhaust ventilation.	t
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	1

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET **X ET1240-001-02**

Version Number 1.0 Revision Date 10/02/2012 Page 3 of 6 Print Date 10/2/2012

0. EA	POSURE CONTROLS/PER	SONAL PROTECTION	
Respiratory protection	: No personal respirato	ry protective equipment normally required	
Eye/Face Protection	: Safety glasses with side-shields		
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothing		
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
-			
	. PHYSICAL AND CHEMI		
Form	: solid	Evaporation rate : Not applica	
Form Appearance	: solid : pellets, Slabs	Evaporation rate : Not applica Specific Gravity : Not determi	
9 Form Appearance Colour Odour	solidpellets, SlabsNO PIGMENT	Evaporation rate : Not applica Specific Gravity : Not determi Bulk density : Not establis	
Form Appearance Colour Odour	: solid : pellets, Slabs	Evaporation rate: Not applicaSpecific Gravity: Not determiBulk density: Not establisVapour pressure: not applicat	
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs NO PIGMENT very faint 	Evaporation rate : Not applica Specific Gravity : Not determi Bulk density : Not establis	
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs NO PIGMENT very faint Not determined 	Evaporation rate: Not applicalSpecific Gravity: Not determiteBulk density: Not establistVapour pressure: not applicalVapour density: not applical	
Form Appearance Colour	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable 	Evaporation rate: Not applicaSpecific Gravity: Not determiBulk density: Not establisVapour pressure: not applicatVapour density: not applicatpH: not applicat	
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AND H	Evaporation rate: Not applicaSpecific Gravity: Not determiBulk density: Not establisVapour pressure: not applicatVapour density: not applicatpH: not applicat	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AND H	Evaporation rate: Not applicalSpecific Gravity: Not determiBulk density: Not establisVapour pressure: not applicalVapour density: not applicalpH: not applical	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AND I The product is stable Will not occur. 	Evaporation rate: Not applicalSpecific Gravity: Not determiBulk density: Not establisVapour pressure: not applicalVapour density: not applicalpH: not applical	
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AND I The product is stable Will not occur. To avoid thermal decomposition 	Evaporation rate : Not applical Specific Gravity : Not determi Bulk density : Not establis Vapour pressure : not applical Vapour density : not applical pH : not applical REACTIVITY if stored and handled as prescribed.	

PolyOne

MATERIAL SAFETY DATA SHEET X ET1240-001-02

Version Number 1.0 Revision Date 10/02/2012 Page 4 of 6 Print Date 10/2/2012

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ				
	12. ECOLOGICA	AL INFORMATIO	DN				
Persistence and degradabilit	y : Not readily bio	degradable.					
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.					
Bioaccumulation Potential	: Chemicals are polymer matrix		e as they are bound within the				
Additional advice	: not applicable	: not applicable					
	13. DISPOSAL O	CONSIDERATION	IS				
Product	possible recycl generator of w classification, t	ing is preferred to d aste material has the transportation and d	the product can be recycled. When isposal or incineration. The responsibility for proper waste isposal in accordance with and local regulations.				
Contaminated packaging	material has th transportation	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.					
	14. TRANSPOR	T INFORMATIO	N				
U.S. DOT Classification	: Not regulated f	for transportation.					
ICAO/IATA	: Refer to specif	ic regulation.					
IMO/IMDG (maritime)	: Refer to specif	ic regulation.					
	15. REGULATO	RY INFORMATIO	DN				
US Regulations:							
OSHA Status	: Classified as h	azardous based on c	omponents.				
TSCA Status	: All componen TSCA Invento		e listed on or exempt from the				

PolyOne

MATERIAL SAFETY DATA SHEET X ET1240-001-02

Version Number 1.0 Revision Date 10/02/2012 Page 5 of 6 Print Date 10/2/2012

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne

MATERIAL SAFETY DATA SHEET X ET1240-001-02

Version Number 1.0 Revision Date 10/02/2012 Page 6 of 6 Print Date 10/2/2012

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.