MATERIAL SAFETY DATA SHEET X ST76775#SR-01341-00001-2 Safety Yellow

Version Number 1.1 Revision Date 10/22/2012 Page 1 of 6 Print Date 10/22/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X ST76775#SR-01341-00001-2 Safety Yellow
Product code	:	EM10026959
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET X ST76775#SR-01341-00001-2 Safety Yellow

Version Number 1.1 Revision Date 10/22/2012 Page 2 of 6 Print Date 10/22/2012

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIREFIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits		not applicable
Upper explosion limit	:	not applicable
Lower explosion limit	:	not applicable
Auto-ignition temperature	:	not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting	•	Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	•	pressure mode should be worn to prevent inhalation of airborne
		contaminants.
Unusual Fire/Explosion	•	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards		(NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

2/6

PolyOne

MATERIAL SAFETY DATA SHEET X ST76775#SR-01341-00001-2 Safety Yellow

Version Number 1.1 Revision Date 10/22/2012

Page 3 of 6 Print Date 10/22/2012

Descrimatory protection		TROLS/PERSONAL PROTECTION	
Respiratory protection	: No pers	sonal respiratory protective equipment normally required.	
Eye/Face Protection	: Safety glasses with side-shields		
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothing		
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures		ly in areas with appropriate exhaust ventilation. Provide iate exhaust ventilation at machinery.	
Exposure limit(s)			
		AND CHEMICAL PROPERTIES	
Form	: solid	Evaporation rate : Not applicable	
Appearance	: pellets, Sla		
Colour	: ORANGE	Bulk density : Not established	
	: very faint	Vapour pressure : not applicable	
Odour	. Mat data	ing d Vanara danaita	
Melting point/range	: Not determ	1 2 11	
	Not determnot applicainsoluble	1 2 11	
Melting point/range Boiling Point:	: not applica : insoluble	1 2 11	
Melting point/range Boiling Point:	: not applica : insoluble 10. STAB	ble pH : not applicable	
Melting point/range Boiling Point: Water solubility	: not applica : insoluble 10. STAB	ble pH : not applicable LITY AND REACTIVITY bduct is stable if stored and handled as prescribed.	
Melting point/range Boiling Point: Water solubility Stability	 not applica insoluble 10. STAB : The pro : Will no 	ble pH : not applicable LITY AND REACTIVITY bduct is stable if stored and handled as prescribed.	
Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 not applica insoluble 10. STAB The product of the product of	ble pH : not applicable ILITY AND REACTIVITY oduct is stable if stored and handled as prescribed. t occur.	
Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 not applica insoluble 10. STAB The pro The pro Will no To avoit Strong at Carbon 	ble pH : not applicable ILITY AND REACTIVITY duct is stable if stored and handled as prescribed. t occur. d thermal decomposition, do not overheat.	

PolyOne

MATERIAL SAFETY DATA SHEET X ST76775#SR-01341-00001-2 Safety Yellow

Version Number 1.1 Revision Date 10/22/2012 Page 4 of 6 Print Date 10/22/2012

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	

PolyOne

MATERIAL SAFETY DATA SHEET X ST76775#SR-01341-00001-2 Safety Yellow

Version Number 1.1 Revision Date 10/22/2012 Page 5 of 6 Print Date 10/22/2012

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Bismuth vanadium oxide (BiVO4)	14059-33-7	0.10 - 1.00	
		0.10 - 1.00	
		0.10 - 1.00	

WHMIS Classification	:	Not controlled.
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne.

MATERIAL SAFETY DATA SHEET X ST76775#SR-01341-00001-2 Safety Yellow

Version Number 1.1 Revision Date 10/22/2012 Page 6 of 6 Print Date 10/22/2012

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.