NEU

MATERIAL SAFETY DATA SHEET 20% Ba Contol -TPU

Version Number 1.0 Revision Date 11/14/2012 Page 1 of 6 Print Date 11/14/2012

NEU Specialty Engineered N	Interials II	C	
NEU Specialty Engineered N 15 Corporate Drive, North H			
Telephone Emergency telephone number	: CHEN)) 930-1000 or 1 (866) POLY MTREC 1-800-424-9300 (24 cident).	ONE Ihrs for spill, leak, fire, exposur
Product name	: 20% B	Ba Contol -TPU	
Product code	: EM10	027180	
Chemical Name	: Mixtu	re	
CAS-No.	: Mixtu	re	
Product Use	: Industr	rial Applications	
2. CON	IPOSITION	/INFORMATION ON ING	REDIENTS
Components		CAS-No.	Weight percent
Barium sulfate		7727-43-7	10 - 30
		,,_, ., ,	
	2 11 4 7	ARDS IDENTIFICATION	
product is based on indiv	EME n evaluated as idual compor	ERGENCY OVERVIEW s a whole. Information providents. All ingredients are bou	led on the health effects of this and and potential for hazardous
product is based on indiv exposure as shipped is mi	EME n evaluated as idual compor inimal. How e the necessa s from expose	ERGENCY OVERVIEW s a whole. Information provid nents. All ingredients are bour ever, some vapors may be rel ary precautions (mechanical v	led on the health effects of this
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employees	EME n evaluated as idual compor inimal. How e the necessa s from expose S	ERGENCY OVERVIEW s a whole. Information provid nents. All ingredients are bour ever, some vapors may be rel ary precautions (mechanical v	led on the health effects of this and and potential for hazardous leased upon heating and the end-
product is based on indiv exposure as shipped is mi user (fabricator) must tak etc.) to protect employees ENTIAL HEALTH EFFECT	EME n evaluated as idual compor inimal. How e the necessa s from expose S	ERGENCY OVERVIEW s a whole. Information provid nents. All ingredients are bou ever, some vapors may be rel ury precautions (mechanical v ure.	led on the health effects of this and and potential for hazardous leased upon heating and the end-
product is based on indiv exposure as shipped is mi user (fabricator) must tak etc.) to protect employees ENTIAL HEALTH EFFECT Routes of Exposure:	EME n evaluated as idual compor inimal. How e the necessa s from expose S TS : Inhala	ERGENCY OVERVIEW s a whole. Information provid nents. All ingredients are bou ever, some vapors may be rel iry precautions (mechanical v ure.	led on the health effects of this and and potential for hazardous leased upon heating and the end-
product is based on indiv exposure as shipped is mi user (fabricator) must tak etc.) to protect employees ENTIAL HEALTH EFFECT Routes of Exposure: Acute exposure	EME n evaluated as idual compor inimal. How e the necessa s from expose S S : Inhalat : Particul	ERGENCY OVERVIEW s a whole. Information provid nents. All ingredients are bou ever, some vapors may be rel iry precautions (mechanical v ure.	led on the health effects of this and and potential for hazardous leased upon heating and the end- entilation, respiratory protection,
product is based on indiv exposure as shipped is mi user (fabricator) must tak etc.) to protect employees ENTIAL HEALTH EFFECT Routes of Exposure: Acute exposure Inhalation Ingestion Eyes	EME n evaluated as idual compor inimal. How e the necessa s from expose S S : Inhalat : Particul : May be : Particul	ERGENCY OVERVIEW s a whole. Information providents. All ingredients are bourever, some vapors may be relary precautions (mechanical vure. tion, Ingestion, Skin contact lates, like other inert material charmful if swallowed. lates, like other inert material	led on the health effects of this and and potential for hazardous leased upon heating and the end- entilation, respiratory protection, s can be mechanically irritating. s can be mechanically irritating.
product is based on indiv exposure as shipped is mi user (fabricator) must tak etc.) to protect employees ENTIAL HEALTH EFFECT Routes of Exposure: Acute exposure Inhalation Ingestion	EME n evaluated as idual compor inimal. How e the necessa s from expose S S : Inhalat : Particul : May be : Particul	ERGENCY OVERVIEW s a whole. Information providents. All ingredients are bourever, some vapors may be relary precautions (mechanical vure. tion, Ingestion, Skin contact lates, like other inert material charmful if swallowed. lates, like other inert material	led on the health effects of this and and potential for hazardous leased upon heating and the end- entilation, respiratory protection, s can be mechanically irritating. s can be mechanically irritating.
product is based on indiv exposure as shipped is mi user (fabricator) must tak etc.) to protect employees ENTIAL HEALTH EFFECT Routes of Exposure: Acute exposure Inhalation Ingestion Eyes	EME n evaluated as idual compor inimal. How e the necessa s from expose S : Inhalat : Particul : May be : Particul : Experie	ERGENCY OVERVIEW s a whole. Information providents. All ingredients are bourever, some vapors may be relary precautions (mechanical vure. tion, Ingestion, Skin contact lates, like other inert material charmful if swallowed. lates, like other inert material	led on the health effects of this and and potential for hazardous leased upon heating and the end- entilation, respiratory protection, s can be mechanically irritating. s can be mechanically irritating. titis hazard from routine handling

NEU Specialty Engineered Materials, LLC.

MATERIAL SAFETY DATA SHEET 20% Ba Contol -TPU

Version Number 1.0 Revision Date 11/14/2012 Page 2 of 6 Print Date 11/14/2012

NEU

- <i></i> .		
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIREFIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits		
Upper explosion limit	:	not applicable
Lower explosion limit	:	not applicable
Auto-ignition temperature	:	not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting	•	Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures		pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

NEU Specialty Engineered Materials, LLC.

MATERIAL SAFETY DATA SHEET 20% Ba Contol -TPU

Version Number 1.0 Revision Date 11/14/2012 Page 3 of 6 Print Date 11/14/2012

NEU

	: N	o personal respiratory	protecti	ve equipment	normally r	equired.
Eye/Face Protection	: Safety glasses with side-shields					
Hand protection	: Protective gloves					
Skin and body protection	: Long sleeved clothing					
Additional Protective Measures	: S	afety shoes				
General Hygiene Considerations		andle in accordance w ractice. Wash hands b				
Engineering measures		eat only in areas with ppropriate exhaust ven				Provide
Exposure limit(s)						
Components	Value	Exposure time		Exposur	e type	List:
Barium sulfate	10 mg/m3	Time Weighted Av (TWA):		Enposu	<u>e type</u>	ACGIH
	5 mg/m3 Recommended exposure limit (REL):		Respirable.		NIOSH	
	10 mg/m3 Recommended exposure limit (REL):		Tot	al	NIOSH	
	5 mg/m3 PEL:			Respirable		OSHA Z
	15 mg/m3	PEL:		Total		OSHA Z
	(TWA):					OSHA Z1
	10 mg/m3Time Weighted Average (TWA):Total dust.OSHA				OSHA Z1	
	9. PHYSIC	CAL AND CHEMICA	AL PRO	PERTIES		
Form	: solid		Evapo	ration rate	: Not	applicable
Appearance		ts, Slabs	-	ic Gravity		determined
Colour		PIGMENT	Bulk d			established
Odour Malting point/range	: very			r pressure		applicable
Melting point/range Boiling Point:		letermined	Vapou pH	r density		applicable applicable
Water solubility	: not applicable pH : insoluble				. 101 8	applicable
, ator solubility						
	10. S	STABILITY AND RE	ACTIV	/ITY		
Stability	: T	he product is stable if	stored a	nd handled as	prescribed	

NEU Specialty Engineered Materials, LLC.

NEU

MATERIAL SAFETY DATA SHEET 20% Ba Contol -TPU

Version Number 1.0 Page 4 of 6 Print Date 11/14/2012 Revision Date 11/14/2012 Hazardous Polymerization : Will not occur. Conditions to avoid To avoid thermal decomposition, do not overheat. : **Incompatible Materials** Strong acids, oxidizing and reducing agents : Hazardous decomposition Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen : (NOx), other hazardous materials, and smoke are all possible. products **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
7727-43-7	Barium sulfate	Irritant Systemic effects	Respiratory system.	
			Eyes, Respiratory system.	
	12. ECOLOG	ICAL INFORMATIO	N	
Persistence and degra	dability : Not readily	biodegradable.		
Environmental Toxicity : Chem polym			as they are bound within the	
Bioaccumulation Potential : Chemicals are polymer matri			as they are bound within the	
Additional advice	: not applical	pplicable		
	13. DISPOSA	L CONSIDERATION	S	
Product	possible rec generator o classificatio	cycling is preferred to di f waste material has the	e product can be recycled. Where isposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations.	
Contaminated packag	material ha transportati	s the responsibility for p	le. The generator of waste proper waste classification, rdance with applicable federal, ns.	
	14. TRANSP	ORT INFORMATION	N	
U.S. DOT Classificat	ion : Not regulat	ed for transportation.		
ICAO/IATA	: Refer to spe	ecific regulation.		

NELL Specialty Engineered	1 1/	Atorials LLC NEU
NEU Specialty Engineerea		
MATERIAL SAFETY DATA 20% Ba Contol -TPU	A S	HEET
Version Number 1.0		Page 5 of 6
Revision Date 11/14/2012		Print Date 11/14/2012
IMO/IMDG (maritime)	:	Refer to specific regulation.
	15	S. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Extr	rem	ely Hazardous Substance
Unless specific chemicals are id	enti	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Tox	ic (Chemicals:
Unless specific chemicals are id	enti	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Release	se Iı	nventory (NPRI)
not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Listed

NEU Specialty Engineered		NEU	
20% Ba Contol -TPU			
Version Number 1.0 Revision Date 11/14/2012		Print Date	Page 6 of 6 11/14/2012
Europe EINECS Japan ENCS Korea KECI Philippines PICCS	 : Listed : Not determined : Listed : Not determined 		
	16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.