PolvOne

MATERIAL SAFETY DATA SHEET X GT-62183-1784-1A (DX)

Version Number 1.0 Revision Date 02/12/2013 Page 1 of 6 Print Date 2/12/2013

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Product name	:	X GT-62183-1784-1A (DX)		
Product code	:	EM10028058		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Barium sulfate	7727-43-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

MATERIAL SAFETY DATA SHEET X GT-62183-1784-1A (DX)

Version Number 1.0 Revision Date 02/12/2013 Page 2 of 6 Print Date 2/12/2013

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits	
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Auto-ignition temperature	: not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

2/6

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET X GT-62183-1784-1A (DX)

Version Number 1.0 Revision Date 02/12/2013 Page 3 of 6 Print Date 2/12/2013

Respiratory protection	: No personal respiratory protective equipment normally required.					
Eye/Face Protection	: Safety glasses with side-shields					
Hand protection	: Protective gloves					
Skin and body protection	: Long sleeved clothing					
Additional Protective Measures	: Safety shoes					
General Hygiene Considerations		andle in accordance with good ractice. Wash hands before by				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Exposure limit(s)	Value	Exposure time	Exposure type	L ist.		
Exposure limit(s) Components Barium sulfate	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type	List: ACGIH		
Components		Time Weighted Average	Exposure type Respirable.			
Components	10 mg/m3	Time Weighted Average (TWA): Recommended exposure		ACGIH		
Components	10 mg/m3 5 mg/m3	Time Weighted Average (TWA): Recommended exposure limit (REL): Recommended exposure	Respirable.	ACGIH NIOSH		
Components	10 mg/m3 5 mg/m3 10 mg/m3	Time Weighted Average (TWA): Recommended exposure limit (REL): Recommended exposure limit (REL): PEL: PEL:	Respirable. Total Respirable fraction. Total dust.	ACGIH NIOSH NIOSH OSHA Z1 OSHA Z1		
Components	10 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3	Time Weighted Average (TWA): Recommended exposure limit (REL): Recommended exposure limit (REL): PEL:	Respirable. Total Respirable fraction.	ACGIH NIOSH NIOSH OSHA Z1 OSHA Z1		
Components	10 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3	Time Weighted Average (TWA): Recommended exposure limit (REL): Recommended exposure limit (REL): PEL: PEL: Time Weighted Average	Respirable. Total Respirable fraction. Total dust.	ACGIH NIOSH NIOSH OSHA Z1		

Appearance Colour Odour Melting point/range Boiling Point: Water solubility solid
pellets, Slabs
NO PIGMENT
very faint
Not determined
not applicable
insoluble

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH Not applicableNot determinedNot establishednot applicablenot applicable

: not applicable

10. STABILITY AND REACTIVITY

Stability

: The product is stable if stored and handled as prescribed.

PolyOne.

MATERIAL SAFETY DATA SHEET X GT-62183-1784-1A (DX)

Version Number 1.0 Revision Date 02/12/2013 Page 4 of 6 Print Date 2/12/2013

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7727-43-7	Barium sulfate	Irritant	Respiratory system.
		Systemic effects	Eyes, Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET X GT-62183-1784-1A (DX)

Version Number 1.0 Revision Date 02/12/2013 Page 5 of 6 Print Date 2/12/2013

IMO/IMDG (maritime)	:	Refer to specific	regulation.		
	15	5. REGULATORY	INFORMAT	ION	
US Regulations:					
OSHA Status	:	Classified as haza	ardous based on	components.	
TSCA Status	:	All components TSCA Inventory.		are listed on or exe	empt from the
US. EPA CERCLA Hazardous	s Sub	stances (40 CFR 30)2)		
not applicable					
California Proposition 65	:	Not applicable			
SADA Title III Section 202 Fr		alu Hazandaya Sub	stance		
SARA Title III Section 302 Ex		-			
Unless specific chemicals are	identi	fied under this sect	tion, this produc	et is Not Applicabl	e under this regulat
SARA Title III Section 313 To	oxic (Chemicals:			
			tion, this produce	ct is Not Applicabl	e under this regulat
Unless specific chemicals are			tion, this produc	ct is Not Applicabl	e under this regulat
Unless specific chemicals are a Canadian Regulations:	identi	fied under this sect	tion, this produc	ct is Not Applicabl	e under this regulat
Unless specific chemicals are i Canadian Regulations: National Pollutant Rele	identi	fied under this sect			
Unless specific chemicals are in Canadian Regulations: National Pollutant Rele Chemical Name	identi	fied under this sect	CAS-No.	Weight percent	e under this regulat
Unless specific chemicals are i Canadian Regulations: National Pollutant Rele	identi	fied under this sect		Weight	
Unless specific chemicals are in Canadian Regulations: National Pollutant Rele Chemical Name	identi	fied under this sect	CAS-No.	Weight percent	
Unless specific chemicals are in Canadian Regulations: National Pollutant Rele	identi	fied under this sect	CAS-No.	Weight percent	

PolyOne

MATERIAL SAFETY DATA SHEET X GT-62183-1784-1A (DX)

Version Number 1.0 Revision Date 02/12/2013 Page 6 of 6 Print Date 2/12/2013

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.