NEU

MATERIAL SAFETY DATA SHEET 3533MED, 25% BaSO4

Version Number 1.0 Revision Date 03/22/2013 Page 1 of 6 Print Date 3/25/2013

NEU Specialty Engineered	Materials, LLC.		
15 Corporate Drive, North	Haven, CT 06473		
Telephone Emergency telephone number	· · · ·		ONE hrs for spill, leak, fire, exposur
Product name	· 3533MED	25% BaSO4	
Product code	: EM100285		
Chemical Name	: Mixture		
CAS-No.	: Mixture		
Product Use	: Industrial A	pplications	
2. CO	MPOSITION/INF	ORMATION ON ING	REDIENTS
Components	s	CAS-No.	Weight percent
Barium sulfate	-	7727-43-7	10 - 30
	3. HAZARD	S IDENTIFICATION	
product is based on indi	en evaluated as a wi vidual components.	All ingredients are bou	ed on the health effects of this nd and potential for hazardous
product is based on indi exposure as shipped is r	en evaluated as a wi vidual components. ninimal. However, ke the necessary pr es from exposure.	hole. Information provid All ingredients are bou some vapors may be rel	
product is based on indi exposure as shipped is r user (fabricator) must ta etc.) to protect employed	en evaluated as a wividual components. ninimal. However, ike the necessary pr es from exposure.	hole. Information provid All ingredients are bou some vapors may be rel	nd and potential for hazardous eased upon heating and the end-
product is based on indi exposure as shipped is r user (fabricator) must ta etc.) to protect employed	en evaluated as a wividual components. ninimal. However, ike the necessary pr es from exposure.	hole. Information provid All ingredients are bou some vapors may be rel ecautions (mechanical ve	nd and potential for hazardous eased upon heating and the end-
product is based on indi exposure as shipped is r user (fabricator) must ta etc.) to protect employed ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation	en evaluated as a wividual components. ninimal. However, ike the necessary pr es from exposure. TTS : Inhalation, : Particulates,	hole. Information provid All ingredients are bou some vapors may be rel ecautions (mechanical ve Ingestion, Skin contact	nd and potential for hazardous eased upon heating and the end-
product is based on indi exposure as shipped is r user (fabricator) must ta etc.) to protect employed ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion	en evaluated as a wividual components. ninimal. However, ike the necessary pres from exposure. TTS : Inhalation, : Particulates, : May be harm	hole. Information provid All ingredients are bou some vapors may be rel ecautions (mechanical ve Ingestion, Skin contact like other inert materials nful if swallowed.	nd and potential for hazardous eased upon heating and the end- entilation, respiratory protection, s can be mechanically irritating.
product is based on indi exposure as shipped is r user (fabricator) must ta etc.) to protect employed ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation	en evaluated as a wividual components. ninimal. However, ike the necessary press from exposure. CTS : Inhalation, : Particulates, : May be harm : Particulates,	hole. Information provid All ingredients are bou some vapors may be rel ecautions (mechanical va Ingestion, Skin contact like other inert materials nful if swallowed. like other inert materials	nd and potential for hazardous eased upon heating and the end- entilation, respiratory protection, s can be mechanically irritating.
product is based on indi exposure as shipped is r user (fabricator) must ta etc.) to protect employed ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion Eyes	en evaluated as a wividual components. ninimal. However, ike the necessary press from exposure. CTS : Inhalation, : Particulates, : May be harm : Particulates, : Experience s	hole. Information provid All ingredients are bou some vapors may be rel ecautions (mechanical va Ingestion, Skin contact like other inert materials nful if swallowed. like other inert materials	nd and potential for hazardous eased upon heating and the end- entilation, respiratory protection, s can be mechanically irritating. s can be mechanically irritating. titis hazard from routine handling

NEU Specialty Engineered Materials, LLC.

MATERIAL SAFETY DATA SHEET 3533MED, 25% BaSO4

Version Number 1.0 Revision Date 03/22/2013 Page 2 of 6 Print Date 3/25/2013

NEU

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

MATERIAL SAFETY DATA SHEET 3533MED, 25% BaSO4

Version Number 1.0 Revision Date 03/22/2013 Page 3 of 6 Print Date 3/25/2013

NEU

Respiratory protection	: N	o personal respiratory protect	ive equipment normally	required.
Eye/Face Protection	: Safety glasses with side-shields			
Hand protection	: Protective gloves			
Skin and body protection	: Long sleeved clothing			
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations		andle in accordance with goo ractice. Wash hands before b		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Barium sulfate	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	5 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH
	10 mg/m3	Recommended exposure limit (REL):	Total	NIOSH
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	OSHA Z14
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES	
Form	: solid	Fyanc	oration rate : Not	applicable
Appearance		1		determined
Colour				established
Odour	: very			applicable
Melting point/range				applicable
Boiling Point:		pplicable pH	: not	applicable
Water solubility	: insol	uble		
	10. 8	STABILITY AND REACTIV	VITY	
Stability	: T	he product is stable if stored a	and handled as prescribed	l.

NEU Specialty Engineered Materials, LLC.

MATERIAL SAFETY DATA SHEET 3533MED, 25% BaSO4

Page 4 of 6 Print Date 3/25/2013

NFU

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Version Number 1.0 Revision Date 03/22/2013

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Na		Target Organ
7727-43-7	Barium sulfate	Irritant	Respiratory system.
		Systemic effects	Eyes, Respiratory system.
	12. ECO	LOGICAL INFORMATIO	DN
Persistence and degra	dability : Not re	eadily biodegradable.	
Environmental Toxicity : Chemicals a polymer ma			e as they are bound within the
Bioaccumulation Potential : Chemicals are polymer matri			e as they are bound within the
Additional advice : not applicable		plicable	
	13. DISI	POSAL CONSIDERATIO	NS
Product	possit genera classi:	ble recycling is preferred to o	
Contaminated packag	mater transp	ial has the responsibility for	ordance with applicable federal,
	14. TRA	ANSPORT INFORMATIO	N
U.S. DOT Classificat	ion : Not re	egulated for transportation.	
U.S. DUT Classificat			
ICAO/IATA	: Refer	to specific regulation.	

		Interview LLC
NEU Specialty Engineered	l M	aterials, LLC.
MATERIAL SAFETY DATA	A S	НЕЕТ
3533MED, 25% BaSO4		
Version Number 1.0 Revision Date 03/22/2013		Page 5 of 6 Print Date 3/25/2013
IMO/IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Unless specific chemicals are id	enti	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Tox	ic C	Chemicals:
Unless specific chemicals are id	enti	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Release	se Ir	nventory (NPRI)
not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Listed

NEU Specialty Engineere MATERIAL SAFETY DAT		NEU
3533MED, 25% BaSO	4	
Version Number 1.0 Revision Date 03/22/2013		Page 6 of 6 Print Date <i>3/25/2013</i>
Japan ENCS	: Not determined	
Korea KECI	: Not determined	
Philippines PICCS	: Not determined	
	16. OTHER INFORMATIO	N

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.