MATERIAL SAFETY DATA SHEET X LB-90356-2104-1C

Version Number 1.0 Revision Date 03/26/2013

Page 1 of 5 Print Date 3/26/2013

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X LB-90356-2104-1C
Product code	:	EM10028608
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET X LB-90356-2104-1C

Version Number 1.0 Revision Date 03/26/2013 Page 2 of 5 Print Date 3/26/2013

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures Unusual Fire/Explosion Hazards	 pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET X LB-90356-2104-1C

Version Number 1.0 Revision Date 03/26/2013 Page 3 of 5 Print Date 3/26/2013

		ERSONAL PROTECTION		
Respiratory protection	: No personal respira	atory protective equipment normally requir	ed.	
Eye/Face Protection	: Safety glasses with	side-shields		
Hand protection	: Protective gloves			
Skin and body protection	: Long sleeved cloth	ing		
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations		nce with good industrial hygiene and safety nds before breaks and at the end of workda		
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
There are no known hazardou	s components above regul	atory thresholds in this product.		
	s components above regul	AICAL PROPERTIES		
9. Form	PHYSICAL AND CHEM	MICAL PROPERTIES Evaporation rate : Not appli		
9. Form Appearance	PHYSICAL AND CHEN : solid : pellets, Slabs	MICAL PROPERTIES Evaporation rate : Not appli Specific Gravity : Not deter	mined	
9. Form Appearance Colour	PHYSICAL AND CHEN : solid : pellets, Slabs : NO PIGMENT	MICAL PROPERTIES Evaporation rate : Not appli Specific Gravity : Not deter Bulk density : Not estab	mined lished	
9. Form Appearance Colour Odour	PHYSICAL AND CHEN : solid : pellets, Slabs : NO PIGMENT : very faint	MICAL PROPERTIES Evaporation rate : Not appli Specific Gravity : Not deter Bulk density : Not estab Vapour pressure : not applic	mined lished cable	
9. Form Appearance Colour Odour Melting point/range	PHYSICAL AND CHEN : solid : pellets, Slabs : NO PIGMENT : very faint : Not determined	MICAL PROPERTIES Evaporation rate : Not appli Specific Gravity : Not deter Bulk density : Not estab Vapour pressure : not applic Vapour density : not applic	mined lished cable cable	
9. Form Appearance Colour Odour Melting point/range Boiling Point:	PHYSICAL AND CHEN : solid : pellets, Slabs : NO PIGMENT : very faint	MICAL PROPERTIES Evaporation rate : Not appli Specific Gravity : Not deter Bulk density : Not estab Vapour pressure : not applic	mined lished cable cable	
9. Form Appearance Colour Odour Melting point/range Boiling Point:	PHYSICAL AND CHEM : solid : pellets, Slabs : NO PIGMENT : very faint : Not determined : not applicable	MICAL PROPERTIES Evaporation rate : Not appli Specific Gravity : Not deter Bulk density : Not estab Vapour pressure : not applic Vapour density : not applic pH : not applic	mined lished cable cable	
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	PHYSICAL AND CHEN : solid : pellets, Slabs : NO PIGMENT : very faint : Not determined : not applicable : insoluble 10. STABILITY AN	MICAL PROPERTIES Evaporation rate : Not appli Specific Gravity : Not deter Bulk density : Not estab Vapour pressure : not applic Vapour density : not applic pH : not applic	mined lished cable cable	
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	PHYSICAL AND CHEN : solid : pellets, Slabs : NO PIGMENT : very faint : Not determined : not applicable : insoluble 10. STABILITY AN	MICAL PROPERTIES Evaporation rate : Not appli Specific Gravity : Not deter Bulk density : Not estab Vapour pressure : not applic Vapour density : not applic pH : not applic DREACTIVITY	mined lished cable cable	
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	PHYSICAL AND CHEN : solid : pellets, Slabs : NO PIGMENT : very faint : Not determined : not applicable : insoluble 10. STABILITY AND : The product is stab : Will not occur.	MICAL PROPERTIES Evaporation rate : Not appli Specific Gravity : Not deter Bulk density : Not estab Vapour pressure : not applic Vapour density : not applic pH : not applic DREACTIVITY	mined lished cable cable	
	PHYSICAL AND CHEN : solid : pellets, Slabs : NO PIGMENT : very faint : Not determined : not applicable : insoluble 10. STABILITY AND : The product is stab : Will not occur. : To avoid thermal d	MICAL PROPERTIES Evaporation rate : Not appli Specific Gravity : Not deter Bulk density : Not estab Vapour pressure : not applic Vapour density : not applic pH : not applic D REACTIVITY le if stored and handled as prescribed.	mined lished cable cable	

11. TOXICOLOGICAL INFORMATION

There are no known hazardous components above regulatory thresholds in this product.

PolyOne.

MATERIAL SAFETY DATA SHEET X LB-90356-2104-1C

Version Number 1.0 Revision Date 03/26/2013 Page 4 of 5 Print Date 3/26/2013

	NT . 111 1 1 1 1
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	

PolvOne

MATERIAL SAFETY DATA SHEET **X LB-90356-2104-1C**

Version Number 1.0 Revision Date 03/26/2013 Page 5 of 5 Print Date 3/26/2013

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

440-66-6 S this product SL) or are exe	percent 0.10 - 1.00 are on the Canadia empt.	n Domestic
this product	are on the Canadia	n Domestic
		n Domestic
SL) or are ex	empt.	
	ODMATION	ORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.