PolvOne

## MATERIAL SAFETY DATA SHEET X MF-1302-005-3

#### Version Number 1.0 Revision Date 04/10/2013

Page 1 of 5 Print Date 4/10/2013

1. PRODUCT AND COMPANY IDENTIFICATION					
POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012					
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).			
Product name	:	X MF-1302-005-3			

Product nume:A Mit 1562 605 5Product code:EM10028789Chemical Name:MixtureCAS-No.:MixtureProduct Use:Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET X MF-1302-005-3

Version Number 1.0 Revision Date 04/10/2013 Page 2 of 5 Print Date 4/10/2013

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

2/5

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET X MF-1302-005-3

Version Number 1.0 Revision Date 04/10/2013 Page 3 of 5 Print Date 4/10/2013

	20SURE CONTROLS/P	ERSONAL PROTECTION
Respiratory protection	: No personal respira	tory protective equipment normally required.
Eye/Face Protection	: Safety glasses with	side-shields
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved cloth	ing
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations		ce with good industrial hygiene and safety ads before breaks and at the end of workday.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation appropriate exhaust ventilation at machinery.	
There are no known hazardou		atory thresholds in this product.
There are no known hazardou	is components above regula	
There are no known hazardou 9.	PHYSICAL AND CHEM : solid	IICAL PROPERTIES Evaporation rate : Not applical
There are no known hazardou 9. Form Appearance	PHYSICAL AND CHEN : solid : pellets, Slabs	IICAL PROPERTIES Evaporation rate : Not applical Specific Gravity : Not determi
There are no known hazardou 9. Form Appearance Colour	PHYSICAL AND CHEM : solid : pellets, Slabs : NO PIGMENT	Incal properties         Evaporation rate       : Not applical         Specific Gravity       : Not determi         Bulk density       : Not establisit
There are no known hazardou 9. Form Appearance Colour Odour	PHYSICAL AND CHEM : solid : pellets, Slabs : NO PIGMENT : very faint	IICAL PROPERTIES         Evaporation rate       : Not applical         Specific Gravity       : Not determi         Bulk density       : Not establisi         Vapour pressure       : not applicab
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range	<ul> <li>PHYSICAL AND CHEM</li> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> </ul>	IICAL PROPERTIES         Evaporation rate       : Not applical         Specific Gravity       : Not determi         Bulk density       : Not establisi         Vapour pressure       : not applicab         Vapour density       : not applicab
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	PHYSICAL AND CHEM : solid : pellets, Slabs : NO PIGMENT : very faint	IICAL PROPERTIES         Evaporation rate       : Not applical         Specific Gravity       : Not determi         Bulk density       : Not establisi         Vapour pressure       : not applicab
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEN</li> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> </ul>	<b>MICAL PROPERTIES</b> Evaporation rate       : Not applical         Specific Gravity       : Not determi         Bulk density       : Not establisi         Vapour pressure       : not applicab         Vapour density       : not applicab         pH       : not applicab
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>PHYSICAL AND CHEM</li> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY ANI	<b>MICAL PROPERTIES</b> Evaporation rate       : Not applical         Specific Gravity       : Not determi         Bulk density       : Not establisi         Vapour pressure       : not applicab         Vapour density       : not applicab         pH       : not applicab
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>PHYSICAL AND CHEM</li> <li>solid</li> <li>pellets, Slabs</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY ANI	<b>MICAL PROPERTIES</b> Evaporation rate       : Not applical         Specific Gravity       : Not determi         Bulk density       : Not establisi         Vapour pressure       : not applicab         Vapour density       : not applicab         pH       : not applicab <b>DREACTIVITY</b>
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	PHYSICAL AND CHEM         : solid         : pellets, Slabs         : NO PIGMENT         : very faint         : Not determined         : not applicable         : insoluble         10. STABILITY AND         : The product is stab         : Will not occur.	<b>MICAL PROPERTIES</b> Evaporation rate       : Not applical         Specific Gravity       : Not determi         Bulk density       : Not establisi         Vapour pressure       : not applicab         Vapour density       : not applicab         pH       : not applicab <b>DREACTIVITY</b>
	<b>PHYSICAL AND CHEN</b> : solid         : pellets, Slabs         : NO PIGMENT         : very faint         : Not determined         : not applicable         : insoluble <b>10. STABILITY ANI</b> : The product is stab         : Will not occur.         : To avoid thermal d	<b>MICAL PROPERTIES</b> Evaporation rate       : Not applical         Specific Gravity       : Not determi         Bulk density       : Not establisi         Vapour pressure       : not applicab         Vapour density       : not applicab         pH       : not applicab <b>D REACTIVITY</b> le if stored and handled as prescribed.

#### **11. TOXICOLOGICAL INFORMATION**

There are no known hazardous components above regulatory thresholds in this product.

PolyOne.

# MATERIAL SAFETY DATA SHEET X MF-1302-005-3

Version Number 1.0 Revision Date 04/10/2013 Page 4 of 5 Print Date *4/10/2013* 

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	

*PolyOne* 

## MATERIAL SAFETY DATA SHEET X MF-1302-005-3

Version Number 1.0 Revision Date 04/10/2013 Page 5 of 5 Print Date 4/10/2013

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.