

### MATERIAL SAFETY DATA SHEET **Tecoflex 93A, 30% Tran-sBa**

Version Number 1.0 Revision Date 05/10/2013 Page 1 of 6 Print Date 5/10/2013

NEU Specialty Engineered M 15 Corporate Drive, North H		6	
Telephone:1 (440) 930-1000 or 1 (866) POLYONEEmergency telephone:CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposur or accident).			
Product name	: Tecoflex 9	93A, 30% Tran-sBa	
Product code	: EM10029127		
Chemical Name	: Mixture		
CAS-No.			
Product Use	: Industrial	Applications	
2. CON	APOSITION/IN	FORMATION ON ING	GREDIENTS
Components		CAS-No.	Weight percent
Barium sulfate		7727-43-7	10 - 30
			-
product is based on indiv	EMERG in evaluated as a v vidual component:	s. All ingredients are bo	ded on the health effects of this und and potential for hazardous
product is based on indive exposure as shipped is m	EMERG on evaluated as a widdual component: ainimal. However the necessary p or from exposure.	ENCY OVERVIEW whole. Information provi s. All ingredients are bo	ded on the health effects of this und and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee	EMERG on evaluated as a widdual component: ainimal. However the necessary p or from exposure.	ENCY OVERVIEW whole. Information provi s. All ingredients are bo s, some vapors may be re precautions (mechanical v	ded on the health effects of this und and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee <b>TENTIAL HEALTH EFFEC</b> <b>Routes of Exposure:</b>	EMERG on evaluated as a widual component ainimal. However the the necessary p es from exposure. TS : Inhalation	ENCY OVERVIEW whole. Information provi s. All ingredients are bo , some vapors may be re precautions (mechanical y	ded on the health effects of this und and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,
product is based on indiv exposure as shipped is m user (fabricator) must tal etc.) to protect employee <b>TENTIAL HEALTH EFFEC</b> <b>Routes of Exposure:</b> <b>Acute exposure</b>	EMERG en evaluated as a v vidual component inimal. However ke the necessary p es from exposure. TS : Inhalation : Particulates	ENCY OVERVIEW whole. Information provi s. All ingredients are bo , some vapors may be re precautions (mechanical y	ded on the health effects of this und and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee <b>TENTIAL HEALTH EFFEC</b> <b>Routes of Exposure:</b> <b>Acute exposure</b> Inhalation	EMERG en evaluated as a v vidual components ninimal. However ke the necessary p es from exposure. TS : Inhalation : Particulates : May be har : Particulates	ENCY OVERVIEW whole. Information provi s. All ingredients are bo r, some vapors may be re precautions (mechanical w , Ingestion, Skin contact s, like other inert materia mful if swallowed. s, like other inert materia	ded on the health effects of this und and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection, ls can be mechanically irritating. ls can be mechanically irritating.
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee <b>ENTIAL HEALTH EFFEC</b> <b>Routes of Exposure:</b> <b>Acute exposure</b> Inhalation Ingestion	EMERG en evaluated as a v vidual components ninimal. However ke the necessary p es from exposure. TS : Inhalation : Particulates : May be har : Particulates	ENCY OVERVIEW whole. Information provi s. All ingredients are bo r, some vapors may be re precautions (mechanical w , Ingestion, Skin contact s, like other inert materia mful if swallowed. s, like other inert materia	ded on the health effects of this und and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection, ls can be mechanically irritating. ls can be mechanically irritating.
product is based on indiv exposure as shipped is m user (fabricator) must tak etc.) to protect employee <b>ENTIAL HEALTH EFFEC</b> <b>Routes of Exposure:</b> <b>Acute exposure</b> Inhalation Ingestion Eyes	EMERG on evaluated as a v vidual component: ainimal. However ke the necessary p es from exposure. TS : Inhalation : Particulates : May be har : Particulates : Experience	ENCY OVERVIEW whole. Information provi s. All ingredients are bo r, some vapors may be re precautions (mechanical w , Ingestion, Skin contact s, like other inert materia mful if swallowed. s, like other inert materia	ded on the health effects of this und and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection, lls can be mechanically irritating. lls can be mechanically irritating. atitis hazard from routine handling

# NEU

## MATERIAL SAFETY DATA SHEET **Tecoflex 93A, 30% Tran-sBa**

Version Number 1.0 Revision Date 05/10/2013 Page 2 of 6 Print Date 5/10/2013

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from		
minaration	overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
	5. FIREFIGHTING MEASURES		
Flash point	: not applicable		
-			
Flammable Limits	, not omplicable		
Upper explosion limit Lower explosion limit	<ul><li>not applicable</li><li>not applicable</li></ul>		
Auto-ignition temperature	: not applicable : not applicable		
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.		
Suitable extiliguisining media	. Carbon dioxide blanket, water spray, Dry powder, Foam.		
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive		
Procedures	pressure mode should be worn to prevent inhalation of airborne		
	contaminants.		
Unusual Fire/Explosion	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen		
Hazards	(NOx), other hazardous materials, and smoke are all possible.		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat		
	only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		

NEU Specialty Engineered Materials, LLC.

# NEU

## MATERIAL SAFETY DATA SHEET **Tecoflex 93A, 30% Tran-sBa**

Version Number 1.0 Revision Date 05/10/2013 Page 3 of 6 Print Date 5/10/2013

Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Safety glasses with side-shields				
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved clothing				
Additional Protective Measures	: Safety shoes				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Barium sulfate	ValueExposure time10 mg/m3Time Weighted Average (TWA):			ACGIH	
	5 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH	
	10 mg/m3 Recommended exposure limit (REL):		Total	NIOSH	
	5 mg/m3 PEL:		Respirable fraction.	OSHA Z1	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	5 mg/m3 Time Weighted Average (TWA):		Respirable fraction.	OSHA Z1A	
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A	
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: NO I : very : Not o	ts, Slabs Specific PIGMENT Bulk of faint Vapor determined Vapor pplicable pH	fic Gravity: Notdensity: Notar pressure: notar density: not	applicable determined established applicable applicable applicable	
	10. 8	STABILITY AND REACTIV	VITY		
Stability	: The product is stable if stored and handled as prescribed.			l.	

#### NEU Specialty Engineered Materials, LLC.



### MATERIAL SAFETY DATA SHEET Tecoflex 93A, 30% Tran-sBa

Version Number 1.0 Revision Date 05/10/2013 Page 4 of 6 Print Date 5/10/2013

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.		Themical Name	Effect	Target Organ
7727-43-7	Bariun	n sulfate	Irritant	Respiratory system.
			Systemic effects	Eyes, Respiratory system.
		12. ECOLOGIO	CAL INFORMATION	N
Persistence and degradability		: Not readily b	iodegradable.	
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.		
Bioaccumulation Potential : Chemicals as polymer mat			as they are bound within the	
Additional advice : not applicable		2		
		13. DISPOSAL	CONSIDERATIONS	5
Product		possible recyc generator of v classification	cling is preferred to dis waste material has the	product can be recycled. Wher sposal or incineration. The responsibility for proper waste posal in accordance with and local regulations.
material has transportation		he responsibility for p	e. The generator of waste coper waste classification, dance with applicable federal, s.	
		14. TRANSPO	RT INFORMATION	
U.S. DOT Classifica	tion	: Not regulated	for transportation.	
			C 1 /	
ICAO/IATA		: Refer to spec	ific regulation.	

NEU Specialty Engineered	l Materials, LLC.
ATERIAL SAFETY DATA	A SHEET
Tecoflex 93A, 30% Tra	n-sBa
ersion Number 1.0 Vevision Date 05/10/2013	Page 5 of 6 Print Date 5/10/2013
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 Ext	remely Hazardous Substance
Unless specific chemicals are id	lentified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To:	cic Chemicals:
Unless specific chemicals are id	lentified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Relea	se Inventory (NPRI)
not applicable	
WHMIS Classification	: Not controlled.
DSL	: All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
National Inventories:	
Australia AICS	: Not determined
China IECS	: Not determined

NEU Specialty Engineere MATERIAL SAFETY DAT	A SHEET	NEU
Tecoflex 93A, 30% Tra	an-sBa	
Version Number 1.0 Revision Date 05/10/2013		Page 6 of 6 Print Date 5/10/2013
Europe EINECS	: Listed	
Japan ENCS	: Not determined	
Korea KECI	: Not determined	
Philippines PICCS	: Not determined	

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.