# MATERIAL SAFETY DATA SHEET X HC98388#SR02880 Red Tint

Version Number 1.0 Revision Date 05/30/2013

Page 1 of 5 Print Date 5/30/2013

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X HC98388#SR02880 Red Tint
Product code	:	EM10029325
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET X HC98388#SR02880 Red Tint

Version Number 1.0 Revision Date 05/30/2013 Page 2 of 5 Print Date 5/30/2013

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIREFIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	: : :	not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET X HC98388#SR02880 Red Tint

Version Number 1.0 Revision Date 05/30/2013 Page 3 of 5 Print Date 5/30/2013

	I OSUKE CONTROLS/I E	CRSONAL PROTECTION	
Respiratory protection	: No personal respirat	tory protective equipment normally required.	
Eye/Face Protection	: Safety glasses with	side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothi	ng	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		ce with good industrial hygiene and safety ds before breaks and at the end of workday.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
There are no known hazardou	us components above regula	to me there also had been the mere denot	
	us components above regula	tory inresnoids in this product.	
	us components above regula	tory inresnoids in this product.	
	P. PHYSICAL AND CHEM		
9.		IICAL PROPERTIES	
9. Form	• PHYSICAL AND CHEM : solid	IICAL PROPERTIES Evapouration rate : Not applicable	
9. Form Appearance	PHYSICAL AND CHEM	Evapouration rate       Not applicable         Specific Gravity       Not determine	
9. Form Appearance Colour	<ul> <li>PHYSICAL AND CHEM</li> <li>solid</li> <li>pellets, Slabs</li> <li>RED</li> </ul>	IICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determine         Bulk density       : Not established	
<b>9</b> . Form Appearance Colour Odour	<ul> <li>PHYSICAL AND CHEM</li> <li>solid</li> <li>pellets, Slabs</li> <li>RED</li> <li>very faint</li> </ul>	IICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determine         Bulk density       : Not establishe         Vapour pressure       : not applicable	
9. Form Appearance Colour Odour Melting point/range	<ul> <li>PHYSICAL AND CHEM</li> <li>solid</li> <li>pellets, Slabs</li> <li>RED</li> <li>very faint</li> <li>Not determined</li> </ul>	IICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determine         Bulk density       : Not establishe         Vapour pressure       : not applicable         Vapour density       : not applicable	
9. Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEM</li> <li>solid</li> <li>pellets, Slabs</li> <li>RED</li> <li>very faint</li> </ul>	IICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determine         Bulk density       : Not establishe         Vapour pressure       : not applicable	
9. Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEM</li> <li>solid</li> <li>pellets, Slabs</li> <li>RED</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> </ul>	IICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determine         Bulk density       : Not establishe         Vapour pressure       : not applicable         Vapour density       : not applicable	
9. Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEM</li> <li>solid</li> <li>pellets, Slabs</li> <li>RED</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> </ul>	IICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determine         Bulk density       : Not establishe         Vapour pressure       : not applicable         Vapour density       : not applicable         pH       : not applicable	
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>PHYSICAL AND CHEM</li> <li>solid</li> <li>pellets, Slabs</li> <li>RED</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AND	IICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determine         Bulk density       : Not establishe         Vapour pressure       : not applicable         Vapour density       : not applicable         pH       : not applicable	
	<ul> <li>PHYSICAL AND CHEM</li> <li>solid</li> <li>pellets, Slabs</li> <li>RED</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AND	IICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determine         Bulk density       : Not establishe         Vapour pressure       : not applicable         Vapour density       : not applicable         pH       : not applicable         PREACTIVITY	
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	PHYSICAL AND CHEM     Solid     pellets, Slabs     RED     very faint     Not determined     not applicable     insoluble     10. STABILITY AND     The product is stabl     Will not occur.	IICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determine         Bulk density       : Not establishe         Vapour pressure       : not applicable         Vapour density       : not applicable         pH       : not applicable         PREACTIVITY	
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>PHYSICAL AND CHEM</li> <li>solid</li> <li>pellets, Slabs</li> <li>RED</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AND <ul> <li>The product is stabl</li> <li>Will not occur.</li> <li>To avoid thermal determined</li> </ul>	IICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determine         Bulk density       : Not establishe         Vapour pressure       : not applicable         Vapour density       : not applicable         pH       : not applicable         OREACTIVITY         e if stored and handled as prescribed.	
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	PHYSICAL AND CHEM     Solid     pellets, Slabs     RED     very faint     Not determined     not applicable     insoluble     10. STABILITY AND     Will not occur.     Will not occur.     To avoid thermal de     Strong acids, oxidiz     Carbon dioxide (CC	IICAL PROPERTIES         Evapouration rate       : Not applicable         Specific Gravity       : Not determine         Bulk density       : Not establishe         Vapour pressure       : not applicable         Vapour density       : not applicable         pH       : not applicable         PREACTIVITY         e if stored and handled as prescribed.         exemposition, do not overheat.	

There are no known hazardous components above regulatory thresholds in this product.

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET X HC98388#SR02880 Red Tint

Version Number 1.0 Revision Date 05/30/2013 Page 4 of 5 Print Date 5/30/2013

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	

hlvUne

## MATERIAL SAFETY DATA SHEET X HC98388#SR02880 Red Tint

Version Number 1.0 Revision Date 05/30/2013 Page 5 of 5 Print Date 5/30/2013

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

Na

	WHMIS Classification	:	Not controlled.
	DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
atio	nal Inventories:		
	Australia AICS	:	Listed
	China IECS	:	Listed

Europe EINECS	:	Listed	
Japan ENCS	:	Not determined	
Korea KECI	:	Not determined	
Philippines PICCS	:	Listed	
			1

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.