

### MATERIAL SAFETY DATA SHEET Inner Tubing lubricant -7233

Version Number 1.0 Revision Date 05/31/2013 Page 1 of 5 Print Date 6/1/2013

#### 1. PRODUCT AND COMPANY IDENTIFICATION

### NEU Specialty Engineered Materials, LLC. 15 Corporate Drive, North Haven, CT 06473

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Inner Tubing lubricant -7233
Product code	:	EM10029347
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

### 4. FIRST AID MEASURES

1/5



## MATERIAL SAFETY DATA SHEET Inner Tubing lubricant -7233

sion Number 1.0 ision Date 05/31/2013	Page Print Date 6/1,
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXP	OSURE CONTROLS/PERSONAL PROTECTION
Respiratory protection	: No personal respiratory protective equipment normally required.

### MATERIAL SAFETY DATA SHEET Inner Tubing lubricant -7233

Version Number 1.0 Revision Date 05/31/2013 Page 3 of 5 Print Date 6/1/2013

Eye/Face Protection	: Safety glasses with	side-shields			
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved cloth	ing			
Additional Protective Measures	: Safety shoes				
General Hygiene Considerations		ice with good industrial hy ids before breaks and at the			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
There are no known hazardous components above regulatory thresholds in this product.					
9. PHYSICAL AND CHEMICAL PROPERTIES					
Form Appearance	: solid : pellets, Slabs	Evapouration rate	: Not applicable		
Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul>	Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul>		
Colour Odour Melting point/range Boiling Point:	<ul><li>NO PIGMENT</li><li>very faint</li><li>Not determined</li><li>not applicable</li></ul>	Bulk density Vapour pressure Vapour density pH	<ul><li>Not established</li><li>not applicable</li><li>not applicable</li></ul>		
Colour Odour Melting point/range Boiling Point:	<ul> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY ANI	Bulk density Vapour pressure Vapour density pH	<ul> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul>		
Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY ANI	Bulk density Vapour pressure Vapour density pH DREACTIVITY	<ul> <li>Not established</li> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> </ul>		

Incompatible Materials:Strong acids, oxidizing and reducing agentsHazardous decomposition<br/>products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen<br/>(NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

There are no known hazardous components above regulatory thresholds in this product.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability

: Not readily biodegradable.

# NEU

## MATERIAL SAFETY DATA SHEET Inner Tubing lubricant -7233

Version Number 1.0 Revision Date 05/31/2013 Page 4 of 5 Print Date 6/1/2013

polymer matrix.         Bioaccumulation Potential       : Chemicals are not readily available as they are bound within t         polymer matrix.         Additional advice       : not applicable <b>13. DISPOSAL CONSIDERATIONS</b> Product       : Like most thermoplastic plastics the product can be recycled, possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper w classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal.         U.S. DOT Classification       : Not regulated for transportation.         ICAO/IATA       : Refer to specific regulation.         IMO/IMDG (maritime)       : Refer to specific regulation.         US Regulations:       OSHA Status       : There are no known hazardous components above regulatory thresholds in this product.         TSCA Status       : All components of this product are listed on or exempt from t TSCA Inventory.         US. EPA CERCLA Hazardous Substances (40 CFR 302)			
Additional advice : not applicable I3. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper we classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable fede state/provincial and local regulations. I.4. TRANSPORT INFORMATION U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from t TSCA Status US.EPA CERCLA Hazardous Substances (40 CFR 302) not applicable	nmental Toxicity :	Chemicals are not readily available as they are bound within the polymer matrix.	
I. DISPOSAL CONSIDERATIONS         I. DisPOSAL CONSIDERATIONS         Product       :       Like most thermoplastic plastics the product can be recycled. possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper we classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       :       Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       :       Not regulated for transportation.         ICAO/IATA       :       Refer to specific regulation.         IMO/IMDG (maritime)       :       Refer to specific regulation.         US Regulations:       OSHA Status       :       There are no known hazardous components above regulatory thresholds in this product.         TSCA Status       :       All components of this product are listed on or exempt from t TSCA Inventory.         US. EPA CERCLA Hazardous Substances (40 CFR 302)       not applicable	cumulation Potential :	Chemicals are not readily available as they are bound within the polymer matrix.	
Product       : Like most thermoplastic plastics the product can be recycled. possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper we classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       : Not regulated for transportation.         ICAO/IATA       : Refer to specific regulation.         IMO/IMDG (maritime)       : Refer to specific regulation.         US Regulations:       OSHA Status       : There are no known hazardous components above regulatory thresholds in this product.         TSCA Status       : All components of this product are listed on or exempt from the TSCA Inventory.         US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable	onal advice :	not applicable	
possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper we classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         U.S. DOT Classification       : Not regulated for transportation.         ICAO/IATA       : Refer to specific regulation.         IMO/IMDG (maritime)       : Refer to specific regulation.         US Regulations:       OSHA Status       : There are no known hazardous components above regulatory thresholds in this product.         TSCA Status       : All components of this product are listed on or exempt from the TSCA Inventory.         US. EPA CERCLA Hazardous Substances (40 CFR 302)       not applicable	1	3. DISPOSAL CONSIDERATIONS	
material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable fede state/provincial and local regulations.         U.S. DOT Classification       : Not regulated for transportation.         ICAO/IATA       : Refer to specific regulation.         IMO/IMDG (maritime)       : Refer to specific regulation.         US Regulations:       OSHA Status         OSHA Status       : There are no known hazardous components above regulatory thresholds in this product.         TSCA Status       : All components of this product are listed on or exempt from the TSCA Inventory.         US. EPA CERCLA Hazardous Substances (40 CFR 302)       not applicable	xt :		
U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. <b>15. REGULATORY INFORMATION</b> US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the TSCA Status Substances (40 CFR 302) not applicable	ninated packaging :	transportation and disposal in accordance with applicable federal,	
ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. IS. REGULATORY INFORMATION US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable	1	4. TRANSPORT INFORMATION	
IMO/IMDG (maritime)       : Refer to specific regulation.         IS. REGULATORY INFORMATION         US Regulations:         OSHA Status         There are no known hazardous components above regulatory thresholds in this product.         TSCA Status         Colspan="2">II components of this product are listed on or exempt from the TSCA Inventory.         US. EPA CERCLA Hazardous Substances (40 CFR 302)         not applicable	OT Classification :	Not regulated for transportation.	
IS. REGULATORY INFORMATION         US Regulations:         OSHA Status       :       There are no known hazardous components above regulatory thresholds in this product.         TSCA Status       :       All components of this product are listed on or exempt from the TSCA Inventory.         US. EPA CERCLA Hazardous Substances (40 CFR 302)       not applicable	IATA :	Refer to specific regulation.	
US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from t TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable	MDG (maritime) :	Refer to specific regulation.	
OSHA Status       : There are no known hazardous components above regulatory thresholds in this product.         TSCA Status       : All components of this product are listed on or exempt from the TSCA Inventory.         US. EPA CERCLA Hazardous Substances (40 CFR 302)       not applicable	15. REGULATORY INFORMATION		
thresholds in this product. TSCA Status : All components of this product are listed on or exempt from t TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable	gulations:		
TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable	OSHA Status :		
not applicable	TSCA Status :	All components of this product are listed on or exempt from the TSCA Inventory.	
	PA CERCLA Hazardous Sub	stances (40 CFR 302)	
California Despection	not applicable		
California Proposition : Not applicable 65	-	Not applicable	
SARA Title III Section 302 Extremely Hazardous Substance	Title III Section 302 Extrem	ely Hazardous Substance	

### MATERIAL SAFETY DATA SHEET Inner Tubing lubricant -7233

Version Number	er 1.0
<b>Revision Date</b>	05/31/2013

NEU

Page 5 of 5 Print Date 6/1/2013

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined
16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.