NEU

MATERIAL SAFETY DATA SHEET HC5210-0022 RO Gray

Version Number 1.0 Revision Date 07/30/2013 Page 1 of 6 Print Date 7/30/2013

NEU Specialty Engineered	Materials IIC			
15 Corporate Drive, North				
Telephone	: 1 (440) 93	0-1000 or 1 (866) POL	YONE	
Emergency telephone	: CHEMTE	REC 1-800-424-9300 (2	Ahrs for spill, leak, fire, exposu	
number	or accider	nt).		
Product name	: HC5210-0	022 RO Gray		
Product code	: EM10029955			
Chemical Name	: Mixture			
CAS-No.	: Mixture			
Product Use		Applications		
2. CO	OMPOSITION/INF	FORMATION ON INC	GREDIENTS	
~		<u> </u>	*** • •	
Componer	nts	CAS-No.	Weight percent	
Titanium dioxide		13463-67-7	0.1 - 1	
	3 HAZARI	DS IDENTIFICATION	J	
	0111124110		`	
product is based on inc	een evaluated as a w lividual components	s. All ingredients are bo	ided on the health effects of this bund and potential for hazardous	
product is based on inc exposure as shipped is user (fabricator) must etc.) to protect employ	een evaluated as a w dividual components minimal. However take the necessary p ees from exposure.	whole. Information prov s. All ingredients are be s, some vapors may be r		
product is based on ind exposure as shipped is user (fabricator) must	een evaluated as a w dividual components minimal. However take the necessary p ees from exposure.	whole. Information prov s. All ingredients are be s, some vapors may be r	ound and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,	
product is based on ind exposure as shipped is user (fabricator) must etc.) to protect employ ENTIAL HEALTH EFFE	een evaluated as a w dividual components minimal. However take the necessary p ees from exposure.	whole. Information provis. All ingredients are bo s. All ingredients are bo r, some vapors may be r recautions (mechanical	ound and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,	
product is based on ind exposure as shipped is user (fabricator) must etc.) to protect employ ENTIAL HEALTH EFFE Routes of Exposure:	een evaluated as a w dividual components minimal. However take the necessary p ees from exposure. CTS : Inhalation, : Resin partic	vhole. Information prov s. All ingredients are bo , some vapors may be re recautions (mechanical	ound and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection,	
product is based on ind exposure as shipped is user (fabricator) must etc.) to protect employ ENTIAL HEALTH EFFE Routes of Exposure: Acute exposure Inhalation	een evaluated as a w dividual components minimal. However take the necessary p ees from exposure. CTS : Inhalation, : Resin partic irritating.	vhole. Information prov s. All ingredients are bo , some vapors may be r recautions (mechanical , Ingestion, Eyes, Skin c	ound and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection, ontact	
product is based on ind exposure as shipped is user (fabricator) must etc.) to protect employ ENTIAL HEALTH EFFE Routes of Exposure: Acute exposure Inhalation Ingestion	een evaluated as a w dividual components minimal. However take the necessary p ees from exposure. CTS : Inhalation, : Resin partic irritating. : May be har	vhole. Information prov s. All ingredients are bo , some vapors may be r recautions (mechanical , Ingestion, Eyes, Skin c cles, like other inert mat mful if swallowed.	ound and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection, ontact erials, can be mechanically	
product is based on ind exposure as shipped is user (fabricator) must etc.) to protect employ ENTIAL HEALTH EFFE Routes of Exposure: Acute exposure Inhalation	een evaluated as a w dividual components minimal. However take the necessary p ees from exposure. CTS : Inhalation, : Resin partic irritating. : May be har : Resin partic	vhole. Information prov s. All ingredients are bo , some vapors may be r recautions (mechanical , Ingestion, Eyes, Skin c cles, like other inert mat mful if swallowed.	ound and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection, ontact	
product is based on ind exposure as shipped is user (fabricator) must etc.) to protect employ ENTIAL HEALTH EFFE Routes of Exposure: Acute exposure Inhalation Ingestion	een evaluated as a w dividual components minimal. However take the necessary p ees from exposure. CTS : Inhalation, : Resin partic irritating. : May be har : Resin partic eyes. : Avoid skin	vhole. Information prov s. All ingredients are bo ; some vapors may be r recautions (mechanical , Ingestion, Eyes, Skin c cles, like other inert mat mful if swallowed. cles, like other inert mat	ound and potential for hazardous eleased upon heating and the end- ventilation, respiratory protection, ontact erials, can be mechanically erials, are mechanically irritating to ns unreacted organic peroxides	

MATERIAL SAFETY DATA SHEET HC5210-0022 RO Gray

Version Number 1.0 Revision Date 07/30/2013 Page 2 of 6 Print Date 7/30/2013

NEU

	contaminant.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit	not applicablenot applicable
Auto-ignition temperature Suitable extinguishing media	Not relevantCarbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

MATERIAL SAFETY DATA SHEET HC5210-0022 RO Gray



Version Number 1.0Page 3 of 6Revision Date 07/30/2013Print Date 7/30/2013

Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. Keep away from heat. Excessive storage temperature and humidity can degrade product performance. Store below 149 °F (65 °C). Rotate stock. Product shelf life is normally 1 year maximum.			
8. EXP	8. EXPOSURE CONTROLS/PERSONAL PROTECTION				
Respiratory protection	:	No personal respiratory protective equipment normally required when handling the product itself. See "Engineering Measures" section below for precautions to be taken when heating or processing this material.			
Eye/Face Protection	:	Safety glasses with side-shields			
Hand protection	:	Protective gloves			
Skin and body protection	:	Long sleeved clothing			
Additional Protective Measures	:	Safety shoes			
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. During processing and cross-linking, product can give off by-products such as alcohols, acetophenone, alpha-methylstyrene, acetone, methane, and ethane. By-product vapors may be flammable. User must provide necessary precautions such as adequate ventilation to prevent accumulation and ignition of vapors. Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.			

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
	15 mg/m3	(TWA): PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Form

: solid

Evapouration rate

: Not applicable

MATERIAL SAFETY DATA SHEET HC5210-0022 RO Gray

Version Number 1.0 Revision Date 07/30/2013 Page 4 of 6 Print Date 7/30/2013

Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 pellets GREY characteristic Not determined not applicable insoluble 	Specific Gravity Bulk density Vapour pressure Vapour density pH	: not applicable
	10. STABILITY AN	ND REACTIVITY	
Stability	: The product is sta	ble if stored and handled as	prescribed.
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from o decomposition, do	oxidizing agents and open floor not overheat.	lame. To avoid thermal
Incompatible Materials	: Strong acids, Oxid	dizing agents, Reducing age	ents
Hazardous decomposition products	(NOx), other haza of alcohols, aceto	CO2), carbon monoxide (CO ardous materials, and smoke phenone, alpha-methylstyre yproducts may be liberated	e are all possible. Traces ne, acetone, methane,

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

MATERIAL SAFETY DATA SHEET HC5210-0022 RO Gray

Version Number 1.0 Revision Date 07/30/2013 Page 5 of 6 Print Date 7/30/2013

NEU

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	
California Proposition 65	: Not applicable

MATERIAL SAFETY DATA SHEET HC5210-0022 RO Gray

Version Number 1.0	
Revision Date 07/30/2013	



Page 6 of 6 Print Date 7/30/2013

SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Canadian Regulations: National Pollutant Release Inventory (NPRI) not applicable WHMIS Classification : D2A DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS ÷ Listed China IECS Listed : Europe EINECS Listed : Japan ENCS Listed : Korea KECI Listed : **Philippines PICCS** Listed :

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.