MATERIAL SAFETY DATA SHEET **5533MED, 20% BaSO4, Stabilizers**

NEU

Version Number 1.0 Revision Date 08/08/2013 Page 1 of 6 Print Date 8/8/2013

NEU Specialty Engineered			
15 Corporate Drive, North	Haven, CT 0647	3	
Telephone	one : 1 (440) 930-1000 or 1 (866) POLYONE		
Emergency telephone	: CHEMT	TREC 1-800-424-9300 (24	hrs for spill, leak, fire, exposu
number	or accident).		
Product name	: 5533MED, 20% BaSO4, Stabilizers		
Product code	: EM10030050		
Chemical Name	: Mixture		
CAS-No.	: Mixture		
Product Use	: Industrial	l Applications	
2. CO	MPOSITION/IN	FORMATION ON ING	REDIENTS
Component	S	CAS-No.	Weight percent
Barium sulfate		7727-43-7	10 - 30
		DE IDENTIFICATION	
product is based on ind exposure as shipped is a	EMER en evaluated as a ividual componen minimal. Howeve	ts. All ingredients are bou er, some vapors may be rel	led on the health effects of this and and potential for hazardous leased upon heating and the end-
product is based on ind exposure as shipped is a user (fabricator) must ta etc.) to protect employe	EMER en evaluated as a ividual componen minimal. Howeve ake the necessary es from exposure	GENCY OVERVIEW whole. Information provid its. All ingredients are bou er, some vapors may be rel precautions (mechanical v	and and potential for hazardous
product is based on inde exposure as shipped is a user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure:	EMER en evaluated as a ividual componen minimal. Howeve ake the necessary es from exposure	GENCY OVERVIEW whole. Information provid tts. All ingredients are bou er, some vapors may be rel precautions (mechanical v	and and potential for hazardous leased upon heating and the end-
product is based on ind exposure as shipped is a user (fabricator) must ta etc.) to protect employe	EMER en evaluated as a ividual componen minimal. Howeve ake the necessary es from exposure	GENCY OVERVIEW whole. Information provid its. All ingredients are bou er, some vapors may be rel precautions (mechanical v	and and potential for hazardous leased upon heating and the end-
product is based on indi- exposure as shipped is a user (fabricator) must ta etc.) to protect employed ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation	EMER en evaluated as a ividual componen minimal. Howeve ake the necessary es from exposure CTS : Inhalation : Particulate	GENCY OVERVIEW whole. Information provid its. All ingredients are bou er, some vapors may be rel precautions (mechanical v n, Ingestion, Skin contact	and and potential for hazardous leased upon heating and the end-
product is based on indi- exposure as shipped is a user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion	EMER en evaluated as a ividual componen minimal. Howeve ake the necessary es from exposure CTS : Inhalation : Particulate : May be ha	GENCY OVERVIEW whole. Information provid its. All ingredients are bou er, some vapors may be rel precautions (mechanical v n, Ingestion, Skin contact es, like other inert material armful if swallowed.	and and potential for hazardous leased upon heating and the end- entilation, respiratory protection s can be mechanically irritating.
product is based on indi- exposure as shipped is a user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion Eyes	EMERO en evaluated as a ividual componen minimal. Howeve ake the necessary es from exposure CTS : Inhalation : Particulate : May be ha : Particulate	GENCY OVERVIEW whole. Information provid its. All ingredients are bou er, some vapors may be rel precautions (mechanical v n, Ingestion, Skin contact es, like other inert material urmful if swallowed. es, like other inert material	Ind and potential for hazardous leased upon heating and the end- entilation, respiratory protection s can be mechanically irritating. s can be mechanically irritating.
product is based on indi- exposure as shipped is a user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion	EMERO en evaluated as a ividual componen minimal. Howeve ake the necessary es from exposure CTS : Inhalation : Particulate : May be ha : Particulate	GENCY OVERVIEW whole. Information provid its. All ingredients are bou er, some vapors may be rel precautions (mechanical v n, Ingestion, Skin contact es, like other inert material urmful if swallowed. es, like other inert material	and and potential for hazardous leased upon heating and the end- entilation, respiratory protection s can be mechanically irritating.
product is based on indi- exposure as shipped is a user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion Eyes	EMERO en evaluated as a ividual componen minimal. Howeve ake the necessary ees from exposure : Inhalation : Particulate : May be ha : Experienc	GENCY OVERVIEW whole. Information provid its. All ingredients are bou er, some vapors may be rel precautions (mechanical v n, Ingestion, Skin contact es, like other inert material urmful if swallowed. es, like other inert material	Ind and potential for hazardous leased upon heating and the end- entilation, respiratory protection s can be mechanically irritating. s can be mechanically irritating. titis hazard from routine handlin

MATERIAL SAFETY DATA SHEET 5533MED, 20% BaSO4, Stabilizers

Version Number 1.0 Revision Date 08/08/2013 Page 2 of 6 Print Date 8/8/2013

NEU

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Auto-ignition temperature	: not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

NEU Specialty Engineered Materials, LLC.

MATERIAL SAFETY DATA SHEET 5533MED, 20% BaSO4, Stabilizers

Version Number 1.0 Revision Date 08/08/2013 Page 3 of 6 Print Date 8/8/2013

NEU

Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Safety glasses with side-shields				
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved clothing				
Additional Protective Measures	: Safety shoes				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Barium sulfate	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
	5 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH	
	10 mg/m3	Recommended exposure limit (REL):	Total	NIOSH	
	5 mg/m3 PEL:		Respirable fraction.	OSHA Z	
	15 mg/m3	PEL:	Total dust.	OSHA Z	
	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	OSHA Z1	
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES		
Form	: solid	Fuer	ouration rate : Not	applicable	
Appearance		1		determined	
Colour	1			established	
Odour	: very			applicable	
Melting point/range		determined Vapo	our density : not	applicable	
Boiling Point:		pplicable pH	: not	applicable	
Water solubility	: insoluble				
	10. 8	STABILITY AND REACT	IVITY		
Stability	: The product is stable if stored and handled as prescribed.				

NEU Specialty Engineered Materials, LLC.

MATERIAL SAFETY DATA SHEET 5533MED, 20% BaSO4, Stabilizers

NFU

Page 4 of 6

Version Number 1.0 Print Date 8/8/2013 Revision Date 08/08/2013

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
7727-43-7	Barium sulfate	Irritant	Respiratory system.	
		Systemic effects	Eyes, Respiratory system.	
	12. ECOLO	GICAL INFORMATIO	N	
Persistence and degra	adability : Not readil	ly biodegradable.		
Environmental Toxic		Chemicals are not readily available as they are bound within the polymer matrix.		
Bioaccumulation Pot		: Chemicals are not readily available as they are bound within the polymer matrix.		
Additional advice	: not applic	cable		
	13. DISPOS	AL CONSIDERATION	S	
Product	possible r generator classificat	ecycling is preferred to d of waste material has the	e product can be recycled. Wher isposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations.	
Contaminated packag	material h transporta	as the responsibility for p	le. The generator of waste proper waste classification, rdance with applicable federal, ns.	
	14. TRANS	PORT INFORMATION	N	
U.S. DOT Classificat	ion : Not regul	ated for transportation.		
ICAO/IATA	: Refer to s	pecific regulation.		

4/6

NEU Specialty Engineered	I M	Anterials, LLC.
ATERIAL SAFETY DATA		
533MED, 20% BaSO4	, S	tabilizers
ersion Number 1.0 evision Date 08/08/2013		Page 5 of 6 Print Date 8/8/2013
IMO/IMDG (maritime)	:	Refer to specific regulation.
	15	S. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Unless specific chemicals are id	enti	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Tox	tic C	Chemicals:
Unless specific chemicals are id	enti	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Relea	se Ir	nventory (NPRI)
not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
-		

NEU Specialty Engineere	d Materials, LLC.	NEU
MATERIAL SAFETY DAT	A SHEET	
5533MED, 20% BaSO4	4, Stabilizers	
Version Number 1.0 Revision Date 08/08/2013		Page 6 of 6 Print Date <i>8/8/2013</i>
Japan ENCS	: Not determined	
Korea KECI	: Listed	
Philippines PICCS	: Not determined	

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.