NEU Specialty Engineered Materials, LLC.

MATERIAL SAFETY DATA SHEET 3533MED, 20% BaSO4, MPC Black

NEU

Version Number 1.0 Revision Date 08/08/2013 Page 1 of 6 Print Date 8/8/2013

NEU Specialty Engineered 15 Corporate Drive, North			
Telephone Emergency telephone number	: CHEN) 930-1000 or 1 (866) POLY MTREC 1-800-424-9300 (24 ident).	ONE hrs for spill, leak, fire, exposur
Product name	: 3533N	IED, 20% BaSO4, MPC Blac	сk
Product code	: EM10030052		
Chemical Name	: Mixtu		
CAS-No. Product Use	: Mixtur : Industr	re rial Applications	
2. CO	MPOSITION	/INFORMATION ON ING	REDIENTS
Component	S	CAS-No.	Weight percent
Barium sulfate		7727-43-7	10 - 30
	2 11 4 7		
product is based on ind exposure as shipped is	EME en evaluated as ividual compor minimal. How	nents. All ingredients are bou ever, some vapors may be rel	led on the health effects of this and and potential for hazardous leased upon heating and the end- entilation, respiratory protection.
product is based on ind exposure as shipped is	EME een evaluated as ividual compor minimal. How ake the necessa ees from expose	ERGENCY OVERVIEW s a whole. Information provid nents. All ingredients are bou ever, some vapors may be rel ry precautions (mechanical v	and and potential for hazardous
product is based on ind exposure as shipped is a user (fabricator) must ta etc.) to protect employe	EME een evaluated as ividual compor minimal. How ake the necessa ees from expose	ERGENCY OVERVIEW s a whole. Information provid nents. All ingredients are bou ever, some vapors may be rel ry precautions (mechanical v	and and potential for hazardous leased upon heating and the end-
product is based on ind exposure as shipped is a user (fabricator) must ta etc.) to protect employe	EME een evaluated as ividual compor minimal. How ake the necessa ees from expose	ERGENCY OVERVIEW s a whole. Information provid nents. All ingredients are bou ever, some vapors may be rel ry precautions (mechanical v ure.	and and potential for hazardous leased upon heating and the end-
product is based on ind exposure as shipped is a user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation	EME een evaluated as ividual compor minimal. How ake the necessa ees from expose CTS : Inhalat : Particul	ERGENCY OVERVIEW s a whole. Information provid nents. All ingredients are bou ever, some vapors may be rel ry precautions (mechanical v ire. tion, Ingestion, Skin contact	and and potential for hazardous leased upon heating and the end-
product is based on ind exposure as shipped is a user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion	EME een evaluated as ividual compor minimal. How ake the necessa ees from expose CTS : Inhalat : Particul : May be	ERGENCY OVERVIEW s a whole. Information provid nents. All ingredients are bou ever, some vapors may be rel ry precautions (mechanical v ire. tion, Ingestion, Skin contact lates, like other inert material harmful if swallowed.	and and potential for hazardous leased upon heating and the end- entilation, respiratory protection, s can be mechanically irritating.
product is based on ind exposure as shipped is a user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation	EME een evaluated as ividual compor minimal. How ake the necessa ees from expose CTS : Inhalat : Particul : May be : Particul	ERGENCY OVERVIEW s a whole. Information provid nents. All ingredients are bou ever, some vapors may be rel ry precautions (mechanical v ure. tion, Ingestion, Skin contact lates, like other inert material harmful if swallowed. lates, like other inert material	Ind and potential for hazardous leased upon heating and the end- entilation, respiratory protection, s can be mechanically irritating. s can be mechanically irritating.
product is based on ind exposure as shipped is a user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion Eyes	EME een evaluated as ividual compor minimal. How ake the necessa ees from expose : Inhalat : Particul : May be : Particul : Experie	ERGENCY OVERVIEW s a whole. Information provid nents. All ingredients are bou ever, some vapors may be rel ry precautions (mechanical v ure. tion, Ingestion, Skin contact lates, like other inert material harmful if swallowed. lates, like other inert material	Ind and potential for hazardous leased upon heating and the end- entilation, respiratory protection, s can be mechanically irritating. s can be mechanically irritating. titis hazard from routine handling

MATERIAL SAFETY DATA SHEET 3533MED, 20% BaSO4, MPC Black

NEU

Version Number 1.0 Revision Date 08/08/2013 Page 2 of 6 Print Date 8/8/2013

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Plash politi	
Flammable Limits	
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Auto-ignition temperature	: not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

NEU Specialty Engineered Materials, LLC.

MATERIAL SAFETY DATA SHEET 3533MED, 20% BaSO4, MPC Black

Version Number 1.0 Revision Date 08/08/2013 Page 3 of 6 Print Date 8/8/2013

NEU

Respiratory protection	: N	o personal respiratory protect	ive equipment normally i	required.	
Eye/Face Protection	: S	: Safety glasses with side-shields			
Hand protection	: P	: Protective gloves			
Skin and body protection	n : L	: Long sleeved clothing			
Additional Protective Measures	: S	: Safety shoes			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Barium sulfate	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
	5 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH	
	10 mg/m3	Recommended exposure limit (REL):	Total	NIOSH	
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z	
	15 mg/m3	PEL:	Total dust.	OSHA Z	
	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	OSHA Z1.	
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1.	
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES		
Form	: solid	Evon	ouration rate : Not	applicable	
Appearance				determined	
Colour	: BLA			established	
Odour	: very			applicable	
Melting point/range			ur density : not	applicable	
Boiling Point:		pplicable pH		applicable	
Water solubility	: insol	uble			
	10. 8	STABILITY AND REACTI	VITY		
Stability	: T	he product is stable if stored a	and handled as prescribed	l.	

NEU Specialty Engineered Materials, LLC.

MATERIAL SAFETY DATA SHEET 3533MED, 20% BaSO4, MPC Black

Version Number 1.0 Revision Date 08/08/2013

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

NFU

Page 4 of 6

Print Date 8/8/2013

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7727-43-7	Barium sulfate	Irritant	Respiratory system.
		Systemic effects	Eyes, Respiratory system.
	12. ECOLOGI	CAL INFORMATION	N
Persistence and degrad	lability : Not readily b	viodegradable.	
Environmental Toxici	y : Chemicals ar polymer mat		as they are bound within the
Bioaccumulation Pote	ntial : Chemicals ar polymer mat		as they are bound within the
Additional advice	: not applicabl	e	
	13. DISPOSAL	CONSIDERATIONS	5
Product	possible recy generator of classification	cling is preferred to dis waste material has the	product can be recycled. Wher sposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations.
Contaminated packagi	material has transportation	the responsibility for p	e. The generator of waste roper waste classification, dance with applicable federal, s.
	14. TRANSPO	ORT INFORMATION	
U.S. DOT Classification	on : Not regulated	d for transportation.	
	: Refer to spec	ific regulation.	
ICAO/IATA	·	ine regulation.	

4/6

		Interview LLC
NEU Specialty Engineered	M	laterials, LLC.
MATERIAL SAFETY DATA		
3533MED, 20% BaSO4,	, N	
Version Number 1.0 Revision Date 08/08/2013		Page 5 of 6 Print Date <i>8/8/2013</i>
IMO/IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Subs	stances (40 CFR 302)
not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Extr	em	ely Hazardous Substance
Unless specific chemicals are id	enti	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Tox	ic C	Chemicals:
Unless specific chemicals are id	enti	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Release	e Ir	nventory (NPRI)
not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Listed

MATERIAL SAFETY DATA SHEET 3533MED, 20% BaSO4, MPC Black

Version Number 1.0 Revision Date 08/08/2013

P	age 6 of 6
Print Date	8/8/2013

Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.