PolvOne

MATERIAL SAFETY DATA SHEET X LB-3612-1B

Version Number 1.0 Revision Date 09/06/2013

Page 1 of 6 Print Date 9/6/2013

POLYONE CORPORATI 33587 Walker Road, Avoi		OH 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X LB-3612-1B
Product code	:	EM10030311
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Silica, amorphous, precipitated and gel	112926-00-8	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET X LB-3612-1B

Version Number 1.0 Revision Date 09/06/2013 Page 2 of 6 Print Date 9/6/2013

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIREFIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	: : :	not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

PolyOne.

MATERIAL SAFETY DATA SHEET X LB-3612-1B

Version Number 1.0 Revision Date 09/06/2013 Page 3 of 6 Print Date 9/6/2013

8.]	EXPOSURE	CONTROLS/PERS	ONAL I	PROTECTION	
Respiratory protection	: N	lo personal respiratory	protecti	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side	-shields		
Hand protection	: P	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations				l industrial hygiene and eaks and at the end of w	
Engineering measures		leat only in areas with a ppropriate exhaust vent		iate exhaust ventilation. at machinery.	Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Silica, amorphous, precipitated and gel	6 mg/m3	Time Weighted Ave (TWA):			OSHA Z1A
	10 mg/m3	Time Weighted Ave (TWA):	erage		MX OEL
	0.8 mg/m3	Time Weighted Ave (TWA):	erage		Z3
	9. PHYSIC	CAL AND CHEMICA	AL PRO	PERTIES	
D	1' 1		D		· · · · 1 · · · 1 · 1 ·
Form Appearance	: solid	ts, Slabs			t applicable t determined
Colour	· NO I	PIGMENT	Bulk d	5	t established
Odour	: very			•	applicable
Melting point/range		determined			applicable
Boiling Point:		pplicable	рН		applicable
Water solubility	: insol	uble			
	10. S	STABILITY AND RE	ACTIV	ITY	
Stability	: T	he product is stable if s	stored a	nd handled as prescribe	d.
Hazardous Polymerization	n : W	Vill not occur.			
Conditions to avoid	: T	o avoid thermal decom	positio	n, do not overheat.	
Incompatible Materials	· 5	trong acids, oxidizing	and re	ducing agents	

PolyOne

MATERIAL SAFETY DATA SHEET X LB-3612-1B

Version Number 1.0 Revision Date 09/06/2013

Page 4 of 6 Print Date 9/6/2013

Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
112926-00-8	Silica, amorphous,	Irritant	Respiratory system, Eyes.
	precipitated and gel		

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET X LB-3612-1B

ision Date 09/06/2013		Page 5 Print Date 9/6/2
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Sub	stances (40 CFR 302)
not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Extr	rem	ely Hazardous Substance
Unless specific chemicals are id	enti	fied under this section, this product is Not Applicable under this regula
SARA Title III Section 313 Tox	ic C	Chemicals:
Unless specific chemicals are id	enti	fied under this section, this product is Not Applicable under this regula
Canadian Regulations:		
Canadian Regulations: National Pollutant Release	se Ir	aventory (NPRI)
-	se Ir	nventory (NPRI)
National Pollutant Release	se Ir	D2B
National Pollutant Releas	se Ir : :	
National Pollutant Releas not applicable WHMIS Classification	:	D2B All components of this product are on the Canadian Domestic
National Pollutant Releas not applicable WHMIS Classification DSL	:	D2B All components of this product are on the Canadian Domestic
National Pollutant Release not applicable WHMIS Classification DSL National Inventories:	:	D2B All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Pollutant Releas not applicable WHMIS Classification DSL National Inventories: Australia AICS	::	D2B All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed
National Pollutant Releas not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS	::	D2B All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed Listed

6/6

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

POLYONE CORPORATION

X LB-3612-1B

Version Number 1.0 Revision Date 09/06/2013 Page 6 of 6 Print Date 9/6/2013

<u>PolyOne</u>

Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The