PolvOne

## MATERIAL SAFETY DATA SHEET X NM-3894-001-1 White

### Version Number 1.0 Revision Date 09/20/2013

Page 1 of 6 Print Date 9/20/2013

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012			
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	X NM-3894-001-1 White	
Product code	:	EM10030431	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
		Industrial Applications	

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Glass, oxide	65997-17-3	30 - 60

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET X NM-3894-001-1 White

Version Number 1.0 Revision Date 09/20/2013 Page 2 of 6 Print Date 9/20/2013

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

PolyOne.

# MATERIAL SAFETY DATA SHEET X NM-3894-001-1 White

Version Number 1.0 Revision Date 09/20/2013 Page 3 of 6 Print Date 9/20/2013

	OSURE CONTROLS/PE	CRSONAL PROTECTION		
Respiratory protection	: No personal respiratory protective equipment normally required.			
Eye/Face Protection	: Safety glasses with side-shields			
Hand protection	: Protective gloves			
Skin and body protection	: Long sleeved clothi	: Long sleeved clothing		
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations		ce with good industrial hygiene and safety ds before breaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
-				
9.	PHYSICAL AND CHEM	IICAL PROPERTIES		
<b>F</b>	1.1			
Form	: solid	Evapouration rate : Not applicable		
Appearance	: pellets, Slabs	Evapouration rate : Not applicable Specific Gravity : Not determined		
Appearance Colour	: pellets, Slabs : WHITE	Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established		
Appearance Colour Odour	<ul><li>pellets, Slabs</li><li>WHITE</li><li>very faint</li></ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicable		
Appearance Colour Odour Melting point/range	<ul> <li>pellets, Slabs</li> <li>WHITE</li> <li>very faint</li> <li>Not determined</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicable		
Appearance Colour Odour Melting point/range Boiling Point:	<ul><li>pellets, Slabs</li><li>WHITE</li><li>very faint</li></ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicable		
Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>pellets, Slabs</li> <li>WHITE</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> </ul>	Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable		
Appearance Colour Odour	<ul> <li>pellets, Slabs</li> <li>WHITE</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AND	Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable		
Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>pellets, Slabs</li> <li>WHITE</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AND	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable <b>REACTIVITY</b>		
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>pellets, Slabs</li> <li>WHITE</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY AND</b> <ul> <li>The product is stable</li> <li>Will not occur.</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable <b>REACTIVITY</b>		
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>pellets, Slabs</li> <li>WHITE</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY ANI</b> <ul> <li>The product is stable</li> <li>Will not occur.</li> <li>To avoid thermal determined</li> </ul>	Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable <b>REACTIVITY</b> e if stored and handled as prescribed.		
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>pellets, Slabs</li> <li>WHITE</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY ANI</b> <ul> <li>The product is stable</li> <li>Will not occur.</li> <li>To avoid thermal definition of the stable</li> <li>Strong acids, oxidi</li> <li>Carbon dioxide (CC)</li> </ul>	Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable <b>PREACTIVITY</b> e if stored and handled as prescribed.		

PolyOne

## MATERIAL SAFETY DATA SHEET X NM-3894-001-1 White

Version Number 1.0 Revision Date 09/20/2013 Page 4 of 6 Print Date 9/20/2013

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

	12. ECOLOGICA	AL INFORMATIO	DN	
Persistence and degradability	: Not readily bio	degradable.		
Environmental Toxicity	: Chemicals are polymer matrix		e as they	are bound within the
Bioaccumulation Potential	: Chemicals are polymer matrix	•	e as they	are bound within the
Additional advice	: not applicable			
	13. DISPOSAL C	CONSIDERATION	NS	
Product	possible recycl generator of wa classification, t	ing is preferred to d	lisposal o e responsi isposal in	bility for proper waste accordance with
Contaminated packaging	material has the transportation a	eferred when possi e responsibility for and disposal in acco and local regulation	proper wa ordance w	
	14. TRANSPOR	T INFORMATIO	N	
U.S. DOT Classification	: Not regulated f	or transportation.		
ICAO/IATA	: Refer to specifi	c regulation.		
IMO/IMDG (maritime)	: Refer to specifi	c regulation.		
	15. REGULATO	RY INFORMATIO	ON	
US Regulations:				
OSHA Status	: Classified as ha	azardous based on c	componen	ts.
TSCA Status	: All component TSCA Inventor		e listed of	n or exempt from the

PolyUne

# MATERIAL SAFETY DATA SHEET X NM-3894-001-1 White

Version Number 1.0 Revision Date 09/20/2013 Page 5 of 6 Print Date 9/20/2013

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name	CAS-NO.	weight percent
ZINC COMPOUNDS	1314-98-3	5.00 - 10.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Zinc sulfide	1314-98-3	5.00 - 10.00	

WHMIS Classification : Not controlled.

:

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

PolyOne

## MATERIAL SAFETY DATA SHEET X NM-3894-001-1 White

Version Number 1.0 Revision Date 09/20/2013

Page 6 of 6 Print Date 9/20/2013

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.