MATERIAL SAFETY DATA SHEET

X 4399-001-D LubriOne

Version Number 1.0 Revision Date 11/05/2013 Page 1 of 6 Print Date 11/6/2013

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X 4399-001-D LubriOne
Product code	:	EM10030910
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Molybdenum (IV) sulfide	1317-33-5	1 - 5
Glass, oxide	65997-17-3	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET X 4399-001-D LubriOne

Version Number 1.0 Revision Date 11/05/2013 Page 2 of 6 Print Date 11/6/2013

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

PolyOne.

MATERIAL SAFETY DATA SHEET X 4399-001-D LubriOne

Version Number 1.0 Revision Date 11/05/2013 Page 3 of 6 Print Date 11/6/2013

		dry and tightly closed to avoid moisture absorption. Keep in a dry, cool place.		
8. EXPOSURE CONTROLS/PERSONAL PROTECTION				
Respiratory protection	: No personal resp	viratory protective equipment normally required.		
Eye/Face Protection	: Safety glasses w	ith side-shields		
Hand protection	: Protective glove	5		
Skin and body protection	: Long sleeved clo	: Long sleeved clothing		
Additional Protective Measures	: Safety shoes	Safety shoes		
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
0	PHYSICAL AND CH	FMICAL PROPERTIES		
9.	PHYSICAL AND CH	EMICAL PROPERTIES		
Form	: solid	Evapouration rate : Not applicabl		
Form Appearance	: solid : pellets, Slabs	Evapouration rate : Not applicabl Specific Gravity : Not determine		
Form Appearance Colour	solidpellets, SlabsNO PIGMENT	Evapouration rate : Not applicabl Specific Gravity : Not determine Bulk density : Not establishe		
Form Appearance Colour Odour	 solid pellets, Slabs NO PIGMENT very faint 	Evapouration rate : Not applicabl Specific Gravity : Not determine Bulk density : Not establishe Vapour pressure : not applicable		
Form Appearance Colour Odour Melting point/range	 solid pellets, Slabs NO PIGMENT very faint Not determined 	Evapouration rate : Not applicabl Specific Gravity : Not determine Bulk density : Not establishe Vapour pressure : not applicable Vapour density : not applicable		
Form Appearance Colour Odour	 solid pellets, Slabs NO PIGMENT very faint 	Evapouration rate : Not applicabl Specific Gravity : Not determine Bulk density : Not establishe Vapour pressure : not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 	Evapouration rate : Not applicabl Specific Gravity : Not determine Bulk density : Not establishe Vapour pressure : not applicable Vapour density : not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY A	Evapouration rate : Not applicabl Specific Gravity : Not determine Bulk density : Not establishe Vapour pressure : not applicable Vapour density : not applicable pH : not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY A	Evapouration rate : Not applicabl Specific Gravity : Not determine Bulk density : Not establishe Vapour pressure : not applicable Vapour density : not applicable pH : not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY A The product is stated the sta	Evapouration rate : Not applicabl Specific Gravity : Not determine Bulk density : Not establishe Vapour pressure : not applicable Vapour density : not applicable pH : not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY A The product is standard constant of the product is standard constant. Will not occur. To avoid therman 	Evapouration rate : Not applicabl Specific Gravity : Not determine Bulk density : Not establishe Vapour pressure : not applicable Vapour density : not applicable pH : not applicable ND REACTIVITY able if stored and handled as prescribed.		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 solid pellets, Slabs NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY A The product is standard or equivalent of the standard or equivalent or equiva	Evapouration rate : Not applicabl Specific Gravity : Not determine Bulk density : Not establishe Vapour pressure : not applicable Vapour density : not applicable pH : not applicable ND REACTIVITY able if stored and handled as prescribed.		

PolyOne

MATERIAL SAFETY DATA SHEET X 4399-001-D LubriOne

Version Number 1.0 Revision Date 11/05/2013 Page 4 of 6 Print Date 11/6/2013

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect Irritant	Target Organ		
1317-33-5	33-5 Molybdenum (IV) sulfide		Eyes, Skin.		
	12. ECOLOGICA	AL INFORMATIC	DN		
Persistence and degrada					
Environmental Toxicity	chemicals are polymer matrix		e as they are bound within the		
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the polymer matrix.			
Additional advice	: not applicable	not applicable			
	13. DISPOSAL (CONSIDERATION	IS		
Product	possible recycl generator of w classification, t	ing is preferred to d aste material has the transportation and d	e product can be recycled. When isposal or incineration. The responsibility for proper waste isposal in accordance with and local regulations.		
Contaminated packagin	material has th transportation	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPOR	T INFORMATIO	N		
U.S. DOT Classification	n : Not regulated f	for transportation.			
ICAO/IATA : Refer to specifi		ic regulation.			
IMO/IMDG (maritime)	: Refer to specif	ic regulation.			
	15. REGULATO	RY INFORMATIO	DN		
US Regulations:					
OSHA Status	: Classified as h	azardous based on c	omponents.		
OSHA Status					
TSCA Status	: All componen	ts of this product ar	e listed on or exempt from the		

PolyOne

MATERIAL SAFETY DATA SHEET X 4399-001-D LubriOne

Version Number 1.0 Revision Date 11/05/2013 Page 5 of 6 Print Date 11/6/2013

TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Zinc stearate	557-05-1	0.10 - 1.00	

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET X 4399-001-D LubriOne

Version Number 1.0 Revision Date 11/05/2013

Page 6 of 6 Print Date 11/6/2013

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.