PolvOne

MATERIAL SAFETY DATA SHEET X ST-ABS 4740-001-A

Version Number 1.0 Revision Date 12/10/2013

Page 1 of 6 Print Date 12/10/2013

POLYONE CORPORATI 33587 Walker Road, Avoi	ON	UCT AND COMPANY IDENTIFICATION OH 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	X ST-ABS 4740-001-A
Product code	:	EM10031237
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use		Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Carbon	7440-44-0	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Particulates, like other inert materials can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET X ST-ABS 4740-001-A

Version Number 1.0 Revision Date 12/10/2013 Page 2 of 6 Print Date 12/10/2013

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures Unusual Fire/Explosion Hazards	 pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET X ST-ABS 4740-001-A

Version Number 1.0 Revision Date 12/10/2013 Page 3 of 6 Print Date 12/10/2013

Respiratory protection	: No personal respirator	y protective equipment normally required.
Eye/Face Protection	: Safety glasses with sid	de-shields
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved clothing	:
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations		with good industrial hygiene and safety before breaks and at the end of workday.
Engineering measures		h appropriate exhaust ventilation. Provide entilation at machinery.
Exposure limit(s)		
Form Appearance	: solid : pellets, Slabs	Evapouration rate: Not applicableSpecific Gravity: Not determined
Colour	: NO PIGMENT	Bulk density : Not established
Odour	: very faint	Vapour pressure : not applicable
Melting point/range	: Not determined	Vapour density : not applicable
Boiling Point: Water solubility	: not applicable : insoluble	pH : not applicable
	10. STABILITY AND R	REACTIVITY
Stability	: The product is stable i	f stored and handled as prescribed.
Hazardous Polymerization	: Will not occur.	
Conditions to avoid	: To avoid thermal deco	omposition, do not overheat.
Incompatible Materials	: Strong acids, oxidizin	ag and reducing agents
Hazardous decomposition), carbon monoxide (CO), oxides of nitrogen us materials, and smoke are all possible.
products		

PolyOne.

MATERIAL SAFETY DATA SHEET X ST-ABS 4740-001-A

Version Number 1.0 Revision Date 12/10/2013 Page 4 of 6 Print Date 12/10/2013

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7440-44-0	Carbon	Systemic effects	Respiratory system, heart or circulatory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
7440-44-0	Carbon	Oral LD50	10,000 mg/kg	rat

		2. ECOLOGICAL INFORMATION
Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	not applicable
	1	3. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Refer to specific regulation.
IMO/IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET X ST-ABS 4740-001-A

sion Date 12/10/2013		Page : Print Date 12/10/
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Sub	stances (40 CFR 302)
not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Extr	rem	ely Hazardous Substance
Unless specific chemicals are id	enti	ified under this section, this product is Not Applicable under this regul
SARA Title III Section 313 Tox	tic C	Chemicals:
-	enti	fied under this section, this product is Not Applicable under this regul
Canadian Regulations:		
-		
Canadian Regulations: National Pollutant Releas not applicable		nventory (NPRI)
Canadian Regulations: National Pollutant Releas		
Canadian Regulations: National Pollutant Releas not applicable	se Iı	nventory (NPRI)
Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification	se Iı :	nventory (NPRI) Not controlled. DSL status has not been determined. Quantity use in Canada may b
Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification DSL	se Iı :	nventory (NPRI) Not controlled. DSL status has not been determined. Quantity use in Canada may b
Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification DSL National Inventories:	se Iı :	nventory (NPRI) Not controlled. DSL status has not been determined. Quantity use in Canada may b restricted by regulations.
Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification DSL National Inventories: Australia AICS	se Iı :	nventory (NPRI) Not controlled. DSL status has not been determined. Quantity use in Canada may b restricted by regulations.
Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS	se In : :	nventory (NPRI) Not controlled. DSL status has not been determined. Quantity use in Canada may be restricted by regulations. Not determined Not determined

PolyOne

MATERIAL SAFETY DATA SHEET X ST-ABS 4740-001-A

Version Number 1.0 Revision Date 12/10/2013

Page 6 of 6 Print Date 12/10/2013

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.