MATERIAL SAFETY DATA SHEET **NEUView UR80A20-1010 Natural**

Version Number 1.1 Revision Date 02/04/2014 Page 1 of 6 Print Date 2/4/2014

NEU

	Madariala II.C		
NEU Specialty Engineered 15 Corporate Drive, North		1	
15 Corporate Drive, North	11aven, C1 00475	,	
Telephone	: 1 (440) 93	80-1000 or 1 (866) POLY	ONE
Emergency telephone	: CHEMT	REC 1-800-424-9300 (24	hrs for spill, leak, fire, exposur
number	or accide	nt).	
Product name	· NEUViou	UR80A20-1010 Natural	
Product code	: EM10031		
Chemical Name	: Mixture	042	
CAS-No.	: Mixture		
Product Use		Applications	
Troduct Osc	. maastrar	rppileations	
2. CO	MPOSITION/IN	FORMATION ON ING	REDIENTS
Component	S	CAS-No.	Weight parcent
Barium sulfate	3	7727-43-7	Weight percent 10 - 30
Darium sunate		1121-43-1	10 - 30
	2 114740	DEIDENTIFICATION	
	J. HAZAK	DS IDENTIFICATION	
product is based on indi exposure as shipped is r	EMERG en evaluated as a v vidual component ninimal. However	s. All ingredients are bou r, some vapors may be rele	ed on the health effects of this nd and potential for hazardous eased upon heating and the end- entilation, respiratory protection,
product is based on indi exposure as shipped is r user (fabricator) must ta etc.) to protect employe	EMERG en evaluated as a v ividual component ninimal. Howeven ike the necessary p es from exposure.	ENCY OVERVIEW whole. Information provid s. All ingredients are bou r, some vapors may be rele precautions (mechanical ve	nd and potential for hazardous
product is based on indi exposure as shipped is r user (fabricator) must ta etc.) to protect employe	EMERG en evaluated as a v ividual component ninimal. Howeven ike the necessary p es from exposure.	ENCY OVERVIEW whole. Information provid s. All ingredients are bou r, some vapors may be rele	nd and potential for hazardous eased upon heating and the end-
product is based on indi exposure as shipped is r user (fabricator) must ta etc.) to protect employe	EMERG en evaluated as a v ividual component ninimal. Howeven ike the necessary p es from exposure.	ENCY OVERVIEW whole. Information provid s. All ingredients are bou r, some vapors may be rele precautions (mechanical ve	nd and potential for hazardous eased upon heating and the end-
product is based on indi exposure as shipped is r user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure:	EMERG en evaluated as a v ividual component ninimal. Howeven ike the necessary p es from exposure. CTS : Inhalation	ENCY OVERVIEW whole. Information provid s. All ingredients are bou r, some vapors may be rele precautions (mechanical ve , Ingestion, Skin contact	nd and potential for hazardous eased upon heating and the end-
product is based on indi exposure as shipped is r user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure	EMERG en evaluated as a v ividual component ninimal. However ike the necessary p es from exposure. CTS : Inhalation : Particulates	ENCY OVERVIEW whole. Information provid s. All ingredients are bou r, some vapors may be rele precautions (mechanical ve , Ingestion, Skin contact	nd and potential for hazardous eased upon heating and the end- entilation, respiratory protection,
product is based on indi exposure as shipped is r user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation	EMERG en evaluated as a v ividual component ninimal. Howeven ike the necessary p es from exposure. CTS : Inhalation : Particulates : May be har	ENCY OVERVIEW whole. Information provid s. All ingredients are bou r, some vapors may be rele precautions (mechanical ve orecautions (mechanical ve s, like other inert materials mful if swallowed.	nd and potential for hazardous eased upon heating and the end- entilation, respiratory protection,
product is based on indi exposure as shipped is r user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion	EMERG en evaluated as a v ividual component ninimal. However ike the necessary p es from exposure. CTS : Inhalation : Particulates : May be har : Particulates	ENCY OVERVIEW whole. Information provid s. All ingredients are bou r, some vapors may be rele precautions (mechanical ve spectrum of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of th	nd and potential for hazardous eased upon heating and the end- entilation, respiratory protection,
product is based on indi exposure as shipped is r user (fabricator) must ta etc.) to protect employe ENTIAL HEALTH EFFEC Routes of Exposure: Acute exposure Inhalation Ingestion Eyes	EMERG en evaluated as a v ividual component ninimal. Howeven ike the necessary p es from exposure. CTS : Inhalation : Particulates : May be har : Particulates : Experience	ENCY OVERVIEW whole. Information provid s. All ingredients are bou r, some vapors may be rele precautions (mechanical ve spectrum of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of th	nd and potential for hazardous eased upon heating and the end- entilation, respiratory protection, s can be mechanically irritating. s can be mechanically irritating. itis hazard from routine handling

MATERIAL SAFETY DATA SHEET **NEUView UR80A20-1010 Natural**

Version Number 1.1 Revision Date 02/04/2014 Page 2 of 6 Print Date 2/4/2014

NEU

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	· not applicable
Flash politi	: not applicable
Flammable Limits	
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Auto-ignition temperature	: not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne
	contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

MATERIAL SAFETY DATA SHEET NEUView UR80A20-1010 Natural

Version Number 1.1 Revision Date 02/04/2014

Page 3 of 6 Print Date 2/4/2014

NEU

Respiratory protection	: N	lo personal respiratory protect	ive equipment normally	required.		
Eye/Face Protection	: S	: Safety glasses with side-shields				
Hand protection	: P	: Protective gloves				
Skin and body protectio	n : L	: Long sleeved clothing				
Additional Protective Measures	: S	: Safety shoes				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures						
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Barium sulfate	10 mg/m3	Time Weighted Average (TWA):		ACGIH		
	5 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH		
	10 mg/m3	Recommended exposure limit (REL):	Total	NIOSH		
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1		
	15 mg/m3	PEL:	Total dust.	OSHA Z1		
	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	OSHA Z1A		
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A		
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES			
Form	: solid	Evapo	ouration rate : Not	applicable		
Appearance			fic Gravity : Not	determined		
Colour			2	established		
Odour		: very faint Vapour pressure : not applicable				
Melting point/range		: Not determined Vapour density : not applicable				
Boiling Point:		: not applicable pH : not applicable : insoluble				
Water solubility	: insol	uble				
	10. 8	STABILITY AND REACTI	VITY			
Stability	: T	he product is stable if stored a	and handled as prescribed	1.		

NEU Specialty Engineered Materials, LLC.

MATERIAL SAFETY DATA SHEET NEUView UR80A20-1010 Natural

Version Number 1.1 Revision Date 02/04/2014 Page 4 of 6 Print Date 2/4/2014

NFU

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Strong acids, oxidizing and reducing agents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.		hemical Name	Effect	Target Organ		
7727-43-7 Bariun		n sulfate	Irritant	Respiratory system.		
			Systemic effects	Eyes, Respiratory system.		
		12. ECOLOGIO	CAL INFORMATION	N		
Persistence and degradability		: Not readily b	odegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice		: not applicable				
		13. DISPOSAL	CONSIDERATIONS	5		
Product		possible recyc generator of v classification	cling is preferred to dis vaste material has the r	product can be recycled. Wher posal or incineration. The responsibility for proper waste posal in accordance with nd local regulations.		
Contaminated packaging		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
		14. TRANSPO	RT INFORMATION			
U.S. DOT Classificat	tion	: Not regulated	for transportation.			
		D	£			
ICAO/IATA		: Refer to spec	inc regulation.			

NEU Specialty Engineered Materials, U.C.				
NEU Specialty Engineered Materials, LLC.				
MATERIAL SAFETY DATA				
NEUView UR80A20-10	10			
Version Number 1.1 Revision Date 02/04/2014		Page 5 of 6 Print Date 2/4/2014		
IMO/IMDG (maritime)	:	Refer to specific regulation.		
	15	5. REGULATORY INFORMATION		
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)		
not applicable				
California Proposition 65	:	Not applicable		
SARA Title III Section 302 Ext	rem	ely Hazardous Substance		
Unless specific chemicals are in	lenti	fied under this section, this product is Not Applicable under this regulation		
SARA Title III Section 313 To:	kic (Chemicals:		
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation				
Canadian Regulations:				
National Pollutant Release Inventory (NPRI)				
not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.		
National Inventories:				
Australia AICS	:	Not determined		
China IECS	:	Listed		

NEU Specialty Engineered Materials, LLC.

MATERIAL SAFETY DATA SHEET NEUView UR80A20-1010 Natural

Version Number 1.1 Revision Date 02/04/2014

Page 6 of 6 Print Date 2/4/2014

Europe EINECS : Listed Japan ENCS Not determined

Korea KECI Listed :

:

:

Philippines PICCS

16. OTHER INFORMATION

Not determined

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.