ST6300-0001 KeyTec Red

Version Number 1.3 Revision Date 01/24/2025



Page 1 of 16 Print Date 02/12/2025

SAFETY DATA SHEET

ST6300-0001 KeyTec Red

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	::	ST6300-0001 KeyTec Red Mixture EM10035642 solid
<u>Relevant identified uses of the substa</u> Product use	nce :	or mixture and uses advised against Industrial applications.
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.

ST6300-0001 KeyTec Red

Version Number 1.3 Revision Date 01/24/2025

ÀVIENT

Page 2 of 16 Print Date 02/12/2025

Precautionary statements

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	EM10035642

CAS number/other identifiers

Ingredient name	%	CAS number
Iron	>= 10 - <= 25	7439-89-6
Nickel	>= 1 - <= 3	7440-02-0
Titanium dioxide	>= 1 - <= 3	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

ST6300-0001 KeyTec Red



Version Number 1.3	Page 3 of 16
Revision Date 01/24/2025	Print Date 02/12/2025

Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated
		clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. If material has been swallowed and the
		exposed person is conscious, give small quantities of water to drink.
		Do not induce vomiting unless directed to do so by medical personnel.
		Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects	
Eye contact Inhalation Skin contact Ingestion <u>Over-exposure signs/symptoms</u>	 No known significant effects or critical hazards.
Eye contact Inhalation Skin contact Ingestion	 No specific data. No specific data. No specific data. No specific data.
Indication of immediate medica	al attention and special treatment needed, if necessary
Notes to physician Specific treatments	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO ₂ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.

ST6300-0001 KeyTec Red

Version Number 1.3 Revision Date 01/24/2025



Page 4 of 16
Print Date 02/12/2025

Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide phosphorus oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment	nt ar	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

ST6300-0001 KeyTec Red

ÀVIENT

Version Number 1.3	Page 5 of 16
Revision Date 01/24/2025	Print Date 02/12/2025

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

:

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Iron	None.
Nickel	ACGIH TLV (1998-09-01) TWA 1.5 mg/m3 Form: Inhalable fraction NIOSH REL (2010-09-01) TWA 0.015 mg/m3 (as Ni) OSHA PEL 1989 (1989-03-01) TWA 1 mg/m3 (as Ni) OSHA PEL (1993-06-30) TWA 1 mg/m3 (as Ni)
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (2022-01-06) TWA 0.2 mg/m3 Form: respirable fraction, nanoscale particles TWA 2.5 mg/m3 Form: respirable fraction, finescale particles

Appropriate e	ngineering	controls
---------------	------------	----------

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

ST6300-0001 KeyTec Red

Ver Rev

ÀVIENT

ersion Number 1.3	Page 6 of 16
evision Date 01/24/2025	Print Date 02/12/2025

Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	NO PIGMENT
Odor	:	Faint odor.
Odor threshold	:	Not available.
pH	:	Not available.

ST6300-0001 KeyTec Red

Version Number 1.3 Revision Date 01/24/2025

ÀVIENT

Page 7 of 16 Print Date 02/12/2025

Melting point Boiling point Flash point	Not available.Not available.Not applicable.	
Burning time	: Not available.	
Burning rate	: Not available.	
Evaporation rate	: Not available.	
Flammability (solid, gas)	: Not available.	
Lower and upper explosive	: Lower: Not applicable.	
(flammable) limits	Upper: Not applicable.	
Vapor pressure	: Not available.	
Vapor density	: Not applicable.	
Relative density	: Not available.	
Solubility	: Not available.	
Solubility in water	: insoluble in water.	
Partition coefficient: n- octanol/water	: Not applicable.	
Auto-ignition temperature	: Not applicable.	
Decomposition temperature	: Not available.	
SADT	: Not available.	
Viscosity	: Dynamic: Not available. Kinematic: Not applicable	e.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

ST6300-0001 KeyTec Red

Version Number 1.3 Revision Date 01/24/2025



Page 8 of 16 Print Date 02/12/2025

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Iron				
	LD50 Oral	Rat	750 mg/kg	-
Titanium oxide (TiO2)				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	Dusts and mists		_	
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Conclusion/Summary Skin Eyes Respiratory	Mixture.Not fully tested.Mixture.Not fully tested.Mixture.Not fully tested.
Sensitization	
Conclusion/Summary Skin Respiratory	Mixture.Not fully tested.Mixture.Not fully tested.
Mutagenicity	
Conclusion/Summary	: Mixture.Not fully tested.
<u>Carcinogenicity</u>	
Conclusion/Summary	: Mixture.Not fully tested.

Classification

Product/ingredient name	OSHA	IARC	NTP
Nickel	-	2B2B	Reasonably anticipated to be a human carcinogen.
Titanium oxide (TiO2)	-	2B	-

Reproductive toxicity

Conclusion/Summary	:	Mixture.Not fully tested.
--------------------	---	---------------------------

Teratogenicity

ST6300-0001 KeyTec Red

Version Number 1.3 Revision Date 01/24/2025



Page 9 of 16 Print Date 02/12/2025

Conclusion/Summary	:	Mixture.Not fully tested.
Specific target organ toxicity (single Not available.	expo	<u>osure)</u>
Specific target organ toxicity (repeat Not available.	ted e	xposure)
Aspiration hazard Not available.		
Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Symptoms related to the physical, ch	nemi	cal and toxicological characteristics
Eye contact Inhalation Skin contact Ingestion	::	No specific data. No specific data. No specific data. No specific data.
	<u>ilso c</u>	chronic effects from short and long term exposure
<u>Short term exposure</u> Potential immediate effects Potential delayed effects <u>Long term exposure</u>	:	Not available. Not available.
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

ST6300-0001 KeyTec Red

Version Number 1.3 Revision Date 01/24/2025

ÀVIENT

Page 10 of 16

Print Date 02/12/2025

Teratogenicity Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Numerical measures of toxicity		
<u>Acute toxicity estimates</u> N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Iron			
	Acute LC50 0.00648 Mg/l	Fish - Periophthalmus waltoni	96 h
	Marine water	-	
	Acute LC50 33 - 100 Mg/l	Crustaceans - Crangon	48 h
	Marine water	crangon	
	Acute EC50 3.7 Mg/l Fresh	Aquatic plants - Lemna minor	96 h
	water		
	Chronic NOEC 100 Mg/l Marine	Algae - Glenodinium halli	72 h
	water		
Nickel	·		•
	Acute LC50 0.000048 Mg/l	Fish - Heteropneustes fossilis	96 h
	Fresh water	-	
	Acute EC50 1 Mg/l Marine	Daphnia - Daphnia magna	48 h
	water		
	Acute IC50 0.31 Mg/l Marine	Crustaceans - Americamysis	48 h
	water	bahia	
	Acute EC50 2 Mg/l Marine	Algae - Macrocystis pyrifera	96 h
	water		
	Acute EC50 0.45 Mg/l Fresh	Aquatic plants - Lemna minor	96 h
	water		
	Chronic NOEC 100 Mg/l Marine	Algae - Glenodinium halli	72 h
	water		
	Chronic NOEC 0.0035 Mg/l	Fish - Cyprinus carpio	28 d
	Fresh water		

ST6300-0001 KeyTec Red

Version Number 1.3 Revision Date 01/24/2025

ÀVIENT

Page 11 of 16 Print Date 02/12/2025

Titanium oxide (TiO2)					
	Acute LC50 >	• 1,000 Mg/l	Fish - Fundulus	heteroclitus	96 h
	Marine water				
	Acute LC50 3	Mg/l Fresh water	Crustaceans - C dubia	Ceriodaphnia	48 h
	Acute LC50 6 water	.5 Mg/l Fresh	Daphnia - Daph	nnia pulex	48 h
ST6300-0001 KeyTec Red					
Remarks - Acute - Aquatic invertebrates.:	Chemicals are	not readily availab	le as they are boun	d within the poly	mer matrix.
Conclusion/Summary		emicals are not read ymer matrix.	dily available as the	ey are bound with	hin the
Persistence and degradability					
Conclusion/Summary		nemicals are not rea lymer matrix.	dily available as th	ey are bound wit	hin the
Conclusion/Summary		nemicals are not rea lymer matrix.	dily available as th	ey are bound wit	hin the
Bioaccumulative potential					
Product/ingredient name	LogP	0W	BCF	Potential	

Product/ingredient name	LogPow	BCF	Potential
Nickel	-	5,613.00	high

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the
------------------	---	--

AVIENT

ST6300-0001 KeyTec Red

Version Number 1.3 Revision Date 01/24/2025 Page 12 of 16 Print Date 02/12/2025

requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
		determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR):
		Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		12/16

ST6300-0001 KeyTec Red

Version Number 1.3 Revision Date 01/24/2025



Page 13 of 16
Print Date 02/12/2025

		United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Chromium Nickel
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component
Nickel	7440-02-0	100 lb(s)
		45.4 kg

SARA 311/312

Classification

: Not applicable.

Composition/information on ingredients

No products were found.

Name	%	Classification
Iron	>= 10 - <= 25	ACUTE TOXICITY - oral - Category 4
Nickel	>= 1 - <= 3	CARCINOGENICITY - Category 2
Titanium oxide (TiO2)	>= 1 - <= 3	CARCINOGENICITY - Category 2
13/16		

ST6300-0001 KeyTec Red

Version Number 1.3 Revision Date 01/24/2025 Page 14 of 16

Print Date 02/12/2025

🕷 AVIENT

SARA 313

Form R - Reporting requirements

Product name	CAS number	%
Chromium	7440-47-3	>= 1 - < 5
Nickel	7440-02-0	>= 1 - < 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed: Chromium Triphenyl phosphate
		Nickel Molybdenum
New York	:	Titanium dioxide The following components are listed: Chromium Nickel
New Jersey	:	The following components are listed: Chromium Triphenyl phosphate Nickel Molybdenum Titanium dioxide
Pennsylvania	:	The following components are listed: Chromium
		Triphenyl phosphate
		Nickel
		Molybdenum
		Titanium dioxide
California Duan 65		

California Prop. 65



ST6300-0001 KeyTec Red

Version Number 1.3 Revision Date 01/24/2025 Page 15 of 16 Print Date 02/12/2025

WARNING: This product can expose you to chemicals including Nickel, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Nickel	-	-
Titanium dioxide	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
<u>International regulations</u> <u>Inventory list</u>		
Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China	:	Not determined.
Eurasian Economic Union	:	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): Not determined.
		Japan inventory (ISHL): Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.Not determined.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.
Viet Nam	:	Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on

ST6300-0001 KeyTec Red

Version Number 1.3 Revision Date 01/24/2025

ÀVIENT

Page 16 of 16 Print Date 02/12/2025

HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

History		
Date of printing	:	02/12/2025
Date of issue/Date of revision	:	01/24/2025
Date of previous issue	:	03/29/2019
Version	:	1.3
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.