Trilliant HC 3310-0001, Lt. Blue

Version Number 1.2 Revision Date 01/24/2025



Page 1 of 16 Print Date 02/12/2025

SAFETY DATA SHEET

Trilliant HC 3310-0001, Lt. Blue

Section 1. Identification	on	
GHS product identifier	:	Trilliant HC 3310-0001, Lt. Blue
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	EM10036831
Product type	:	solid
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications.
Supplier's details	:	AVIENT CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
(with hours of operation)		accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.

Trilliant HC 3310-0001, Lt. Blue

Version Number 1.2 Revision Date 01/24/2025



Page 2 of 16 Print Date 02/12/2025

Precautionary statements

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	EM10036831

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	>= 1 - <= 3	13463-67-7
Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	>= 0.3 - <= 1	1345-16-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Trilliant HC 3310-0001, Lt. Blue



Version Number 1.2 Revision Date 01/24/2025 Page 3 of 16 Print Date 02/12/2025

Skin contact Ingestion	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.
		Get medical attention if symptoms occur.
Most important symptoms/effects, a	cute a	and delayed
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical at	tentio	on and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.
	1.1	

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO ₂ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: metal oxide/oxides



Trilliant HC 3310-0001, Lt. Blue

Version Number 1.2 Revision Date 01/24/2025

Page 4 of 16 Print Date 02/12/2025

Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt ar	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational	:	Eating, drinking and smoking should be prohibited in areas where this
hygiene		material is handled, stored and processed. Workers should wash hands
		and face before eating, drinking and smoking. Remove contaminated
		clothing and protective equipment before entering eating areas. See

Trilliant HC 3310-0001, Lt. Blue

Version Number 1.2 Revision Date 01/24/2025



Page 5 of 16 Print Date 02/12/2025

also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (2022-01-06) TWA 0.2 mg/m3 Form: respirable fraction, nanoscale particles TWA 2.5 mg/m3 Form: respirable fraction, finescale particles
Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	ACGIH TLV (1994-09-01) Inhalation sensitizer Skin sensitizer TWA 0.02 mg/m3 (CO)

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated
		5/16

Trilliant HC 3310-0001, Lt. Blue



Version Number	er 1.2
Revision Date	01/24/2025

Page 6 of 16 Print Date 02/12/2025

Eye/face protection	:	clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state Color Odor Odor threshold pH Melting point Boiling point Flash point		solid [Pellets.] BLUE Faint odor. Not available. Not available. Not available. Not available. Not applicable.
Burning time Burning rate Evaporation rate Flammability (solid, gas) Lower and upper explosive (flammable) limits	:::::::::::::::::::::::::::::::::::::::	Not available. Not available. Not available. Not available. Lower: Not applicable. Upper: Not applicable.

Trilliant HC 3310-0001, Lt. Blue

Version Number 1.2 Revision Date 01/24/2025



Page 7 of 16 Print Date 02/12/2025

Vapor pressure	: Not available.
Vapor density	: Not applicable.
Relative density	Not available.
Solubility	Not available.
Solubility in water	insoluble in water.
Solubility in water	• Insoluble in water.
Partition coefficient: n-	: Not applicable.
octanol/water	
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: Not available.
SADT	: Not available.
Viscosity	: Dynamic: Not available.
	Kinematic: Not applicable.
Aerosol product	
nerosor product	
Heat of combustion	: Not available.
Ignition distance	: Not available.

-Builden anstantee	•	
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Trilliant HC 3310-0001, Lt. Blue

Version Number 1.2 Revision Date 01/24/2025



Page 8 of 16 Print Date 02/12/2025

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium oxide (TiO2)				
	LC50 Inhalation Dusts and mists	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Conclusion/Summary	: Mixture	e.Not fully tested.		
Irritation/Corrosion				
Conclusion/Summary				
Skin Eyes		e.Not fully tested.		
Respiratory	Mixture.Not fully tested.Mixture.Not fully tested.			
<u>Sensitization</u>				
Conclusion/Summary				
Skin Respiratory		e.Not fully tested.		
Kespii ator y		e.Not fully tested.		
Mutagenicity				
Conclusion/Summary	: Mixtur	e.Not fully tested.		
<u>Carcinogenicity</u>				
Conclusion/Summary	: Mixtur	e.Not fully tested.		

Classification

Product/ingredient name	OSHA	IARC	NTP
Titanium oxide (TiO2)	-	2B	-
C.I. Pigment Blue 28 An	-	2B	Reasonably anticipated to be a human carcinogen.
inorganic pigment that is			
the reaction product of			
high temperature			
calcination in which cobalt			
(II) oxide and aluminum			
oxide in varying amounts			
are homogeneously and			
ionically interdiffused to			
form a crystalline matrix of			

Trilliant HC 3310-0001, Lt. Blue

Version Number 1.2 Revision Date 01/24/2025 **ÄVIENT**

spinel. Its composition may include any one or a combination of the modifiers MgO, ZnO, Li2O, or TiO2.				
Reproductive toxicity				
Conclusion/Summary	: N	/ixture.Not fully t	ested.	
<u>Teratogenicity</u>				
Conclusion/Summary	: N	/ixture.Not fully t	ested.	
Specific target organ toxicity (single Not available.	exposu	<u>re)</u>		
Specific target organ toxicity (repeat Not available.	ted exp	<u>osure)</u>		
Aspiration hazard Not available.				
Information on the likely routes of exposure	: N	lot available.		
Potential acute health effects				
Eye contact Inhalation Skin contact Ingestion	: N : N	lo known significa lo known significa	ant effects or critical hazards ant effects or critical hazards ant effects or critical hazards ant effects or critical hazards	
Symptoms related to the physical, ch	nemical	and toxicologica	l characteristics	
Eye contact Inhalation Skin contact Ingestion	IN N	lo specific data. lo specific data. lo specific data. lo specific data.		
Delayed and immediate effects and a	ulso chr	onic effects from	short and long term expos	<u>ure</u>
Short term exposure				
Potential immediate effects Potential delayed effects		lot available. lot available.		

Page 9 of 16 Print Date 02/12/2025

Trilliant HC 3310-0001, Lt. Blue

Version Number 1.2 Revision Date 01/24/2025



Page 10 of 16 Print Date 02/12/2025

Long	term	exposure	
-			

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<u>Numerical measures of toxicity</u> <u>Acute toxicity estimates</u> N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Result	Species	Exposure					
Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h					
Marine water							
Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia dubia	48 h					
Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h					
water							
Trilliant HC 3310-0001, Lt. Blue							
Chemicals are not readily available as they are bound within the polymer matrix.							
	Acute LC50 > 1,000 Mg/l Marine water Acute LC50 3 Mg/l Fresh water Acute LC50 6.5 Mg/l Fresh water e	Acute LC50 > 1,000 Mg/l Fish - Fundulus heteroclitus Marine water Crustaceans - Ceriodaphnia Acute LC50 3 Mg/l Fresh water Crustaceans - Ceriodaphnia Acute LC50 6.5 Mg/l Fresh Daphnia - Daphnia pulex e e					

Conclusion/Summary

: Chemicals are not readily available as they are bound within the

Trilliant HC 3310-0001, Lt. Blue

Version Number 1.2 Revision Date 01/24/2025



Page 11 of 16 Print Date 02/12/2025

	polymer matrix.
Persistence and degradability	
Conclusion/Summary :	Chemicals are not readily available as they are bound within the polymer matrix.
Conclusion/Summary :	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulative potential Not available.	
Mobility in soil	
Soil/water partition coefficient : (KOC)	Not available.
Other adverse effects :	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR

: Not regulated for transportation.

Trilliant HC 3310-0001, Lt. Blue

Version Number 1.2 Revision Date 01/24/2025



Page 12 of 16 Print Date 02/12/2025

Ground/Air/Water		
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
		determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR):
		Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority
		pollutants: Listed Nickel antimony yellow rutile (C.I. Pigment
		Yellow 53)
		Spinels, chromium (III) copper black
		United States - EPA Clean water act (CWA) section 311 -
		Hazardous substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental
		release prevention - Flammable substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental
		release prevention - Toxic substances: Not listed
		United States - Department of commerce - Precursor chemical:
		12/16

Trilliant HC 3310-0001, Lt. Blue

Version Number 1.2 Revision Date 01/24/2025



Page 13 of 16 Print Date 02/12/2025

Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II		Not listed
Substances	•	Not listed
DEA List I Chemicals (Precursor	:	Not listed
Chemicals) DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Name	%	Classification
Titanium oxide (TiO2)	>= 1 - <= 3	CARCINOGENICITY - Category 2
C.I. Pigment Blue 28 An	>= 0.3 - <= 1	CARCINOGENICITY - Category 2
inorganic pigment that is the		
reaction product of high		
temperature calcination in		
which cobalt (II) oxide and		
aluminum oxide in varying		
amounts are homogeneously		
and ionically interdiffused		
to form a crystalline matrix		
of spinel. Its composition		
may include any one or a		
combination of the		
modifiers MgO, ZnO, Li2O,		
or TiO2.		

<u>SARA 313</u>

Form R - Reporting requirements

Product name	CAS number	%
13/16		

Trilliant HC 3310-0001, Lt. Blue

Version Number 1.2 Revision Date 01/24/2025

Page 14 of 16 Print Date 02/12/2025

Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	1345-16-0	>= 0.1 - < 1

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed:
		Titanium dioxide
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
·		Titanium dioxide
		Cobalt aluminate blue spinel (C.I. Pigment Blue 28)
Pennsylvania	:	The following components are listed:
		Titanium dioxide

California Prop. 65

WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
<u>International regulations</u> <u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Eurasian Economic Union	:	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): All components are listed or exempted.
		Japan inventory (ISHL): Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted. All components are listed or exempted.
Thailand	:	All components are listed or exempted.
Turkey	:	Not determined.

ÄVIENT

Trilliant HC 3310-0001, Lt. Blue

Version Number 1.2 Revision Date 01/24/2025

AVIENT

Page 15 of 16 Print Date 02/12/2025

United States Viet Nam

- All components are active or exempted.
- : Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>HISTORY</u>		
Date of printing	:	02/12/2025
Date of issue/Date of revision	:	01/24/2025
Date of previous issue	:	02/03/2023
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

Trilliant HC 3310-0001, Lt. Blue

Version Number 1.2 Revision Date 01/24/2025



Page 16 of 16 Print Date 02/12/2025