

MATERIAL SAFETY DATA SHEET

# **10150CAL FINESSE**

Version Number 1.0 Revision Date 06/10/2002 Page 1 of 6 Print Date 11/4/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship, (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	10150CAL FINESSE
Product code	:	FO00000370
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
1,2-Benzenedicarboxylic acid, butyl	85-68-7	5 - 10
phenylmethylester		

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion			
Acute exposure				
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.			
Ingestion	: May be harmful if swallowed.			
Eyes	: May cause eye/skin irritation.			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			



MATERIAL SAFETY DATA SHEET

# 10150CAL FINESSE

sion Date 06/10/2002	Print Date 11/4/2
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available.
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available.</li> <li>No data available.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam, Water spray.</li> </ul>
Special Fire Fighting Procedures	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> </ul>
Unusual Fire/Explosion Hazards	: May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



# MATERIAL SAFETY DATA SHEET

# 10150CAL FINESSE

sion Date 06/10/2002		Paç Print Date <i>11</i>	
		es may contain combustible or toxic residue. In hoods, ducts, and other surfaces to minimize these materials.	
Storage		dry and tightly closed to avoid moisture absorption. Store in a cool dry place.	on
8. EXP	POSURE CONTROLS	/ PERSONAL PROTECTION	
Respiratory protection	: Under normal ha	andling conditions a respirator is not required.	
Eye/Face Protection	: Safety glasses w	ith side-shields.	
Hand protection	: Protective glove	S.	
Skin and body protection	: Long sleeved clo	othing.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		lance with good industrial hygiene and safety prac ore breaks and at the end of workday.	ctic
Engineering measures		as with appropriate exhaust ventilation. Provide ust ventilation at machinery.	
Exposure limit(s)			
	. PHYSICAL AND CH	EMICAL PROPERTIES	
	<b>. PHYSICAL AND CH</b> : Liquid : Viscous, Liquid	EMICAL PROPERTIES Evaporation rate : Not establish Specific Gravity : Not determin	
9. Form Appearance Color	: Liquid : Viscous, Liquid : NO PIGMENT	Evaporation rate : Not establish Specific Gravity : Not determin Bulk density : Not applicab	ed le.
9. Form Appearance Color Odor	: Liquid : Viscous, Liquid : NO PIGMENT : Very faint	Evaporation rate: Not establishSpecific Gravity: Not determinBulk density: Not applicabVapor pressure: Not determin	ed le. ed
9. Form Appearance Color Odor Melting point/range	<ul> <li>Liquid</li> <li>Viscous, Liquid</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not applicable</li> </ul>	Evaporation rate: Not establishSpecific Gravity: Not determinBulk density: Not applicabVapor pressure: Not determinVapor density: Not determin	led le. led led
9. Form Appearance Color Odor	: Liquid : Viscous, Liquid : NO PIGMENT : Very faint	Evaporation rate: Not establishSpecific Gravity: Not determinBulk density: Not applicabVapor pressure: Not determin	led le. led led
9. Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Liquid</li> <li>Viscous, Liquid</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul>	Evaporation rate: Not establishSpecific Gravity: Not determinBulk density: Not applicabVapor pressure: Not determinVapor density: Not determin	led le. led led
9. Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Liquid</li> <li>Viscous, Liquid</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul>	Evaporation rate: Not establishSpecific Gravity: Not determinBulk density: Not applicabVapor pressure: Not determinVapor density: Not determinpH: Not applicab	led le. led led
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>Liquid</li> <li>Viscous, Liquid</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> 10. STABILITY A	Evaporation rate: Not establishSpecific Gravity: Not determinBulk density: Not applicabVapor pressure: Not determinVapor density: Not determinpH: Not applicab	led le. led led
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	<ul> <li>: Liquid</li> <li>: Viscous, Liquid</li> <li>: NO PIGMENT</li> <li>: Very faint</li> <li>: Not applicable</li> <li>: Not applicable</li> <li>: Immiscible</li> </ul> <b>10. STABILITY A</b> <ul> <li>: Stable.</li> <li>: Will not occur.</li> </ul>	Evaporation rate       : Not establish         Specific Gravity       : Not determin         Bulk density       : Not applicab         Vapor pressure       : Not determin         Vapor density       : Not determin         pH       : Not applicab         ND REACTIVITY         a oxidizing agents and open flame. To avoid ther	ed le. ed ed le.



MATERIAL SAFETY DATA SHEET

# **10150CAL FINESSE**

Version Number 1.0 Revision Date 06/10/2002 Page 4 of 6 Print Date 11/4/2011

Hazardous decomposition products

:

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	Irritant	Eyes, Skin.
		Systemic effects	Liver, reproductive system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
85-68-7	1,2-Benzenedicarboxylic acid, butyl phenylmethylester	Oral LD50 Dermal LD50	2,330 mg/kg > 10 gm/kg	rat rabbit

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	:	No data available.
Additional advice	:	No data available.
	1.	3. DISPOSAL CONSIDERATIONS
Product	:	Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
a		

Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation



MATERIAL SAFETY DATA SHEET

# **10150CAL FINESSE**

Version Number 1.0 Revision Date 06/10/2002 Page 5 of 6 Print Date 11/4/2011

and disposal in accordance with applicable federal, state/provincial and local regulations.

# **14. TRANSPORT INFORMATION**

U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: ]	Not regulated for transportation.
ICAO/IATA	: 1	Not regulated for transportation.
IMO / IMDG	: 1	Not regulated for transportation.

### **15. REGULATORY INFORMATION**

**US Regulations:** 

 OSHA Status
 : Classified as hazardous based on components.

 TSCA Status
 : All components of this product are listed on the TSCA inventory or are exempt.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	% in Product	RQ for component	RQ for Mixture/Product
1,2-Benzenedicarb oxylic acid, butyl	85-68-7	6.97	100lbs	1,434 LB
phenylmethylester				

California Proposition : WARNING! This product contains a chemical known in the State of California to cause cancer.

Canadian Regulations:

WHMIS Classification : D2B

WHMIS Ingredient Disclosure List

CAS-No.
85-68-7
75-01-4

DSL

Listed.

:



#### MATERIAL SAFETY DATA SHEET

# 10150CAL FINESSE

Version Number 1.0 Revision Date 06/10/2002		Page 6 of 6 Print Date 11/4/2011
National Inventories:		
Australia AICS	: Listed.	
China IECS	: Not determined.	
Europe EINECS	: Not determined.	
Japan ENCS	: Not determined.	
Korea KECI	: Listed.	
Philippines PICCS	: Listed.	
	16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.