

### MATERIAL SAFETY DATA SHEET

## **10390PC PLUTO**

Version Number 1.0 Revision Date 04/29/2003 Page 1 of 6 Print Date 11/11/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

| NON-EMERGENCY<br>TELEPHONE    | : | Product Stewardship, (314) 771-1800  |
|-------------------------------|---|--|
| Emergency telephone<br>number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name                  | : | 10390PC PLUTO  |
| Product code                  | : | FO0000399  |
| Chemical Name                 | : | Mixture  |
| CAS-No.                       | : | Mixture  |
| Product Use                   | : | Industrial Applications  |

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components     | CAS-No.   | Weight % |
|----------------|-----------|----------|
| Barium sulfate | 7727-43-7 | 5 - 10   |

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

| <b>Routes of Exposure:</b>                    | : Inhalation, Skin contact, Ingestion  |
|---|--|
| Acute exposure                                |  |
| Inhalation                                    | : Inhalation of airborne droplets may cause irritation of the respiratory tract. |
| Ingestion                                     | : May be harmful if swallowed.   |
| Eyes  | : May cause eye/skin irritation.   |
| Skin  | : Experience shows no unusual dermatitis hazard from routine handling.           |
| Chronic exposure                              | : Refer to Section 11 for Toxicological Information.                             |
| Medical Conditions<br>Aggravated by Exposure: | : None known.  |



### MATERIAL SAFETY DATA SHEET

## 10390PC PLUTO

| sion Date 04/29/2003   | Page 2<br>Print Date 11/11/2  |
|--|---|
|  | 4. FIRST AID MEASURES   |
| Inhalation   | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.  |
| Ingestion  | : Do not induce vomiting without medical advice. Seek medical attention if necessary.   |
| Eyes   | : Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.  |
| Skin   | : Wash off with soap and plenty of water. If skin irritation persists see medical attention.  |
|  | 5. FIRE-FIGHTING MEASURES   |
| Flash point  | : No data available.  |
| Flammable Limits<br>Upper explosion limit<br>Lower explosion limit<br>Autoignition temperature<br>Suitable extinguishing media | <ul> <li>No data available.</li> <li>No data available.</li> <li>Not applicable.</li> <li>Carbon dioxide blanket, dry powder, foam, Water spray.</li> </ul>   |
| Special Fire Fighting<br>Procedures<br>Unusual Fire/Explosion  | <ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>  |
| Hazards  | . None  |
|  | 6. ACCIDENTAL RELEASE MEASURES  |
| Personal precautions   | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.  |
| Environmental precautions  | : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.   |
| Methods for cleaning up  | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binde<br>universal binder, sawdust). Package all material in appropriate<br>container for disposal. Refer to Section 13 of this MSDS for proper<br>disposal methods. |
|  | 7. HANDLING AND STORAGE   |
| Handling   | : Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.   |

### MATERIAL SAFETY DATA SHEET





| sion Date 04/29/2003   |   |  | Print D  | Page 3<br>Date 11/11/2   |  |  |
|--|---|--|--|--|--|--|
| Storage  |   | : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.  |  |  |  |  |
| 8. EX  | POSURE  | CONTROLS / PERSONAL  | PROTECTION   |  |  |  |
| Respiratory protection   | : U   | nder normal handling conditi   | g conditions a respirator may not be required.   |  |  |  |
| Eye/Face Protection  | : S   | : Safety glasses with side-shields.  |  |  |  |  |
| Hand protection  | : P   | rotective gloves.  |  |  |  |  |
| Skin and body protection   | : L   | ong sleeved clothing.  |  |  |  |  |
| Additional Protective<br>Measures  | : Safety shoes.   |  |  |  |  |  |
| General Hygiene<br>Considerations  |   | andle in accordance with good ash hands before breaks and  |  | safety practic   |  |  |
| Engineering measures   |   | eat only in areas with approproprion of the second se |  | Provide  |  |  |
| Exposure limit(s)  |   |  |  |  |  |  |
| Components<br>Barium sulfate   | Value<br>10 mg/m3   | Exposure time<br>Time Weighted Average   | Exposure type<br>Total dust.   | List:<br>ACGIH   |  |  |
| Barium sulfate   | 10 mg/m3  | Time Weighted Average (TWA):   | Total dust.  | ACGIH  |  |  |
| Barium sulfate Barium sulfate  |   | Time Weighted Average  |  | ACGIH<br>OSHA Z  |  |  |
| Barium sulfate Barium sulfate  | 10 mg/m3<br>5 mg/m3<br>15 mg/m3   | Time Weighted Average<br>(TWA):<br>PEL:<br>PEL:  | Total dust.<br>Respirable fraction.<br>Total dust.   |  |  |  |
| Barium sulfate<br>Barium sulfate   | 10 mg/m3<br>5 mg/m3<br>15 mg/m3<br>9. PHYSIC  | Time Weighted Average<br>(TWA):<br>PEL:<br>PEL:<br>CAL AND CHEMICAL PRO  | Total dust.<br>Respirable fraction.<br>Total dust.   | ACGIH<br>OSHA ZI<br>OSHA ZI  |  |  |
| Barium sulfate Barium sulfate Form   | 10 mg/m3<br>5 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Liqui   | Time Weighted Average<br>(TWA):<br>PEL:<br>PEL:<br>CAL AND CHEMICAL PRO  | Total dust.         Respirable fraction.         Total dust.         OPERTIES         oration rate       : Not   | ACGIH<br>OSHA ZI<br>OSHA ZI  |  |  |
| Barium sulfate<br>Barium sulfate   | 10 mg/m3<br>5 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Liqui<br>: Liqui<br>dispe   | Time Weighted Average<br>(TWA):<br>PEL:<br>PEL:<br>CAL AND CHEMICAL PRO<br>id Evapo<br>id, Viscous liquid Species  | Total dust.         Respirable fraction.         Total dust.         OPERTIES         oration rate       : Not   | ACGIH<br>OSHA ZI<br>OSHA ZI  |  |  |
| Barium sulfate<br>Barium sulfate<br>Form<br>Appearance<br>Color  | 10 mg/m3<br>5 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Liqui<br>dispe<br>: RED   | Time Weighted Average<br>(TWA):<br>PEL:<br>PEL:<br>CAL AND CHEMICAL PRO<br>id Evapo<br>id, Viscous liquid Speci-<br>ersion<br>Bulk of  | Total dust.         Respirable fraction.         Total dust.         OPERTIES         oration rate       : Not         fic Gravity       : Not         density       : Not   | ACGIH<br>OSHA ZI<br>OSHA ZI<br>established<br>determined   |  |  |
| Barium sulfate<br>Barium sulfate<br>Form<br>Appearance<br>Color<br>Odor  | 10 mg/m3<br>5 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Liqui<br>dispe<br>: RED<br>: Very   | Time Weighted Average<br>(TWA):<br>PEL:<br>PEL:<br>CAL AND CHEMICAL PRO<br>id Evapo<br>id, Viscous liquid Speci-<br>ersion<br>Bulk of<br>faint Vapo  | Total dust.         Respirable fraction.         Total dust.         OPERTIES         oration rate       : Not         fic Gravity       : Not         density       : Not         r pressure       : Not                                | ACGIH<br>OSHA ZI<br>OSHA ZI<br>established<br>determined<br>applicable.  |  |  |
| Barium sulfate<br>Barium sulfate<br>Barium sulfate<br>Form<br>Appearance<br>Color<br>Odor<br>Melting point/range                                       | 10 mg/m3<br>5 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Liqui<br>dispe<br>: RED<br>: Very<br>: Not a                                | Time Weighted Average<br>(TWA):<br>PEL:<br>PEL:<br>CAL AND CHEMICAL PRO<br>id Evapo<br>id, Viscous liquid Speci-<br>ersion<br>faint Vapor<br>applicable Vapor  | Total dust.         Respirable fraction.         Total dust.         OPERTIES         oration rate       : Not         fic Gravity       : Not         density       : Not         r pressure       : Not         r density       : Heat | ACGIH<br>OSHA ZI<br>OSHA ZI<br>established<br>t determined<br>t applicable.<br>t determined<br>avier than air  |  |  |
| Barium sulfate<br>Barium sulfate<br>Form<br>Appearance<br>Color<br>Odor  | 10 mg/m3<br>5 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Liqui<br>dispe<br>: RED<br>: Very<br>: Not a                                | Time Weighted Average<br>(TWA):<br>PEL:<br>PEL:<br>CAL AND CHEMICAL PRO<br>id Evapo<br>id, Viscous liquid Speci-<br>ersion<br>faint Vapo<br>applicable Vapor<br>applicable pH  | Total dust.         Respirable fraction.         Total dust.         OPERTIES         oration rate       : Not         fic Gravity       : Not         density       : Not         r pressure       : Not         r density       : Heat | ACGIH<br>OSHA ZI<br>OSHA ZI<br>established<br>determined<br>applicable.  |  |  |
| Barium sulfate<br>Barium sulfate<br>Form<br>Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:                                       | 10 mg/m3<br>5 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Liqui<br>: Liqui<br>dispe<br>: RED<br>: Very<br>: Not a<br>: Not a<br>: Imm | Time Weighted Average<br>(TWA):<br>PEL:<br>PEL:<br>CAL AND CHEMICAL PRO<br>id Evapo<br>id, Viscous liquid Speci-<br>ersion<br>faint Vapo<br>applicable Vapor<br>applicable pH  | Total dust.         Respirable fraction.         Total dust.         OPERTIES         oration rate       Not         fic Gravity       Not         density       Not         r density       Hea         it density       Not            | ACGIH<br>OSHA ZI<br>OSHA ZI<br>established<br>t determined<br>t applicable.<br>t determined<br>avier than air  |  |  |
| Barium sulfate<br>Barium sulfate<br>Form<br>Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:                                       | 10 mg/m3<br>5 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Liqui<br>dispe<br>: RED<br>: Very<br>: Not a<br>: Immi<br>10. S             | Time Weighted Average<br>(TWA):<br>PEL:<br>PEL:<br>CAL AND CHEMICAL PRO<br>id Evapo<br>id, Viscous liquid Speci-<br>ersion<br>faint Vapor<br>applicable Vapor<br>applicable pH<br>iscible  | Total dust.         Respirable fraction.         Total dust.         OPERTIES         oration rate       Not         fic Gravity       Not         density       Not         r density       Hea         it density       Not            | ACGIH<br>OSHA ZI<br>OSHA ZI<br>established<br>t determined<br>t applicable.<br>t determined<br>avier than air  |  |  |
| Barium sulfate<br>Barium sulfate<br>Barium sulfate<br>Form<br>Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:<br>Water solubility | 10 mg/m3<br>5 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Liqui<br>dispe<br>: RED<br>: Very<br>: Not a<br>: Not a<br>: Imm<br>10. S   | Time Weighted Average<br>(TWA):<br>PEL:<br>PEL:<br>CAL AND CHEMICAL PRO<br>id Evapo<br>id, Viscous liquid Speci-<br>ersion<br>faint Vapo<br>applicable Vapo<br>applicable pH<br>iscible  | Total dust.         Respirable fraction.         Total dust.         OPERTIES         oration rate       Not         fic Gravity       Not         density       Not         r density       Hea         it density       Not            | ACGIH<br>OSHA ZI<br>OSHA ZI<br>established<br>t determined<br>t applicable.<br>t determined<br>avier than air. |  |  |



MATERIAL SAFETY DATA SHEET

# 10390PC PLUTO

| sion Number 1.0<br>rision Date 04/29/2003             | 3            |  |                        | Page 4 of<br>Print Date 11/11/201                         |    |  |
|---|--------------|--|------------------------|---|----|--|
| Incompatible Materials                                |              | -  | ith strong acids and o |   |    |  |
| Hazardous decompositi products                        | on :         |  |                        | oxide (CO), oxides of nitrogen nd smoke are all possible. |    |  |
|   | 11.          | TOXICOLOGI   | CAL INFORMATIO         | ON  |    |  |
| health data for the indiv                             |              |  |                        | ure effects listed are based on existir                   | ıg |  |
| <u>Toxicity Overview</u><br>This product contains the | he following | g components whi   | ch in their pure form  | have the following characteristics:                       |    |  |
| CAS-No.   | Cher         | nical Name   | Effect                 | Target Organ  |    |  |
| 7727-43-7   | Barium su    | lfate  | Irritant               | Respiratory system.                                       |    |  |
|   | <u> </u>     |  | Systemic effects       | Eyes, Respiratory system.                                 |    |  |
|   | 1            | 2. ECOLOGICA   | L INFORMATION          | 1   |    |  |
| Persistence and degrada                               | ability :    | Not readily bio  | degradable.            |   |    |  |
| Environmental Toxicity                                |              | : Environmental toxicity has not been established for this mixture as a whole.   |                        |   |    |  |
| Bioaccumulation Potential                             |              | : No data available.   |                        |   |    |  |
| Additional advice                                     |              | No data availab  | le.                    |   |    |  |
|   | 1            | 3. DISPOSAL C  | ONSIDERATIONS          | 5   |    |  |
| Product   |              | : Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |                        |   |    |  |
| Contaminated packaging                                |              | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.                               |                        |   |    |  |
|   |              | 14. TRANSPOR   | <b>T INFORMATION</b>   |   |    |  |
|   |              |  |                        |   |    |  |
| U.S. DOT Classificatio                                | n :          | Refer to specifi   | c regulation.          |   |    |  |
| ICAO/IATA   | :            | Refer to specifi   | c regulation.          |   |    |  |
| IMO / IMDG  | :            | Refer to specifi   | c regulation.          |   |    |  |
|   |              |  |                        |   |    |  |



MATERIAL SAFETY DATA SHEET

## **10390PC PLUTO**

Page 5 of 6 Version Number 1.0 Print Date 11/11/2011 Revision Date 04/29/2003 **15. REGULATORY INFORMATION** US Regulations: **OSHA Status** Classified as hazardous based on components. : **TSCA Status** All components of this product are listed on or exempt from the TSCA : Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : This product does not contain a substance listed by California Prop 65. 65 SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: WHMIS Classification : Not controlled. DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS : Listed. China IECS : Listed. **Europe EINECS** : Listed. Japan ENCS Not determined. : Korea KECI Listed. : Philippines PICCS : Listed.



MATERIAL SAFETY DATA SHEET

## **10390PC PLUTO**

Version Number 1.0 Revision Date 04/29/2003 Page 6 of 6 Print Date 11/11/2011

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.