MATERIAL SAFETY DATA SHEET 19853GNS PRO MATCH BLACK

Version Number 1.2 Revision Date 05/31/2007 Page 1 of 6 Print Date 11/29/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	19853GNS PRO MATCH BLACK
Product code	:	FO0000821
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Skin contact, Ingestion					
Acute exposure					
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.				
Ingestion	: May be harmful if swallowed.				
Eyes	: May cause eye/skin irritation.				
Skin	: Experience shows no unusual dermatitis hazard from routine handling.				
Chronic exposure	: Refer to Section 11 for Toxicological Information.				
Medical Conditions Aggravated by Exposure:	: None known.				
	4. FIRST AID MEASURES				

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET 19853GNS PRO MATCH BLACK

sion Date 05/31/2007	Page 2 Print Date 11/29/2					
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.					
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.					
Eyes	Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.					
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.					
	5. FIRE-FIGHTING MEASURES					
Flash point	: No data available					
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available No data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. 					
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible. 					
	6. ACCIDENTAL RELEASE MEASURES					
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.					
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.					
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.					
	7. HANDLING AND STORAGE					
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize					

PolyOne

MATERIAL SAFETY DATA SHEET 19853GNS PRO MATCH BLACK

Version Number 1.2 Revision Date 05/31/2007

	accumulation of these materials.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorp and contamination. Store in a cool dry place.	otion
8. EX	SURE CONTROLS / PERSONAL PROTECTION	
Respiratory protection	: No personal respiratory protective equipment normally required	l.
Eye/Face Protection	: Safety glasses with side-shields	
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved clothing	
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety pr Wash hands before breaks and at the end of workday.	actice.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provid appropriate exhaust ventilation at machinery.	e
Exposure limit(s)		
There are no known hazardo	components above regulatory thresholds in this product.	
9	PHYSICAL AND CHEMICAL PROPERTIES	
Form	: liquid Evaporation rate : Not establis	shed

Form Appearance Color Odour Melting point/range Boiling Point: Water solubility

: Viscous, liquid
: BLACK
: Very faint
: Not applicable
: Inmiscible

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH Not established
Not determined
Not applicable
Not determined
Not determined
Not determined
Not applicable

	10. STABILITY AND REACTIVITY		
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.		
Incompatible Materials	: Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.		

PolyOne.

MATERIAL SAFETY DATA SHEET 19853GNS PRO MATCH BLACK

sion Number 1.2 ision Date 05/31/2007	Page 4 Print Date 11/29/2
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F and within 5 minutes at 232 °C (450 °F).
	11. TOXICOLOGICAL INFORMATION
There are no known hazardous	components above regulatory thresholds in this product.
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	 Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation
	and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.

PolyOne.

MATERIAL SAFETY DATA SHEET 19853GNS PRO MATCH BLACK

Version Number 1.2 Revision Date 05/31/2007 Page 5 of 6 Print Date 11/29/2011

TSCA Status	:	All components Inventory.	of this product a	re listed on or exem	pt from the TSCA			
US. EPA CERCLA Hazardous S	US. EPA CERCLA Hazardous Substances (40 CFR 302)							
Not applicable								
California Proposition 65								
SARA Title III Section 302 Extr	reme	ely Hazardous Sul	ostance					
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation								
SARA Title III Section 313 Toxic Chemicals:								
Unless specific chemicals are id	enti	fied under this sec	ction, this produc	ct is Not Applicable	under this regulation			
Canadian Regulations:								
National Pollutant Releas	se In	ventory (NPRI)						
Chemical Name			CAS-No.	Weight %	NPRI ID#			
1-Methyl-2-pyrrolidone			872-50-4	0.10 - 1.00	164			
WHMIS Classification	:	Not controlled.						
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.						
National Inventories:								
Australia AICS	:	Not determined						
China IECS	:	Not determined						
Europe EINECS	:	Listed						
Japan ENCS	:	Not determined						

Korea KECI : Not determined

MATERIAL SAFETY DATA SHEET 19853GNS PRO MATCH BLACK

Version Number 1.2 Revision Date 05/31/2007 Page 6 of 6 Print Date 11/29/2011

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.