ne

Version Number 1.2 Revision Date 07/08/2015 Page 1 of 15 Print Date 07/09/2015

SAFETY DATA SHEET

32151SPC ORANGE 151

Section 1. Identification			
GHS product identifier	:	32151SPC ORANGE 151	
Chemical name	:	Mixture	
CAS number	:	Mixture	
Other means of identification	:	FO00001134	
Product type	:	liquid	
Relevant identified uses of the substance or mixture and uses advised against			
Product use	:	Industrial applications. Plastics.	
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012	
		1 (440) 930-1000 or 1 (866) POLYONE	
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.



Version Number 1.2 Revision Date 07/08/2015 Page 2 of 15 Print Date 07/09/2015

GHS	label	elements	

Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO00001134

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	5 - 10	13463-67-7
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	1 - 5	68515-48-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures



Version Number 1.2	Page 3 of 15
Revision Date 07/08/2015	Print Date 07/09/2015

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atte	entio	on and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)



Version Number 1.2 Revision Date 07/08/2015

Page 4 of 15 Print Date 07/09/2015

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters Special protective equipment for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up



Version Number 1.2	Page 5 of 15
Revision Date 07/08/2015	Print Date 07/09/2015
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill	: Stop leak if without risk. Move containers from spill area. Prevent
	entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows.
	Contain and collect spillage with non-combustible, absorbent material
	e.g. sand, earth, vermiculite or diatomaceous earth and place in
	container for disposal according to local regulations (see Section 13).
	Dispose of via a licensed waste disposal contractor. Note: see Section
	1 for emergency contact information and Section 13 for waste
	disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name

Exposure limits



Version Number 1.2 Revision Date 07/08/2015

Titanium dioxide	OSHA PEL 1989 (1989-03-01)PEL: Permissible Exposure Level 10 mg/m3 Form: Total dustOSHA PEL (1993-06-30)PEL: Permissible Exposure Level 15 mg/m3 Form: Total dustACGIH TLV (1996-05-18)TLV-TWA: Threshold Limit Value - Time weighted average PEL:Permissible Exposure Level 10 mg/m3	
Appropriate engineering controls Environmental exposure controls	 Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. 	
Individual protection measures		
Hygiene measures Eye/face protection	 Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the er of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates higher degree of protection: safety glasses with side-shields. 	d to
Skin protection		
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical production in the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production is the standard should be worn at all times when handling chemical production should be worn at all times when han	cts
Body protection	 if a risk assessment indicates this is necessary. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. 	
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. 	5
Respiratory protection	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is	

One.

Version Number 1.2 Revision Date 07/08/2015

Page 7 of 15 Print Date 07/09/2015

necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

Physical state	:	liquid [Paste.]
Color		ORANGE
Odor		Not available.
Odor threshold	-	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	-	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
	•	
(flammable) limits	•	Upper: Not available.
	:	
(flammable) limits Vapor pressure	:	Upper: Not available.
(flammable) limits	:	Upper: Not available. Not available.
(flammable) limits Vapor pressure Vapor density	:	Upper: Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density		Upper: Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility		Upper: Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water	:	Upper: Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-	:	Upper: Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water	:	Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature	:	Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature		Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
		7/4 5



Version Number 1.2 Revision Date 07/08/2015

Page 8 of 15 Print Date 07/09/2015

Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium dioxide				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
1,2-Benzenedicarboxylic acid	, di-C8-10-branched	alkyl esters, C9-rich		
	LD50 Oral	Rat	10,000 mg/kg	-
Conclusion/Summary	• Mixtu	re.Not fully tested.		

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
1,2-Benzenedicarboxylic	Eyes - Mild	Rabbit			-
acid, di-C8-10-branched	irritant				
alkyl esters, C9-rich					
Conclusion/Summary					
Skin	: N	lixture.Not fu	ally tested.		
Eyes	: N	lixture.Not fu	ally tested.		
Respiratory	: N	lixture.Not fu	ally tested.		
Sensitization					
Conclusion/Summary					
Skin		lixture.Not fu	•		
Respiratory	: N	lixture.Not fi	ally tested.		
Mutagenicity					
Conclusion/Summary	: N	lixture.Not fu	ally tested.		
Carcinogenicity					



Version Number 1.2 Revision Date 07/08/2015 Page 9 of 15 Print Date 07/09/2015

Conclusion/Summary Classification	:	Mixture.Not fu	lly tested.
Product/ingredient	OSHA	IARC	NTP
name			
Titanium dioxide		2B	
<u>Reproductive toxicity</u>			
Conclusion/Summary	:	Mixture.Not fu	lly tested.
Teratogenicity			
Conclusion/Summary	:	Mixture.Not fu	lly tested.
Specific target organ toxicity Not available.	y (single exp	osure)	
Specific target organ toxicity Not available.	y (repeated o	exposure)	
Aspiration hazard Not available.			
Information on the likely rou exposure	ites of 🛛 :	Not available.	
Potential acute health effects			
Eye contact	:	No known sign	ificant effects or critical hazards.
Inhalation	:	Exposure to de	composition products may cause a health hazard. may be delayed following exposure.
Skin contact	:		ificant effects or critical hazards.
Ingestion	:		ificant effects or critical hazards.
Symptoms related to the phy	sical, chemi	cal and toxicolog	gical characteristics
Eye contact	:	No specific data	a.
Inhalation	:	No specific data	
Skin contact	:	No specific data	
Ingestion	:	No specific data	a.
Delayed and immediate effec	ts and also o	chronic effects fi	rom short and long term exposure

Short term exposure

<u>PolyOne</u>

Version Number 1.2 Revision Date 07/08/2015

Page 10 of 15 Print Date 07/09/2015

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	116,604.5 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Titanium dioxide			
	Acute LC50 > 1,000,000 μg/l	Fish - Mummichog	96 h
	Marine water		
	Acute LC50 > 1,000 mg/l Fresh	Fish - Fathead minnow	96 h
	water		
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates.	48 h
	_	Water flea	
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates.	48 h
		Water flea	
	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates.	48 h



Version Number 1.2 Revision Date 07/08/2015 Page 11 of 15 Print Date 07/09/2015

		Water flea	
	Acute EC50 35.306 mg/l Fresh	Aquatic invertebrates.	48 h
	water	Water flea	
Conclusion/Summary	: Not available.		

Persistence and degradability

Conclusion/Summary : Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		352.00	low
1,2-Benzenedicarboxylic	8.8	3.00	low
acid, di-C8-10-branched			
alkyl esters, C9-rich			

Mobility in soil

Soil/water	partition coefficient
(KOC)	
Other adver	rse effects

Not available.

•

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed



Version Number 1.2 Revision Date 07/08/2015 Page 12 of 15 Print Date 07/09/2015

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Consult mode specific transport rules
IMO/IMDG (maritime)	:	Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Listed 1,2- Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
		United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority
		pollutants: Listed 1,2-Benzenedicarboxylic acid, butyl
		phenylmethylester Phenol
		United States - EPA Clean water act (CWA) section 311 -
		Hazardous substances: Listed
		United States - EPA Clean air act (CAA) section 112 - Accidental
		release prevention - Flammable substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental

Version Number 1.2 Revision Date 07/08/2015 PolyOne.

Page 13 of 15

Print Date 07/09/2015

release prevention - Toxic substances: Not listed **United States - Department of commerce - Precursor chemical:** Not listed

Clean Air Act Section 112(b)	:	Not listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor		Not listed
Chemicals) DEA List II Chemicals (Essential		Not listed
Chemicals)	•	Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

Name	%	Classification
Titanium dioxide	5 - 10	СН
1,2-Benzenedicarboxylic acid, di-	1 - 5	AH
C8-10-branched alkyl esters, C9-		
rich		

SARA 313

Not applicable.

State regulations		
Massachusetts	: The following components are listed:	
	Calcium carbonate	
	Titanium dioxide	
New York	: None of the components are listed.	
New Jersey	: The following components are listed:	
	Calcium carbonate	
	Ethene, chloro-, homopolymer	
	Titanium dioxide	
Pennsylvania	: The following components are listed:	
	Calcium carbonate	

13/15

<u>PolyOne</u>

Version Number 1.2 Revision Date 07/08/2015 Page 14 of 15 Print Date 07/09/2015

Titanium dioxide

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
International lists	:	 Australia inventory (AICS): Not determined. Taiwan inventory (CSNN): Not determined. Malaysia Inventory (EHS Register): Not determined. EINECS: All components are listed or exempted. Japan inventory: Not determined. China inventory (IECSC): All components are listed or exempted. Korea inventory: All components are listed or exempted. New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted.
Chemical Weapons Convention List Schedule I Chemicals	:	Not listed
Chemical Weapons Convention List Schedule II Chemicals	:	Not listed
Chemical Weapons Convention List Schedule III Chemicals	:	Not listed

Section 16. Other information

<u>History</u>		
Date of printing	:	07/09/2015
Date of issue/Date of revision	:	07/08/2015
Date of previous issue	:	11/01/2007
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
-		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods

Version Number 1.2 Revision Date 07/08/2015

Page 15 of 15 Print Date 07/09/2015

LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

: